For KCC Use: District # SGA? Yes X No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC	C five (5) days prior to commencing well
And 40, 2007	Approx. 30' S & 75' W of
Expected Spud Date April 18, 2007	Spot East
month day year	$\frac{\text{NW SW}}{\text{NE}} = \frac{\text{NE}}{\text{SW}} = \frac{\text{SW}}{\text{Sec.}} = \frac{5}{\text{Twp.}} = \frac{19}{\text{S. R.}} = \frac{31}{\text{V}} \text{West}$
OPERATOR: License# 5214	1785 feet from N / \(\subseteq S \) Line of Section
Name: Lario Oil & Gas Company	
Address: 301 S. Market	Is SECTION _✓ _RegularIrregular?
City/State/Zip: Wichita, KS 67202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jay G. Schweikert	County: Scott
Phone: 316-265-5611	Lease Name; Dearden Trust Well #: 1-5
20506	Field Name: Hugoton Northeast Gas Area
CONTRACTOR: License# 30606	Is this a Prorated / Spaced Field?
Name: Murfin Drilling Co., Inc.	Target Formation(s): Lansing, Marmaton, Cherokee
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 855'
	Ground Surface Elevation: 2970 feet MSL
Oil Enh Rec Infield Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 180'
Seismic;# of Holes Other	Depth to bottom of usable water: 1550'
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 340'
Operator:	None None
Well Name:	4700°
Original Completion Date:Original Total Depth:	St Louis
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓	No Well Farm Pond Other X
If Yes, true vertical depth:	— DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	— Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met:	AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 KANSAS CORPORATION COMMISSI MAR 1 9 2007
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted o The minimum amount of surface pipe as specified below <i>shall l</i> 	be set by circulating cement to the top; in all cases surface piper the set
through all unconsolidated materials plus a minimum of 20 feet i	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging</i> ;
Or pursuant to Appendix "B" - Eastern Kansas surface casing of	emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
hereby certify that the statements made herein are true and to the be	2 /// / 2
Date: $3/19/07$ Signature of Operator or Agent: 103	Title: Jay G. Schweikert, Operations Engineer
For KCC Use ONLY	Remember to:
171-20652-200	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
741110	- File acreage attribution plat according to field proration orders;
Conductor pipe required feet	Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 200 feet per Alt.	Submit plugging report (CP-4) after plugging is completed;
Approved by: 143-1907	Obtain written approval before disposing or injecting salt water.
This authorization expires: 9-19-07	- If this permit has expired (See: authorized expiration date) please
(This authorization void if drilling not started within 6 months of approval date	check the box below and return to the address below.
	Well Not Drilled - Permit Expired
Spud date: Agent:	Signature of Operator or Agent:
_	Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - /7/-20653-0000	Location of Well: County: Scott
Operator: Lario Oil & Gas Company	1785 feet from N / S Line of Section
Lease: Dearden Trust	1410 feet from E / 🗸 W Line of Section
Well Number: 1-5	Sec. 5 Twp. 19 S. R. 31 East ✓ Wes
Field: Hugoton Northeast Gas Area	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NW SW - NE - SW	Is Section: ✓ Regular or Irregular
~30' S & 75' W	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	•						
-		•			•	•	•
					•		•
•	•			<u> </u>		•	•
				1			-
				• • •			
							-
							-
	-			1			
•		•			•	•	•
				1			
						•	
		•			•	•	•
		•		5	•	•	•
			;				
					•		
					•		•
				I .	_		
•	•	-			•	•	
· · · 4	410'			1 * ' *			
. 1	410						
		Ο.		i	•		
•		ĭ.			•		•
		1					
		1					
					•		•
_		l .		1			
	•	1785	(1	1			
-	•	1 1,00	,		•	•	•
		1		1			
•		1 ' ' .				_	
-	•	Ι.					
	•				•	•	•
		.l. ·					•
		w.					_
		•			•	•	-
						· · ·	· · · · ·



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lario Oil & Gas Company			License Number: 5214			
Operator Address: 301 S. Marke	t, Wichita, KS	67202				
Contact Person: Jay G. Schweikert			Phone Number: (316) 265 - 5611			
Lease Name & Well No.: Dearden Trust #1-5			Pit Location (QQQQ): ~30' S & 75' W			
Type of Pit:	Pit is:		NW SW NE SW			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 5 Twp. 19 R. 31 ☐ East ✓ West			
Settling Pit	If Existing, date constructed:		1785 Feet from North / 🗸 South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1410 Feet from ☐ East / ✓ West Line of Section			
	7100	(bbls)	Scott County			
Is the pit located in a Sensitive Ground Water Area? Yes V		Chloride concentration:mg/l				
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
✓ Yes No	☐ Yes 🗸	No				
Pit dimensions (all but working pits):	00 Length (fe	eet) 100	Width (feet) N/A: Steel Pits			
Depth fr	rom ground level to de		· ·			
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	edures for periodic maintenance and determining			
materiai, unickness and installation procedure.		KANSAS CORPORATION COMMISSION				
			A			
			MAR 1 9 2007			
			MAR 1 9 2007 CONSERVATION DIVISION			
Distance to nearest water well within one-mile	e of pit	•	MAR 1 9 2007 CONSERVATION DIVISION WICHITA, KS west fresh water NA feet.			
Distance to nearest water well within one-mile NA feet Depth of water well		Source of infor	MAR 1 9 2007 CONSERVATION DIVISION WICHITA, KS west fresh water NA feet.			
NA	NA feet	Source of infor	MAR 1 9 2007 CONSERVATION DIVISION WICHTA, KS west fresh water NA feet. mation:			
NA feet Depth of water well	NA feet	Source of informeasu	MAR 1 9 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterNA			
NA feet Depth of water well Emergency, Settling and Burn Pits ONLY:	NA feet	Source of informeasu Drilling, Worke	MAR 1 9 2007 CONSERVATION DIVISION WICHITA, KS west fresh water NA feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Mud king pits to be utilized: 2			
NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	NA feet	Source of informeasu Drilling, Worke	MAR 1 9 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterNA			
NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	NA feet	Source of informeasu Drilling, Worke Type of materia Number of work Abandonment	MAR 1 9 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterNA			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	NA feet	Source of informeasu Drilling, Worke Type of materia Number of work Abandonment Drill pits must to	MAR 1 9 2007 CONSERVATION DIVISION WICHITA, KS west fresh water NA feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Mud king pits to be utilized: 2 procedure: Allow for evaporation. Fill in & cover pits. oe closed within 365 days of spud date.			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	NA feet	Source of informeasu Drilling, Worke Type of materia Number of work Abandonment Drill pits must to	MAR 1 9 2007 CONSERVATION DIVISION WICHITA, KS west fresh water NA feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Mud king pits to be utilized: 2 procedure: Allow for evaporation. Fill in & cover pits. oe closed within 365 days of spud date.			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	NA feet spilled fluids to	Source of informeasu Drilling, Worke Type of materia Number of work Abandonment Drill pits must be	MAR 1 9 2007 CONSERVATION DIVISION West fresh water NA feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: Bentonite Mud king pits to be utilized: 2 procedure: Allow for evaporation. Fill in & cover pits. be closed within 365 days of spud date. Shall when the state of the s			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	NA feet	Source of informeasu Drilling, Worke Type of materia Number of work Abandonment Drill pits must be	MAR 1 9 2007 CONSERVATION DIVISION WICHITA, KS west fresh water NA feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Mud king pits to be utilized: 2 procedure: Allow for evaporation. Fill in & cover pits. oe closed within 365 days of spud date.			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Source of informeasu Drilling, Worke Type of materia Number of work Abandonment Drill pits must be	MAR 1 9 2007 CONSERVATION DIVISION WICHITA, KS west fresh water NA feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Mud king pits to be utilized: 2 procedure: Allow for evaporation. Fill in & cover pits. oe closed within 365 days of spud date. of my knowledge and belief. Jenuary Lawrence gnature of Applicant or Agent			