For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date 4-2-07	Spot			
month day year	S/2 - S/2 - SW Sec. 12 Twp. 9 S. R. 16 West			
OPERATOR: License# 5259 V	540 feet from N / S Line of Section			
Name: Mai Oil Operations, Inc.	1250feet from E / W Line of Section			
P.O. Box 33	Is SECTION RegularIrregular?			
Address: City/State/Zip: Russell, Ks. 67665	(Note: Locate well on the Section Plat on reverse side)			
Contact Person: Allen Bangert	County: Rooks			
Phone: 785-483-2169	Lease Name: Sarver Well #: 1			
•	Field Name: Wildcat			
CONTRACTOR: License# 33350	Is this a Prorated / Spaced Field?			
Name: Southwind Drilling, Inc.	Target Formation(s): Lansing-Kansas City			
	Nearest Lease or unit boundary: 540'			
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2049' feet MSL			
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓ No			
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:			
OWWO Disposal ✓ Wildcat ✓ Cable	Depth to bottom of fresh water: 180'			
Seismic; # of Holes Other	Depth to bottom of usable water: 250 800			
Other	Surface Pipe by Alternate: 1 7 2			
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'			
	Length of Conductor Pipe required: None			
Operator:	Projected Total Depth: 3560'			
Original Completion Date:Original Total Depth:	Formation at Total Depth: Conglomerate			
	Water Source for Drifling Operations:			
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well			
Directional, Deviated or Horizontal wellbore? [] Yes [] No If Yes, true vertical depth:	Well ✓ Farm Pond Other DWR Permit #:			
The state of the s	DWR Permit #:			
If Yes, true vertical depth:	DWR Permit #:(Note: Apply for Permit with DWR)			
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF	DWR Permit #:			
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	DWR Permit #:			
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;			
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: Plugging of this well will comply with K.S.A. 55 et. seq. Such drilling rig; Such drilling rig; Such drilling formation. If Yes No in all cases surface pipe shall be set the underlying formation. If Yes In No in In It is in the interval of the set in the underlying formation. If Yes In No in In It is in the interval of the set in the underlying formation. If Yes In No in In It is in the interval of the set in the interval of the set in the interval of the set in the interval of the i			
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. The surface of spudged. In all cases, NOTIFY district office prior to any cementing. Title: Prod. Supt.			
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the second	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: PIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Figure 1. Title: Prod. Supt. Remember to:			
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 3-14-07 Signature of Operator or Agent: For KCC Use ONLY	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. The Hamman and the plugged. In all cases, NOTIFY district office prior to any cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Prod. Supt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;			
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 3-14-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - IB3-23599-0000	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Dugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate If cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Prod. Supt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;			
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surfaced and the surfaced pipe as specified below shall be surfaced. If the well is dry hole, an agreement between the operator and the surfaced is appropriate district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surfaced price of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surfaced price	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Dugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate If cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Prod. Supt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;			
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the office of the surface district office will be notified before well is either plue 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 3-14-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - //63 - 235 99 - ODOO Conductor pipe required	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: Place of this well will comply with K.S.A. 55 et. seq. And drilling rig; But by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Considering district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; Interference of the case of the considering prior to any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the Double of the considering prior to any cementing of my knowledge and belief. Title: Prod. Supt. Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.			
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the such that the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plus to the appropriate district office will be notified before well is either plus to the suppropriate district office will be notified before well is either plus to the suppropriate district office will be notified before well is either plus to the suppropriate district office will be notified before well is either plus to the suppropriate district office will be notified before well is either plus to the suppropriate district office will be notified before well is either plus to the suppropriate district office will be notified before well is either plus to the suppropriate district office will be notified before well is either plus to the suppropriate district office will be notified before well is either plus to the suppropriate district office will be notified before well is either plus to the suppropriate district office will be notified before well is either plus to the suppropriate district office will be notified before well is either plus to the suppropriate district office will be notified before well is either plus to the suppropriate district office will be notified before well is either plus to the suppropriate district office prior to suppropriate dist	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: Place of this well will comply with K.S.A. 55 et. seq. And drilling rig; But by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Considering district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Title: Prod. Supt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.			
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the completed district office will be notified before well is either plus 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 3-14-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - //63 - 235 - 99 - 0000 Conductor pipe required None feet per Alt. (2) Approved by: Lett 3-19-07	Will Cores be taken? If Yes, proposed zone: Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ited from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Prod. Supt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.			
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the center of the well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud certify that the statements made herein are true and to the best of the spud certify that the statements made herein are true and to the best of the spud certify that the statements made herein are true and to the best of the spud certify that the statements made herein are true and to the best of the spud certify that the statements made herein are true and to the best of the spud certify that the statements made herein are true and to the best of the spud certify that the statements made herein are true and to the best of the spud certify that the statements made herein are true and to the best of the spud certify that the statements made herein are true and to the best of the spud certified before the spud certified before well is either plus. For KCC Use ONLY API # 15	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: PIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. And drilling rig; But by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Diugging of production casing is cemented in; the drom below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Prod. Supt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please			

MAR 1 6 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 163-23599-0000	Location of Well: County: Rooks		
Operator: Mai Oil Operations, Inc.	540feet from N / ✓ S Line of Section		
Lease: Sarver	540 feet from N / ✓ S Line of Section 1250 feet from E / ✓ W Line of Section		
Weil Number: 1 Field: Wildcat	Sec. 12 Twp. 9 S. R. 16 East ✓ West		
Number of Acres attributable to well:	ts Section: Regular or trregular		
QTR / QTR / QTR of acreage: S/2 - S/2 - SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	•				-
1	•				
	•	•		-	•
1	•				
	•	•		•	•
f					
1 '	• •	•	!		•
				_	
		•			-
			i		
1 .	•			_	
				•	
		•		-	•
1					
Ι ,	-	•		ė	•
1			1		
	•				
	•	•		•	•
	•				
i .	•	•	_ `		
		- 1	ク・	•	-
1			/		
	•	. 1	- .		
1	•	•		•	•
		•		-	•
			ı		:
1		•	1 .	•	•
}			j		
			1		
i .					
1	•	•		•	•
1 .			i .	_	
1	=		1	•	
1 .		-	1 .		
]			· · ·		
	•			•	
	-				
1 .	•	•		and the second second	•
1					
1 '	•	•			•
1					
1			1		· · · · · ·
£ 125	A				
4 /20			1		
·	₹	•	1 .	•	- ,
	Eilm'		į .	•	,
1	540		1		
1 .		•			•
L					

NOTE: In all cases locate the spot of the proposed drilling locaton.



RECEIVED KANSAS CORPORATION COMMISSION

MAR 1 6 2007

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 suits and the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 suits and the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 suits and the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 suits and the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 suits and the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 suits and the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 suits and the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 suits and 1 section wi
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Mai Oil Operations, Inc.		License Number: 5259						
Operator Address: P.O. Box 33, I	Russell, Ks.	67665						
Contact Person: Allen Bangert		Phone Number: (785) 483 -2169						
Lease Name & Well No.: Sarver #1			Pit Location (QQQQ):					
Type of Pit:	Pit is:		S/2 S/2 SW _					
Emergency Pit Burn Pit	Proposed Existing		Sec. 12 Twp. 9 R. 15 East ✓ West					
Settling Pit	If Existing, date constructed:		540 Feet from North / South Line of Section					
Workover Pit Haul-Off Pit			1250 Feet from ☐ East / ✓ West Line of Section					
(If WP Supply API No. or Year Drilled)	Pit capacity:		Rooks					
	500	(bbls)	County					
Is the pit located in a Sensitive Ground Water	Area? Yes _ ✓	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)					
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?					
✓ Yes No	Yes 🗸	No	Drilling Mud					
Pit dimensions (all but working pits):	5 Length (fe	eet) 75	Width (feet) N/A: Steel Pits					
	om ground level to de	eepest point: 3	(feet)					
Source of info Nomber of producing wells on lease: Source of info Source of info Matter well Feet Source of info Meas Freet Producing Feet Source of info Meas Type of material Number of producing wells on lease: Number of wo		Depth to shallo Source of infor	owest fresh waterfeet.					
		measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Drilling Mud						
						Number of working pits to be utilized: 3		
					Barrels of fluid produced daily:		Abandonment procedure: Let Dry and Backfill	
		Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMM				
I hereby certify that the above state	ements are true and	correct to the bes						
3-14-07		Aller	CONSERVATION DIVISION WICHITA, KS					
Date			9					
	KCC	OFFICE USE O	100000000000000000000000000000000000000					