# RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	2 25-07
Effective Date:_	J-25-07
District #	4
0040 🖂 🗸	Y No

## Kansas Corporation Commission Oil & Gas Conservation Division

MAR 2 0 2007

Form C-1 December 2002

NOTICE OF INTENT TO DRILL

CONSERVATION DIVISION Form must be Typed WIGHTA KS

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date April 5, 2007	Spot
month day year	NW - NE SE Sec. 4 Twp. 10 S. R. 20 West
OPERATOR: License# 5363	2173 feet from N / S Line of Section
Name: Berexco Inc.	1121feet from VE / W Line of Section
Address: P.O. Box 20380	Is SECTIONRegularIrregular?
Address: P.O. Box 20380  City/State/Zip: Wichita, KS 67208	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Bruce Meyer	County: Rooks
Phone: (316) 265-3311	Lease Name: Glick Well #: 10
	Field Name: Marcotte
CONTRACTOR: License# 5147	Is this a Prorated / Spaced Field?
Name: Beredco Inc.	Target Formation(s): Lansing/KS City & Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1121'
V Oil / Enh Rec V Infield / Mud Rotary	Ground Surface Elevation: (est.) 2230 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 3900
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	olugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on ea	ich drilling rig;
3. The minimum amount of surface pipe as specified below shall be se	et by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into t	
4. If the well is dry hole, an agreement between the operator and the	district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plus	gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
	*#133,891-C, which applies to the KCC District 3 area, alternate II cementing
	be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	of my knowledge and belief.
1-1	
Date: March 20, 2007 Signature of Operator or Agent:	Title: Engineering Technician
<u> </u>	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 163-23600-0000	File Completion Form ACO-1 within 120 days of soud date:
Art # 10	- File acreage attribution plat according to field proration orders;
Conductor pipe required None feet	- Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 200 feet per Alt. (2)	<ul> <li>Submit plugging report (CP-4) after plugging is completed;</li> </ul>
Approved by: \$\(\psi\) 13-20-07	- Obtain written approval before disposing or injecting salt water.
This authorization expires: 9-20-07	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval date.)	
	Well Not Drilled - Permit Expired
Spud date:Agent:	Signature of Operator or Agent:
	Date:

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 163-23600-0000	Location of Well: County: Rooks
Operator: Berexco Inc.	2173 feet from N / S Line of Section
Lease: Glick	1121 feet from E / W Line of Section
Well Number: 10	Sec. 4 Twp. 10 S. R. 20 East ✔ West
Field: Marcotte	
Normalis of Assess attails at the confidence of	Is Section: 🗸 Regular or 🗌 Irregular
Number of Acres attributable to well:	
QIN/QIN/QIN blacreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
(Show location of the well and shade attrib	PLAT butable acreage for prorated or spaced wells.) RECEIVED set lease or unit boundary line.) KANSAS CORPORATION COMMISSION
	TIOS CONSERVATION DIVISION
	WIGHTA, KS
-LEASE	LINE
	EXAMPLE
A	
	1121' FEL
	1980
K	3390

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

### RECEIVED CANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAR 2 0 2007

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

WICHITM, KS

CONSERVATION DIVISION

Operator Name: Berexco Inc.			License Number: 5363		
Operator Address: P.O. Box 20380, Wichita, KS 67208					
Contact Person: Bruce Meyer			Phone Number: ( 316 ) 265 - 3311		
Lease Name & Well No.: Glick #10			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW NW NE SE		
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 3 Twp. 10S R. 20 East		
Settling Pit	If Existing, date constructed:		1646 Feet from North / 🗹 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1465 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	3000 (bbls)		Rooks County		
Is the pit located in a Sensitive Ground Water	Area? Yes	·] No	Chloride concentration: mg/l		
1- th-	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
is the bottom below ground level?	Yes V	No	Lined w/clay soil, native & fresh mud.		
7					
Pit dimensions (all but working pits): $\frac{70}{}$ Length (feet) $\frac{70}{}$ Depth from ground level to deepest point: $\frac{5}{}$					
	<del>-</del>		(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.			edures for periodic maintenance and determining ncluding any special monitoring.		
			<u> </u>		
Distance to nearest water well within one-mile	of pit	Depth to shallowest fresh water			
1534feet Depth of water well \$\frac{\alpha}{4}feet		Source of information:  measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Bentonite mud			
Number of producing wells on lease:		Number of working pits to be utilized: 3			
Barrels of fluid produced daily:		Abandonment procedure: Allow liquid contents to evaporate,			
Does the slope from the tank battery allow all spilled fluids to		let cuttings dry, then backfill and level to contour of ground.			
flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
March 20, 2007  Date  March 20, 2007  Signature of Applicant or Agent					
Date Signature of Applicant of Agent					
KCC OFFICE USE ONLY					
Data Rassivad: 3/20/07 Parmit Num	hor:	Porm	it Date: 3/20/c/1 Lease Inspection: Yes   X   No		