### RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	2-25-07	
Effective Date	<u> </u>	
District #	4	
0040 TV	. V No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAR 2 0 2007

Form C-1 December 2002

CONSERVATION DIVISION FO

SGA?	· —			<b>NOTICE</b>	OF INITI	ENTT		DII I	W	<b>ICHTY</b>	KG	SIUN FO	rm mus	t be S	lanea
_	Yes 🗶 No		Must be	approved by	-					- Complete	4 NO		ınks mı		_
	March	26 2007												_	
Expected S	pud Date March	month	day	year		Spot	NIT.	C/A/	2		10	i	20	Ц	East
			uay	year		SW 1646		- <u>SW</u>							West
OPERATOR	: License#_5363					1465			feet feet						
Name: Bere					<del></del>		TION !	Regu				/ [V W	Line of	Section	on
Address: P.	O. Box 20380 ip: Wichita, KS 67: son: Bruce Meyer	208				IS SEC		_		_					
City/State/Z	ip: Wichita, No 07	200				<u>.</u> .		ote: Locate	well on th	e Secti	on Plat	on revers	e side)		
Contact Per	6) 265-3311					County	Rooks	utsch							
					<del></del>		ame: Ma					v	VOII #:		
CONTRACT	OR: License# 514	47						d / Space	d Field?					Yes [	No
Name: Bere	edco Inc.					Target i	Formatio	n(s): Lar	sing/KS (	City &	Arbuck	de		103	<b>-</b>
	<b>_</b>	=.	_	<b>.</b>				or unit bo							
Well	Drilled For:	Well Class:	_	pe Equipment —				Elevation:						feet	t MSL
✓ Oil •	<u> </u>	✓ Infield		✓ Mud Rotary	-			n one-qua					V	Yes [	No
Gas	<u> </u>	Pool Ex	-	Air Rotary				ply well w		mile:			Ť	Yes	No
	·	Wildcat		Cable				of fresh			-			, .	
	mic;# of Hole	es Other						of usable							
Othe	r				-	Surface	Pipe by	Alternate:	1	V 2	!	_			
If OWWO:	old well information	as follows:				Length	of Surfa	ce Pipe P	lanned to	be se	t: _200'				
Operato	r:					Length	of Cond	uctor Pipe	required	None	-				
Well Nar	me:							Depth: 39							
Original	Completion Date:_		Original T	otal Depth:				tal Depth:							
	Davieted on Herina			[				or Drilling							
	Deviated of Hofizo	niai welibole?								thar					
Directional,					No										
If Yes, true v	vertical depth:														
If Yes, true v Bottom Hole	vertical depth: Location:					DWR P	ermit #:_	(Note							
If Yes, true v Bottom Hole	vertical depth:					DWR P	ermit #: _ res be ta	( <i>Note</i> ken?	: Apply for	Permit	with DI	NA 🕣		Yes [	
If Yes, true v Bottom Hole	vertical depth: Location:					DWR P	ermit #: _ res be ta	(Note	: Apply for	Permit	with DI	NA 🕣			
If Yes, true v Bottom Hole KCC DKT #:	vertical depth: Location:				AFFIDA	DWR Pour Will Condition of the Market Pour	ermit #: _ res be ta proposed	( <i>Note</i> ken? I zone:	: Apply for	Permit	with DV	WR 🕣			
If Yes, true v Bottom Hole KCC DKT #:	vertical depth: Location: igned hereby affirm	ns that the dri	illing, con	npletion and e	AFFIDA	DWR Pour Will Condition of the Market Pour	ermit #: _ res be ta proposed	( <i>Note</i> ken? I zone:	: Apply for	Permit	with DV	WR 🕣			
If Yes, true v Bottom Hole KCC DKT #:	vertical depth: Location:	ns that the dri	illing, con	npletion and e	AFFIDA	DWR Pour Will Condition of the Market Pour	ermit #: _ res be ta proposed	( <i>Note</i> ken? I zone:	: Apply for	Permit	with DV	WR 🕣			
If Yes, true of Bottom Hole KCC DKT #: The undersi It is agreed 1. Notify	vertical depth: becation: igned hereby affire that the following the appropriate of	ns that the dri minimum requ listrict office p	illing, con uirements	npletion and e s will be met: pudding of we	AFFIDA	DWR Power of the DWR Po	ermit #: _ res be ta proposed	( <i>Note</i> ken? I zone:	: Apply for	Permit	with DV	WR 🕣			
If Yes, true v Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop	vertical depth: igned hereby affirr that the following the appropriate copy of the approved	ns that the dri minimum requ district office <i>p</i> I notice of inte	illing, con uirements orior to s ont to drill	npletion and e s will be met: pudding of we shall be pos	AFFIDA ventual plug	DWR Portion of the drilling ri	ermit #: _ res be ta proposed his well to	( <i>Note</i> ken? i zone: will compl	: Apply for	Permit	with DV	WR		Yes [	No
If Yes, true v Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The n throu	vertical depth:  Location:  igned hereby affire that the following the appropriate copy of the approved infimum amount of the all unconsolida	ns that the dri minimum requ listrict office <i>p</i> I notice of inte of surface pipe ted materials	illing, con uirements orior to s nt to drill e as spec plus a m	npletion and e s will be met: pudding of we shall be pos cified below si inimum of 20	AFFIDA ventual plug  II; ted on each hall be set to teet into the	DWR Power of the Market of the	ermit #: _ res be ta proposed his well to g; tting cen ng forma	(Note ken? I zone: will compl ment to the	e Apply for	Permit	with Di	eq.	e shall	Yes [	<b>V</b> No
If Yes, true of Bottom Hole KCC DKT #:  The undersilt is agreed  1. Notify 2. A cop 3. The notify 4. If the	igned hereby affire that the following the appropriate of the appropriate of the approved infimum amount of the approved in all unconsolidation well is dry hole, a	ns that the dri minimum requ district office p I notice of inte of surface pipe ted materials an agreement	illing, con uirements orior to s nt to drill e as spec plus a m between	npletion and e s will be met: pudding of we shall be pos cified below si inimum of 20 the operator	AFFIDA ventual plug II; led on each nail be set b leet into the and the dist	DWR Power of the Market of the	ermit #: _ res be ta proposed his well well well well well well well wel	(Note ken? If zone: will complement to the stion. If you length a	y with K.S e top; in a	Permit	with Di	eq.	e shall	Yes [	<b>V</b> No
If Yes, true of Bottom Hole KCC DKT #:  The undersilt is agreed  1. Notify 2. A cop 3. The noting 4. If the 5. The a	igned hereby affire that the following the appropriate on the appropriate of the approved in immum amount of the appropriate of the approved well is dry hole, appropriate district	ns that the dri minimum requ district office p I notice of inte of surface pipe ted materials an agreement office will be	illing, con uirements orior to s int to drill as as spec plus a m between notified t	npletion and es will be met: pudding of we shall be positified below simimum of 20 the operator before well is a	AFFIDA ventual plug  II; ied on each hail be set in eet into the and the dist bither plugge	DWR Po Will Con If Yes, I AVIT ging of the drilling ri oy circula underlying rict office and or produced	ermit #: _ res be ta proposed his well to g; titing cen ng forma e on plug duction of	(Note ken? I zone:	y with K.S e top; in a	Permit	with Di	eq.  lace pip ssary p	e shall	Yes [i	✓ No
If Yes, true of Bottom Hole KCC DKT #:  The undersilt is agreed  1. Notify 2. A cop 3. The nothroug 4. If the 5. The and 6. If and	igned hereby affire that the following the appropriate of the approved in immum amount of the approved well is dry hole, appropriate district ALTERNATE II CO	ms that the dri minimum requ district office p I notice of inte of surface pipe ted materials an agreement office will be DMPLETION,	illing, con uirements orior to s nt to drill e as spec plus a m between notified t	npletion and es will be met: pudding of we shall be positified below signification of 20 the operator perfore well is con pipe shall be	AFFIDA ventual plug  II; ted on each hall be set to teet into the and the dist bither plugge te cemented	DWR Po Will Con If Yes, I AVIT ging of the drilling ri by circular underlying rict office and or proof from be	ermit #: _ res be ta proposed his well to g; titing cen ng forma e on plut duction to low any	(Note ken? I zone: will complement to the tition. g length a casing is cusable we	y with K.S e top; in a nd placer cemented ater to su	Permit  S.A. 55  all cas  ment i. in; rface	with DV 5 et. se es surf s nece within	eq. iace pip ssary p 120 day	e shall rior to p	yes [i	No t ing;
If Yes, true of Bottom Hole KCC DKT #:  The undersilt is agreed  1. Notify 2. A cop 3. The nothroug 4. If the 5. The a 6. If an or pu	igned hereby affire that the following the appropriate on the appropriate of the approved in immum amount of the appropriate of the approved well is dry hole, appropriate district	ns that the dri minimum requ listrict office p I notice of inte of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte	illing, con uirements orior to s or to drill e as spec plus a m between notified t production rn Kansa	npletion and essemil be met: pudding of wesserified below solinimum of 20 the operator petore well is a on pipe shall the surface cass	AFFIDA ventual plug  II; ted on each hail be set to eet into the and the dist bither plugge te cemented ing order #1	DWR Po Will Con If Yes, I AVIT ging of the drilling ri by circular underlying rict office d or proof from be 33,891-0	ermit #: _ res be ta proposed his well to g; titing cen ng forma e on plug duction of low any C, which	(Note ken? I zone:	e top; in a commented ater to suo the KC	Permit  S.A. 55  all cas  ment i. in; rface	with DV	eq. lace pip ssary p 120 day area, alt	e shall rior to pres of sprenate I	yes [interpretation of the second of the sec	No ting; e. enting
If Yes, true of Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The n throug 4. If the 5. The a 6. If an or pu must	igned hereby affire that the following the appropriate copy of the approved ninimum amount of all unconsolida well is dry hole, appropriate district ALTERNATE II Corsuant to Append be completed with	ns that the dri minimum requ district office p i notice of inte of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte nin 30 days of	illing, con uirements orior to s nt to drill e as spec plus a m between notified t production rn Kansa	npletion and es will be met: pudding of we shall be positified below signification of 20 the operator before well is con pipe shall the surface cast date or the significant will be surface to the significant will be significant will be surface to the significant will be surface to the significant will be surfaced to the s	AFFIDA ventual plug II; led on each hall be set be eet into the and the dist bither plugge e cemented ing order #1 vell shall be	DWR Power of the State of the S	g; titing cen e on plug duction c low any c, which	(Note ken? if zone: will complement to the tition. griength a casing is cusable wapplies to cases, Note the cases, Note the tition.	e top; in a commented ater to suo the KC	Permit  S.A. 55  all cas  ment i. in; rface	with DV	eq. lace pip ssary p 120 day area, alt	e shall rior to pres of sprenate I	yes [interpretation of the second of the sec	No ting; e. enting
If Yes, true of Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The n throug 4. If the 5. The a 6. If an or pure of the cop must I hereby cere	igned hereby affire that the following the appropriate of the appropriate of the appropriate of the appropriate of the appropriate district ALTERNATE II Coursuant to Append be completed with this that the states	ms that the dri minimum requisistrict office $p$ I notice of inte of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte nin 30 days of ments made h	illing, con uirements orior to s nt to drill e as spec plus a m between notified t production rn Kansa the spuc	npletion and essemil be met: pudding of wesserified below seinimum of 20 the operator perfore well is son pipe shall be surface cased date or the wester and to the control of the control of the wester and to the control of the wester and to the wester and to the wester and to the wester and the metal of the me	AFFIDA ventual plug II; led on each hall be set be eet into the and the dist bither plugge e cemented ing order #1 vell shall be	DWR Power of the State of the S	g; titing cen e on plug duction c low any c, which	(Note ken? if zone: will complement to the tition. griength a casing is cusable wapplies to cases, Note the cases, Note the tition.	e top; in a nd placer cemented ater to su the KCI	Permit  S.A. 55  Since the second sec	with Diversity of the season o	eq.  lace pip ssary p 120 day area, alt prior to	e shall rior to p rs of spi ernate I any cer	yes [  be set  pluggi  ud dat  I cementing	No ting; e. enting
If Yes, true of Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The number of through 4. If the 5. The a 6. If an or pure must I hereby cere	igned hereby affire that the following the appropriate of the appropriate of the appropriate of the appropriate of the appropriate district ALTERNATE II Coursuant to Append be completed with this that the states	ns that the dri minimum requ district office p i notice of inte of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte nin 30 days of	illing, con uirements orior to s nt to drill e as spec plus a m between notified t production rn Kansa the spuc	npletion and essemil be met: pudding of wesserified below seinimum of 20 the operator perfore well is son pipe shall be surface cased date or the wester and to the control of the control of the wester and to the control of the wester and to the wester and to the wester and to the wester and the metal of the me	AFFIDA ventual plug II; led on each hall be set be eet into the and the dist bither plugge e cemented ing order #1 vell shall be	DWR Power of the State of the S	g; titing cen e on plug duction c low any c, which	(Note ken? if zone: will complement to the tition. griength a casing is cusable wapplies to cases, Note the cases, Note the tition.	e top; in a nd placer cemented ater to su the KCI	Permit  S.A. 55  Since the second sec	with Diversity of the season o	eq. lace pip ssary p 120 day area, alt	e shall rior to p rs of spi ernate I any cer	yes [  be set  pluggi  ud dat  I cementing	No ting; e. enting
If Yes, true of Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The number of through 4. If the 5. The a 6. If an or pure must I hereby cere	igned hereby affire that the following the appropriate of the appropriate of the appropriate of the appropriate of the appropriate district ALTERNATE II Coursuant to Append be completed with this that the states	ms that the dri minimum requisistrict office $p$ I notice of inte of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte nin 30 days of ments made h	illing, con uirements orior to s nt to drill e as spec plus a m between notified t production rn Kansa the spuc	npletion and essemil be met: pudding of wesserified below seinimum of 20 the operator perfore well is son pipe shall be surface cased date or the wester and to the control of the control of the wester and to the control of the wester and to the wester and to the wester and to the wester and the metal of the me	AFFIDA ventual plug II; led on each hall be set be eet into the and the dist bither plugge e cemented ing order #1 vell shall be	Will Con If Yes, I AVIT ging of the drilling ri by circula underlying rict office do or proceed from be 33,891-C plugged by knowle	res be ta proposed this well this g; g; tting cen ng forma e on plus duction c low any C, which	(Note ken? if zone: will complement to the tition. griength a casing is cusable wapplies to cases, Note the cases, Note the tition.	e top; in a nd placer cemented ater to su the KCI	Permit  S.A. 55  Since the second sec	with Diversity of the season o	eq.  lace pip ssary p 120 day area, alt prior to	e shall rior to p rs of spi ernate I any cer	yes [  be set  pluggi  ud dat  I cementing	No ting; e. enting
If Yes, true of Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The n through 4. If the a 6. If an Or pu must I hereby cer Date: March	igned hereby affirm that the following the appropriate on the appropriate of the appropriate of the appropriate district ALTERNATE II CO arsuant to Appendible completed with the stater of 20, 2007	ms that the dri minimum requ district office p I notice of inte of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte hin 30 days of ments made h	illing, coruirements orior to sont to drill e as special son a modern between notified to production Kansa the spucierein are	npletion and essemil be met: pudding of wesserified below seinimum of 20 the operator perfore well is son pipe shall be surface cased date or the wester and to the control of the control of the wester and to the control of the wester and to the wester and to the wester and to the wester and the metal of the me	AFFIDA ventual plug II; led on each hall be set be eet into the and the dist bither plugge e cemented ing order #1 vell shall be	Will Con If Yes, I  AVIT ging of the drilling ri yy circula underlyir rict office d or proc from be 33,891-0 plugged ny knowle	g; ting centre on plug duction colow any c, which edge and	(Note ken? if zone:	e top; in a nd placer cemented ater to su the KCO OTIFY dia	Permit Pe	es surfis nece within rict 3 a office	eq.  lace pip ssary p 120 day area, alt prior to eering	e shall rior to person of spender lany cer	yes [  be set  pluggi  ud dat  I cementing	No ting; e. enting
If Yes, true of Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The number of the answer o	igned hereby affirm that the following the appropriate of the appropriate of the appropriate of the appropriate district ALTERNATE II COnsuant to Appendible completed with this that the states of 20, 2007	ms that the dri minimum requ district office p I notice of inte of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte hin 30 days of ments made h	illing, coruirements orior to sont to drill e as special son a modern between notified to production Kansa the spucierein are	npletion and essemil be met: pudding of wesserified below seinimum of 20 the operator perfore well is son pipe shall be surface cased date or the wester and to the control of the control of the wester and to the control of the wester and to the wester and to the wester and to the wester and the metal of the me	AFFIDA ventual plug II; led on each hall be set be eet into the and the dist bither plugge e cemented ing order #1 vell shall be	DWR Power of the control of the cont	res be ta proposed his well withing central duction clow any concepts of the c	(Note ken? if zone: will complement to the tition. griength a casing is cusable wapplies to cases, Note the cases, Note the tition.	e top; in a nd placer cemented ater to su the KCO OTIFY different CDP	Permit Permit Representations Permit Representations Permit Representation Permit Representation Permit Representation Represe	with Diversity of the season o	eq.  lace pip ssary p 120 day area, alt prior to eering	e shall rior to person of spiernate I any cer	yes [  be set  pluggi  ud dat  I cementing	No No e. e. enting g.
If Yes, true of Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The number of the bottom Hole of the bottom is a few must I hereby cell and the bottom for KCC API # 15	igned hereby affirm that the following the appropriate on the appropriate of the appropriate of the appropriate district ALTERNATE II CONTROLLERNATE II CONT	ms that the driminimum requisitrict office pile interest of interest of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte in 30 days of ments made it Signature of the surface of the surface in the sur	illing, con uirements orior to so nt to drill e as spece plus a me between notified to production orn Kansas the spucherein are Operator	npletion and es will be met: pudding of we shall be positified below siminum of 20 the operator pefore well is a son pipe shall the surface cased date or the weter and to the or Agent:	AFFIDA ventual plug II; led on each hall be set be eet into the and the dist bither plugge e cemented ing order #1 vell shall be	Will Con If Yes, I  AVIT ging of the drilling ri py circula underlyir rict office d or proc from be 33,891-C plugged hy knowle  Remem - File D - File C - File a	res be ta proposed this well withing central ductions on plus ductions and the control of the co	(Note ken? If zone:	e top; in a nd placer cemented ater to su the KCI OTIFY different CDP CO-1 within the control of the core core core core core core core cor	Permit Permit  S.A. 55  S.A. 55  Since the content is in; rface to Dist strict  Fitle:  -1) with n 120 dding to	es surfis nece within rict 3 a office Engine	eq.  lace pip ssary p 120 day area, alt prior to eering t to Drill; of spud cororation	e shall rior to person of spiernate I any cer rechnical	be set ud date I cementing	No No lt ling; e. e. enting
If Yes, true of Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The number of the anomal o	igned hereby affirm that the following the appropriate on the appropriate of the appropriate of the appropriate district ALTERNATE II CONTROLLERNATE II CONT	ms that the driminimum requisitrict office $\mu$ notice of inte of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte hin 30 days of ments made him Signature of the	illing, con uirements orior to s int to drill e as spec plus a m between notified to production rn Kansa the spun erein are	npletion and ess will be met: pudding of we shall be possified below siminum of 20 the operator well is surface cast date or the estrue and to the or Agent:	AFFIDA ventual plug II; led on each hall be set be eet into the and the dist bither plugge e cemented ing order #1 vell shall be	Will Con If Yes, I  AVIT ging of the drilling ri by circula underlyir rict of proce 33,891-( plugged by knowle  Remem File D File C File a Notify	res be ta proposed this well withing central thing central this well withing central thing formation of the control of the con	(Note ken? If zone:	y with K.S. e top; in a nd placer cemented ater to su to the KCI OTIFY di form CDP CO-1 withi plat accord t office 48	Permit  S.A. 55  S.A. 55  Single case ment is in; rface c Dist strict  Fitle:	es surfice	eq.  lace pip ssary p 120 day area, alt prior to eering t to Drill; of spud cororation o worko	e shall rior to person of spernate I any cer rechnical atte; orders; ver or re	be set ud date I cementing	No No lt lt ling; e. e. enting g.
If Yes, true of Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The number of the second o	igned hereby affirm that the following the appropriate on the appropriate of the appropriate of the appropriate district ALTERNATE II CONTRACT TO APPENDED TO APPE	ms that the driminimum requisitrict office $\mu$ notice of inte of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte hin 30 days of ments made him Signature of the Signature of the CMPLETION of the	illing, con uirements orior to s int to drill e as spec plus a m between notified to production rn Kansa the spun erein are	npletion and es will be met: pudding of we shall be positified below siminum of 20 the operator pefore well is a son pipe shall the surface cased date or the weter and to the or Agent:	AFFIDA ventual plug II; led on each hall be set be eet into the and the dist bither plugge e cemented ing order #1 vell shall be	DWR Portion of the property of	res be ta proposed his well withing centre for the control of the	(Note ken? If zone:	y with K.S. e top; in a nd placer cemented ater to su o the KCI OTIFY di. form CDP CO-1 withi plat accord t office 48 CP-4) after	Permit  S.A. 55  S.A. 55  Since the content is in; rface of the content in	es surfice	eq.  lace pip ssary p 120 day area, alt prior to eering t to Drill; of spud cororation o worko comple	e shall rior to p rs of spiernate I any cer Technic date; orders; ver or re	be set ud date I cementing	No No lt lt ling; e. e. enting g.
If Yes, true of Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The number of the second o	igned hereby affirm that the following the appropriate on the appropriate of the appropriate of the appropriate district ALTERNATE II CONTROLLERNATE II CONT	ms that the driminimum requisitrict office pile into formate of inte of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte on 30 days of ments made had been as a surface of the control o	illing, con uirements orior to so not to drill e as speciplus a mobel ween plus a mobel ween production the spuciple of the spuciple of the derein area	npletion and ess will be met: pudding of we shall be possified below siminum of 20 the operator well is surface cast date or the estrue and to the or Agent:	AFFIDA ventual plug II; led on each hall be set be eet into the and the dist bither plugge e cemented ing order #1 vell shall be	Will Con If Yes, I  AVIT ging of th  drilling ri yy circula underlyir rict office d or proc from be 33,891-C plugged ny knowle  Remem  - File D  - File C  - File a  - Notify  - Submi  - Obtain	g; this well with the second s	will complete to the tition.  g length a casing is cusable was applies to cases, North tition (application (approval)	y with K.S. e top; in a nd placer cemented ater to su to the KCO OTIFY di form CDP CO-1 within clat accord t office 48 CP-4) after before dis	Permit Pe	with Div	eq.  lace pip ssary p 120 day area, alt prior to eering t to Drill; of spud cororation to worko comple ecting sa	e shall rior to personate I any cer rechnic date; orders; ver or reted; alt water	be set pluggi ud data I cementing	No No lt lt ling; e. e. enting g.
If Yes, true of Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The number of the second o	igned hereby affirm that the following the appropriate continuum amount of the appropriate district ALTERNATE II COursuant to Appendible completed with that the states of 20, 2007  Use ONLY  Trippe required  surface pipe required  by: 243-20  portration expires:	ms that the driminimum requisitrict office plantice of interest of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte hin 30 days of ments made him Signature of the surface of the surfac	illing, con uirements orlor to s int to drill e as spec plus a m between notified t production rn Kansa the spucierein are Operator	npletion and es will be met: pudding of we shall be possified below simmum of 20 the operator before well is son pipe shall the surface cased date or the set true and to the or Agent: feetfeet per Alt.	AFFIDA ventual plug II; led on each hail be set be eet into the and the dist iither plugge e cemented ing order #1 vell shall be the best of m	Will Con If Yes, I  AVIT ging of the drilling ri py circula underlyir rict office do or from be 33,891-C plugged hy knowle  Remem - File D - File C - File a - Notify - Submi - Obtair - If this	res be ta proposed this well withing centre or plug duction of the proposed the proposed to th	(Note ken? If zone:	y with K.S. e top; in a nd placer cemented ater to su to the KCI OTIFY dia form CDP CO-1 within plat accord t office 48 CP-4) after before dis d (See: ac.	Permit Pe	es surfice	eq.  lace pip ssary p 120 day area, alt prior to eering t to Drill; of spud cororation o worko comple ecting se ration da	e shall rior to personate I any cer rechnic date; orders; ver or reted; alt water	be set pluggi ud data I cementing	No No lt lt ling; e. e. enting g.
If Yes, true of Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The number of the theology of the second	igned hereby affirm that the following the appropriate on the appropriate of the appropriate district ALTERNATE II CONTROLLERNATE II CONTR	ms that the driminimum requisitrict office plantice of interest of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte hin 30 days of ments made him Signature of the surface of the surfac	illing, con uirements orlor to s int to drill e as spec plus a m between notified t production rn Kansa the spucierein are Operator	npletion and es will be met: pudding of we shall be possified below simmum of 20 the operator before well is son pipe shall the surface cased date or the set true and to the or Agent: feetfeet per Alt.	AFFIDA ventual plug II; led on each hail be set be eet into the and the dist iither plugge e cemented ing order #1 vell shall be the best of m	DWR Power of the control of the cont	g; titing cenning formate on plug duction of low any color which is well to the color with the color written permit the box	will complete to the cases, Note the cases, No	y with K.S. e top; in a nd placer cemented ater to su to the KCO OTIFY di form CDP CO-1 withi plat accord t office 48 CP-4) afte before dis d (See: au d return to	Permit Pe	es surfice	eq.  lace pip ssary p 120 day area, alt prior to eering t to Drill; of spud cororation o worko comple ecting se ration da	e shall rior to personate I any cer rechnic date; orders; ver or reted; alt water	be set pluggi ud data I cementing	No No le la
If Yes, true of Bottom Hole KCC DKT #:  The undersi It is agreed  1. Notify 2. A cop 3. The number of through 4. If the 5. The a 6. If an Or pure of the composite of the conductor of the conduc	igned hereby affirm that the following the appropriate continuum amount of the appropriate district ALTERNATE II COursuant to Appendible completed with that the states of 20, 2007  Use ONLY  Trippe required  surface pipe required  by: 243-20  portration expires:	ms that the driminimum requisitrict office pi notice of inte of surface pipe ted materials an agreement office will be DMPLETION, ix "B" - Easte hin 30 days of ments made in Signature of 0 2007 20007	illing, con uirements orlor to s int to drill e as spec plus a m between notified t production rn Kansa the spucierein are Operator	npletion and es will be met: pudding of we shall be possified below simmum of 20 the operator before well is son pipe shall the surface cased date or the set true and to the or Agent: feetfeet per Alt.	AFFIDA ventual plug II; led on each hail be set be eet into the and the dist iither plugge e cemented ing order #1 vell shall be the best of m	DWR Pour Will Conference of the Very Conferen	g; titing cenning formate on plug duction of low any color which is well to the color of low any color of lo	(Note ken? If zone:	y with K.S. e top; in a nd placer cemented ater to su to the KCO OTIFY di form CDP CO-1 within tolat account toffice 48 CP-4) after before dis d (See: au d return to	Permit Pe	es surfice	eq.  lace pip ssary p 120 day area, alt prior to eering t to Drill; of spud cororation o worko comple ecting se ration da	e shall rior to personate I any cer rechnic date; orders; ver or reted; alt water	be set pluggi ud data I cementing	No No le la

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

MAR 2 0 2007

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WIGHTA, KS


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 163-23601-0000	Location of Well: County:_Rooks
Operator: Berexco Inc.	
Lease: Nutsch	1646 feet from N / V S Line of Section  1465 feet from E / V W Line of Section
Well Number: 7	Sec. 3 Twp. 10 S. R. 20 ☐ East ✓ West
Field: Marcotte	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: SW - NE - SW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Berexco Inc.			License Number: 5363				
Operator Address: P.O. Box 20380, Wichita, KS 67208							
Contact Person: Bruce Meyer			Phone Number: ( 316 ) 265 - 3311				
Lease Name & Well No.: Nutsch #7			Pit Location (QQQQ):				
Type of Pit:	Pit is:		<u>W/2                                    </u>				
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 3 Twp. 10S R. 20 East West				
Settling Pit	If Existing, date of	onstructed:	1646 Feet from North / ✔ South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		1465 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	3000	(bbls)	Rooks County				
Is the pit located in a Sensitive Ground Water	Area? Yes	No No	Chloride concentration: mg/i				
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?				
Yes No	Yes 🔽	No	Lined w/clay soil, native & fresh mud.				
Pit dimensions (all but working pits):7	O Length (fe	<sub>eet)</sub> 70	Width (feet) N/A: Steel Pits				
	om ground level to de	_	(feet)				
material, thickness and installation procedure		,,,	ncluding any special monitoring.				
Distance to nearest water well within one-mile	e of pit	Depth to shallowest fresh water t Sfeet. Source of information:					
1   3   feet Depth of water well	국식 feet	measured well owner electric log KDWR					
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover: Bentonite mud					
Number of producing wells on lease:		Number of working pits to be utilized: 3					
Barrels of fluid produced daily:		Abandonment procedure: Allow liquid contents to evaporate, let cuttings dry, then backfill and level to contour of ground.					
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief ANSAS CORPORATION COMMISS							
March 20, 2007  Date  MAR 2 0 2007  Conservation division Signature of Applicant or Agent  MAR 2 0 2007  Conservation division Wignita, KS							
KCC OFFICE USE ONLY							
Date Received: 3/20/c7 Permit Num	ber:	Perm	t Date: 3/20/07 Lease Inspection: Yes ( No				