SGA? XYes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date March 20, 2007	Spot ✓ East
month day year	SE SE NW Sec. 34 Twp. 33 S. R. 16 West
OPERATOR: License# 33635	2280feet from V N / S Line of Section
Name: EnergyQuest Management, LLC	2280 feet from E / W Line of Section
Address: 15425 North Freeway, Suite 230	Is SECTION Regular Irregular?
City/State/Zip: Houston, Texas 77090	(Note: Locate well on the Section Plat on reverse side)
Contact Person. Jeff Stevenson	County: Montgomery
Phone: 281-875-6200	Lease Name: Rodriguez Weil #: 1-34
5675	Field Name: Coffeeville Cherryvale
CONTRACTOR: License# 5675 Name: McPherson Drilling	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Mor Horson Drining	Target Formation(s): Weir/Riverton
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 360'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 860' feet MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile: ☐ Yes ✓ No Depth to bottom of fresh water: 120'
Seismic;# of Holes Other	Depth to bottom of usable water: 460 /50
Other	Surface Pipe by Alternate: 1 / 2
tt Outre	Length of Surface Pipe Planned to be set: 20' est.
If OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 1375
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippi Lime
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other City
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plants	DAVIT RECEIVED
	RECEIVED RECEIVED IN THE RECEIVED RESIDENT RECEIVED RECEIVED RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well:	RECEIVED Ingging of this well will comply with KISASS CORPORATION COMMISSION MAR 2 0 2007
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well:	RECEIVED Ingging of this well will comply with KISASS CORPORATION COMMISSION MAR 2 0 2007
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	DAVIT RECEIVED Ingging of this well will comply with KISANSAS GOSPORATION COMMISSION MAR 2 0 2007 In drilling rig; The drilling comment to the top; in all cases suppose program of the set of the comment to the top; in all cases suppose program of the comment to the top; in all cases suppose program of the comment to the comment t
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT RECEIVED Ingging of this well will comply with KISANSAS CORPORATION COMMISSION MAR 2 0 2007 In drilling rig; The property of the control of the c
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either pluging.	paying of this well will comply with KISASS CORPORATION COMMISSION MAR 2 0 2007 In drilling rig; To by circulating cement to the top; in all cases swings fire shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through the surface properties of the well is dry hole, an agreement between the operator and the defence well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement.	paying of this well will comply with KISASS CORPORATION COMMISSION MAR 2 0 2007 In drilling rig; The production casing is cemented in; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the state of the surface of the surface of the surface well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cements or pursuant to Appendix "B" - Eastern Kansas surface casing order	Ingging of this well will comply with KISASS CORPORATION COMMISSION MAR 2 0 2007 In drilling rig; The by circulating cement to the top; in all cases switch the set of the control of the set of the control of the c
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved in amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface property of the surface and the description of the surface of the surface well is either plug and the surface of the surface casing order must be completed within 30 days of the spud date or the well shall the surface of the	regging of this well will comply with KISASS CORPORATION COMMISSION MAR 2 0 2007 In drilling rig; The prior to the top; in all cases swings ripe state of the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of	ingging of this well will comply with KINNAS CORPORATION COMMISSION MAR 2 0 2007 In drilling rig; The by circulating cement to the top; in all cases switch the set of the underlying formation. Strict office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The production of the prior to any cementing. The prior to any cementing. The production of the prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved in amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface property of the surface and the description of the surface of the surface well is either plug and the surface of the surface casing order must be completed within 30 days of the spud date or the well shall the surface of the	ingging of this well will comply with KINNAS CORPORATION COMMISSION MAR 2 0 2007 In drilling rig; The by circulating cement to the top; in all cases switch the set of the underlying formation. Strict office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The production of the prior to any cementing. The prior to any cementing. The production of the prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of	In drilling rig; The drilling r
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the statements are true and the statements are true and the statements are true and the statements are true an	In drilling rig; The drilling r
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be coment. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of the plants of the spud date. For KCC Use ONLY	In drilling rig; The drilling rig; The drilling rig; The drilling rig; The principle of this well will comply with K.S.A.S.S. CORPORATION COMMISSION MAR 2 0 2007 The drilling rig; The principle of the complete of th
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the state of the approved notice of intent to drill shall be posted on each as the state of the state of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the description of the state of the spud date or the well shall the state of the	In drilling rig; The drilling rig; The drilling rig; The policy of the top; in all cases switch properties of the condition of the top; in all cases switch properties of the set of the top; in all cases switch properties of the set of the top; in all cases switch properties of the set of the top; in all cases switch properties of the set of the top; in all cases switch properties of the set of the top; in all cases switch properties of the set of the top; in all cases switch properties of the set of the top; in all cases of the top; in all cases, the top; in all cases, the top; in all cases, the top; in the top; in all cases of the top
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the description of the surface well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plants	In drilling rig; The drilling rig; The drilling rig; The drilling rig; The purchase of the top; in all cases switch the set of the underlying formation. The purchase of the top; in all cases switch the set of the underlying formation. The purchase of the top; in all cases switch the set of the underlying formation. The purchase of the purcha
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated m	In drilling rig; The drilling rig; The drilling rig; The pure of the top; in all cases swiper provided by circulating cement to the top; in all cases swiper provided by circulating cement to the top; in all cases swiper provided by circulating cement to the top; in all cases swiper provided by circulating cement to the top; in all cases swiper provided by circulating cement to the top; in all cases swiper provided by circulating cement to the top; in all cases swiper provided by circulating cement to fice on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It all cases, NOTIFY district office prior to any cementing. The plugged and belief. Title: Excension Manager. Title: Excension Manager. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the description of the surface well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date: MARCH 19, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - BS 3/3/8-DDD Conductor pipe required feet Minimum surface pipe required feet Minimum surface pipe required feet per Alt. Approved by: Putt 3-2007	In drilling rig; The drilling rig; The price of plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. Title: Eventual of any cementing. Title: Eventual of spud date; File Ornill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of the search of the well is dry hole, an agreement between the operator and the description of the search of the search of the well is either plug and the sufficient of the search of the well is either plug and the sufficient of the spund of the search	In drilling rig; In drilling
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the second of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second of the second	In drilling rig: CONSERVATION DIVISION The set of the construction of the
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed of the seed of the seed through a seed t	In drilling rig; In drilling
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of the search of the well is dry hole, an agreement between the operator and the description of the search of the search of the well is either plug and the sufficient of the search of the well is either plug and the sufficient of the spund of the search	In drilling rig: CONSERVATION DIVISION The set of the construction of the

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125 - 31318-0000	Location of Well: County: Montgomery
Operator: EnergyQuest Management, LLC	2280 feet from V N / S Line of Section
Lease: Rodriguez	2280 feet from ☐ E / ✓ W Line of Section
Well Number: 1-34	Sec. 34 Twp. 33 S. R. 16 ✓ East West
Field: Coffeeville Cherryvale	
Number of Acres attributable to well: OTR / OTR / OTR of acresses: SE - SE - NW	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: SE - SE - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

	•			•	•	i
		1				į
		Į.				
	· ·	1				
		- 1				
	2280 FNL	41.				
	2280 FNI	1				
	22001112	i				
		i		•	•	
		- 1				
				•		
		!				
1	•					1
		11	• • •			
ľ						1
i .		- 1		٠.		
i .						1
		- 1		٠ .		
		1	l			
	•	1	í			'
1		1	I			
		- 1				
	つつりひ こりょ					
1	, 2280 FWL	1				
	•	-0				
1		_	ļ			
				•		
			•			
	•					
			1			
	· · · · · · · · ·					
						ļ
1			1			
	· ·					
						1
1			1	_		
	•			•	•	
)
	•					
1			1			
1			1			
1						
1	• • • • • • •		I			
1			1			
1	•		1		•	
1			ļ.			ì
1	•		1			
Į.			1			
i			i .			

RECEIVED KANSAS CORPORATION COMMISSION

MAR 2 0 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: in all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: EnergyQuest Management, LLC		License Number: 33635			
Operator Address: 15425 North Freeway, Suite 230					
Contact Person: Jeff Stevenson			Phone Number: (281) 875 -6200		
Lease Name & Well No.: Rodriguez 1-34		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SW SE SE NW		
Emergency Pit Burn Pit	✓ Proposed ✓ Existing		Sec. 34 _{Twp.} 33S _{R.} 16		
Settling Pit	If Existing, date of	onstructed:	2280 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		2280 Feet from 🗸 East / 🗌 West Line of Section		
		(bbls)	Montgonery County		
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes ✓	No ?	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓	No	Native clays		
Pit dimensions (all but working pits):	Length (fe	eet)9	Width (feet) N/A: Steel Plts		
Depth fr	rom ground level to de	epest point:	6(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
material, thickness and installation procedure.		and any openior morning.			
		N. S.			
		west fresh water 60 feet.			
2694 feet Depth of water well_	Source of info		rmation: Comparison		
		······	over and Haul-Off Pits ONLY:		
		al utilized in drilling/workover:			
1		al utilized in drilling/workover:			
Barrels of fluid produced daily: Abandonment		procedure: Air dried and backfilled			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must			be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
		,	KANSAS CORPORATION COMMISSIO		
MAR 2 0 2007 MAR 2 0 2007 Date Signature of Applicant or Agent CONSERVATION DIVISION					
Date Signature of Applicant or Agent CONSERVATION DIVISION WIGHTA, KS					
KCC OFFICE USE ONLY					
Date Received: 3/20/07 Permit Num	ber:	Permi	it Date: 3/20/C7 Lease Inspection: Yes 💢 No		