Effective Date: 3-25-07

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1

NOTICE OF INTENT TO DRILL

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well	
Expected Spud Date 3 24 07	Spot SE-NW-NE	X East
month day year	NE NE NE Sec. 24 Twp.27	S. R. <u>5</u> West
OPERATOR: License#33639	44.69feet from N / N	⟨S Line of Section
OPERATOR: License#	1382feet from X E / L]W Line of Section
Name: UIIII UIII UIII	Is SECTIO 24 RegularIrregular?	
Address: 9333 S.E. TURKEY CREEK RD.	(Note: Locate well on the Section Plat on	reverse side)
City/State/Zip: LEON, KS. 67074	County: Butler	
Contact Person: Charles O. ULLUM	Lease Name:ULLUM	Well #24 _02
Phone: 316-745-3316	Field Name:	
CONTRACTOR: License# 32854	Is this a Prorated / Spaced Field?	Yes X No
Name: Qulick Drilling CO.	Target Information(s): Mississippian	
-	Nearest Lease or unit boundary 8111 1 137	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 137	5½feet MSL
▼Oil Enh Rec Infield X Mud Rotary	Water well within one-quarter mile:	Yes No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes Vino
OMMO Disposal X Wildcat Cable	Depth to bottom of fresh water: 220	<u> </u>
Seismic;# of Holes Other	Depth to bottom of fresh water: 220 Depth to bottom of usable water: 260	
Other		
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: _280	<u>' </u>
Operator:	Length of Conductor Pipe required	<u> </u>
Well Name:	Projected Total Depth:2800 "	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippi	an —
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes XNo
	If Yes, proposed zone:	
AFF	IDAVIT	ECEIVED
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.	PORATION COMMISSION
It is agreed that the following minimum requirements will be met:	MA	R 1 9 2007
 Notify the appropriate district office prior to spudding of well; 	COMPE	4 /451044 ==
2. A copy of the approved notice of intent to drill shall be posted on ea	ch drilling rig;	VATION DIVISION
 A copy of the approved florids of information and all the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of	he anderiving formation.	
4 If the well is double, an agreement between the operator and the Q	district office on plug length and placement is necess	ary prior to plugging;
* The representation district office will be notified before well is either DIM	nned or production casing is cemented in;	
C. Was ALTERNATE II COMPLETION, production nine shall be cement	ied from below any usable water to surface within 12	o days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	be plugged. In all cases, NOTIFY district office pr	ior to any cementing.
I hereby certify that the statements made herein are true and to the best of		
Thereby certify that the statements made herein are tide and to the best of	17 A) = 1/2	
Date: 3-15-07 Signature of Operator or Agent:	Mes C. Illium Title: Ope	erator
Duto.	Remember to:	
	- File Drill Pit Application (form CDP-1) with Intent to	o Dritt:
For KCC Use ONLY	- File Completion Form ACO-1 within 120 days of	soud date:
API # 15 - 015-23729-000	 File acreage attribution plat according to field pro 	oration orders;
Conductor pipe required None feet	- Notify appropriate district office 48 hours prior to	workover or re-entry;
Minimum surface nine required teet per Alt 1	- Submit plugging report (CP-4) after plugging is c	completed;
Approved by: (201-3-20-07)	- Obtain written approval before disposing or injec	~ 3
This authorization expires: 92007	- If this permit has expired (See: authorized expiral	tion date) please
(This authorization expires: (This authorization void if drilling not started within 6 months of effective date.)	check the box below and return RECEIVED Well Not Drilled WHIM COREDRATION CO	Jeiow.
(Time admentation to a disting for states	Well Not Drilled Jerinik Expired HATION C	ORIMINAL OF
		س احما
Spud date:Agent:	Signature of Operator or Agent: MAR 1 8 200)7

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 015-23729 0000	Location of Well: County: <u>Butler</u>
OperatorUllum Charles O. dba ULLUM OIL	
Lease: ullum	
Well Number: Ullum 24-02	Sec. 24 Twp.27 S. R. 5 XEast Wes
Field:	
Number of Acres attributable to well:10	Is Section: X Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•		•	•
	•			
!	•		•	
		1		L
	•	.	•	* 1382
	• •		الم	1382
		·		
		. 1		
1			44/69	
			-44	
1		-	9	•
' ' '			9	
1		. !		
i				
<u> </u>				
	•	-	•	•
1 .				•
}			•	•
• • •				
		. !		
		.		
		-	-	•
1				
1	• •		•	
	• •	. [
·	•		•	
• • •				
	•	. 1	•	-
•		•	•	•
Ϊ,	•	·	•	•
Į,	•		•	•



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Ullum Charless	O.Dba ULLU	M OIL	License Number: 33639
Operator Address: 9333 S.E. TUF	KEY CREEK	RD. LEON	,KS. 67074
Contact Person: Charles O. UNLLUM		Phone Number: (316) 745-3316	
Lease Name & Well No.: ULTUM 24 - 02		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE NE NE 1
Emergency Pit Burn Pit	Proposed	Existing	Sec. 24 Twp.27 R. 5 X East West
Settling Pit X Drilling Pit	₩ Existing, date co	onstructed:	44.69 Feet from North / South Line of Section
Workover Pitt Haul-Off Pit	Pit -capacity:		1382 Feet from 🙀 East / 🗌 West Line of Section
(If WP Supply API Mo. o: Year: Drilled)	400	(bbls)	ButlerCounty
Is the pit located in a Senisitive Ground water	Area? Yes	No	Cinioride concentration: mg/l
Is the bottom bellow ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) Hiove is the pit lined if a plastic liner is not used?
Yes No	Yes X	No	
Pit dimensions (all but working pits):50	t Length (fe	eet) 50 '	Width (feet)N/A: Steel Pits
Pitalimensions (2011 Dir/WONDKIED BITS):			(feet)
Depth fi If the pit is lined give a britef description of the	liner	Describe proce	dures for periodic maintenance and determining
Depth fi If the pit is lined give a britef description of the	liner	Describe proce	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMMAR 1 9 2007
Depth fi If the pit is lined give a brivef description of whe material, thickness and imstallation procedure	tiner	Describe proce tiner integrity, is	duries for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMMAR 1 9 2007 CONSERVATION DIVISION WICHTA, KS west fresh water
Depth fi f the pit is lined give a brivef description of whe naterial, thickness and imstallation procedure	tiner	Describe proce tiner integrity, in Depth to shallo Source of informeasu	MAR 1 9 2007 CONSERVATION DIVISION West fresh water
Depth for the pit is lined give a brief description of whe naterial, thickness and installation procedure. Distance to nearest water well within one-mile. 3143 feet Depth of water well. Emergency, Selecting and Burn Pits CHRLY:	tin er e of p職 <u>200</u> feet	Describe proce tiner integrity, in Depth to shallo Source of informeasu	duries for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMMAR 1 9 2007 CONSERVATION DIVISION WICHTA, KS west fresh water
Depth fi f the pit is lined give a brive description of whe material, thickness and installation procedure Distance to nearest water well within one-mile 3143 feet Deepth of water well Emergency, Settling and Burn Pits Offict.	tiner c of pint 200 feet	Describe proce timer integrity, in Depth to shallo Source of informeasu Drilling, Works	west fresh water electric log KDWR well owner electric log KDWR worker and Haul-Off Pits ONLY:
Depth for the pit is lined give a brive description of whe material, thickness and installation procedure. Distance to nearest water well within one-mile and bear pits one-mile. The producing Formation	tiner e of pint 200 feet	Describe proce timer integrity, in Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor	West fresh water electric log KDWR
Death for the pit is lined give a brief description of whe material, thickness and imstallation procedure. Distance to nearest water well within one-mile. 3143 feet Deapth of water well. Emergency, Settling and Burn Pits CHELY: Producing Formation	e of pitt	Describe proce timer integrity, in Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor	west fresh water electric log KDWR well owner electric log KDWR worker and Haul-Off Pits ONLY:
Depth for the pit is lined give a brinef description of whe material, thickness and installation procedure. Distance to nearest water well within one-mile and bear pits one-mile. The producing feet and bear pits one-mile. The producing formation and bear pits one-mile and bear pits one-mile. The producing formation and bear pits on lease: Barrels of fluid produced dially: Does the slope from the trank battery allows all pits on the pick pick pick pick pick pick pick pick	e of pitt	Describe proce timer integrity, in Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor Abandonment	West fresh water electric log KDWR ELECTRIC
Depth for the pit is lined give a brive description of whe material, thickness and installation procedure. Distance to nearest water well within one-mile. 3143 feet Drepth of water well. Emergency, Settling and Burn Pits Officty: Producing Formation	e of pile 200 feet	Describe proce liner integrity, in Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor Abandonment Drill pits must in the state of	MAR 1 9 2007 CONSERVATION DIVISION West fresh water
Depth for the pit is lined give a brief description of whe material, thickness and imstallation procedure. Distance to nearest water well within one-mile 3/43 feet Deepth of water well. Emergency, Sewtling and Burn Pits Collety: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the trank battery allow all flow into the pit? [Yes	e of pilk 200 feet spillerd fluids to	Describe proce tiner integrity, in the process of t	RECEIVED KANSAS CORPORATION COMMAR 1 9 2007 CONSERVATION DIVISION West fresh water feet. mation: selectric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workoveMad-LADEN_FLUID_). king pits to be utilized: FOUR procedure: SOIL RECEIVED KANSAS CORPORATION COMMISSION be closed within 365 days of spud date MAR 1 6 2007 t of my knowledge and belief. CONSERVATION DIVISION WICHTA, KS
Depth from the trank battery attow all flow into the pit? [] Yes [] No	e of pile 200 feet spile of fluids to	Describe proce tiner integrity, in the process of t	RECEIVED KANSAS CORPORATION COM MAR 1 9 2007 CONSERVATION DIVISION WICHTA, KS West fresh water
Death fi If the pit is lined give a brive description of whe material, thickness and installation procedure Distance to nearest water well within one-mile 3143 feet Death of water well Emergency, Settling and Burn Pits Ottel.Y: Producing Formation Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the trank battery allow all flow into the pit? Yes No I hereby certify that the above strate 3 - 1 5 - 0 7 Date	e of pix 200 feet spilled fluids to	Describe proce timer integrity, in the process of the shallo Source of informeasure of measure of material Number of work Abandonment Drill pits must be correct to the beside of the second of the se	RECEIVED KANSAS CORPORATION COM MAR 1 9 2007 CONSERVATION DIVISION WICHTA, KS West fresh water