For KCC Use: Effective Date: Yes X No

Kansas Corporation Commission

OIL & GAS CONSERVATION DIVISION NOTICE OF INTENT TO DRILL All blanks must be Filled

Form C-1 December 2002 Form must be Typed Form must be Signed

Must be approved by KCC five (5) days prior to commencing well

March 26, 2007	Snot ✓ East
Expected Spud Date March 26, 2007 month day year	25 29 17
month day year	
OPERATOR: License# 33344	1980 feet from VN / S Line of Section 1980 feet from VE / W Line of Section
Nome: Quest Cherokee LLC	Is SECTION Regular Irregular?
Address: 9520 North May Avenue, Suite 300	· · · · · · · · · · · · · · · · · · ·
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Richard Marlin	County: Neosho Lease Name: Umbarger, M. Keith Well #: 35-4
Phone: (405) 463-6880	Lease Name: Umbarger, M. Keith Well #: 35-4 Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals
Name.	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 955 feet MSL
Oil Enh Rec / Infield / Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water:
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 2
ICOLUNIO AL DESERVAÇÃO CONTRACTO	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1300
Well Name: Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals
Original Completion Date:Original lotal Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual pl	NECEIVED ugging of this well will comply with K.S.A. KANSAS GORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	MAR 2 0 2007
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	of by circulating cement to the top; in all cases sufface hit shall be an enderlying formation. Istrict office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	ch drilling rig; It by circulating cement to the top; in all cases surface wichita, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of 	ch drilling rig; If by circulating cement to the top; in all cases surface wich in KS Interpretation of the underlying formation. Its istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the state of the shall to the shall to	ch drilling rig; If by circulating cement to the top; in all cases surface wichia, KS the underlying formation. Itstrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the decomposition of the set of	ch drilling rig; It by circulating cement to the top; in all cases surface with the top in all cases surface with the top in all cases surface with the top in the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the well is dry hole, an agreement between the operator and the decomposition of the set of	ch drilling rig; It by circulating cement to the top; in all cases surface with the sunderlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved intent of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the specified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the sum of the desire and the district office will be notified before well is either plug of the sum of the desire and the district office will be notified before well is either plug of the sum of the desire appropriate district office will be notified before well is either plug of the sum of the desire appropriate district office will be notified before well is either plug of the sum of the desire appropriate district office will be set into the desire and the district office will be set into the desire appropriate district office will be set into the district office will be set into th	ch drilling rig; It by circulating cement to the top; in all cases surface with the top in all cases surface with the top in all cases surface with the top in the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the well is dry hole, an agreement between the operator and the decomposition of the set of	ch drilling rig; It by circulating cement to the top; in all cases surface with the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Title: VP
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the well is dry hole, an agreement between the operator and the description of the set of th	ch drilling rig; It by circulating cement to the top; in all cases surface with the surface with the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-26866-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1980 feet from VN/S Line of Section
Lease: Umbarger, M. Keith	1980 feet from VE / W Line of Section
Well Number: 35-4	Sec. 35 Twp. 28 S. R. 17 Ves
Field: Cherokee Basin CBM	ا است
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR of acreage: SW NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAR 2 0 2007

Form CDP-1 April 2004 Form must be Typed

CONSERVATION DIVISION WICHITA, KS

APPLICATION FOR SURFACE PIT

Submit in Duplicate

				
Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Umbarger, M. Keith #35-4		4	Pit Location (QQQQ):	
Type of Pit:	Pit is:		SW _ NE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 35 Twp. 28 R. 17 📝 East 🗌 West	
Settling Pit	If Existing, date constructed:		1980 Feet from 🗸 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit	Dit canacity		1980 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		Neosho County	
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration:mg/l	
	A 415-1-11 10		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Is the bottom below ground level? ☐ Yes ☑ No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth fr	om ground level to de	eepest point:	10(feet)	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Air Drilling Operation Lasting Approx 3 days				
		owest fresh waterfeet.		
Source of info N r feet Depth of water well feet meas		ured well owner electric log KDWR		
		over and Haul-Off Pits ONLY:		
		al utilized in drilling/workover: Air Drilled		
		king pits to be utilized: One		
Barrels of fluid produced daily:	Abandonment procedure: Air Dry, Back Fill and Cover			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	fluids to Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
March 19, 2007 Date Signature of Applicant or Agent Control of Agent Con				
KCC OFFICE USE ONLY				
Date Received: 3/20/c7 Permit Number: Permit Date: 3/20/c7 Lease Inspection: Yes No				