Effective Date: 3-20-07

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed

Expected Soud Date April 1 2007 momin day year SW SW NW Sec. 32 Twp. 32 S. R. 5 West	District #				ITENT TO DRILL Form must be Signed (5) days prior to commencing well
ORENTATION Section S	Expected Spud Date	month	1	2007	Spot SW SW NW Sec. 32 Twp. 32 S. R. 5 X West
AGE 18: ACRES ACRES	TIO S. MA	E PETROLEUM		ATION	
Lease Name: W. CRECE Well #: Wel	Address: WICHT'	TA. KS 6720	12		(Note: Locate well on the Section Plat on reverse side) HARPER
CONTRACTOR: Leenese 33724 Name: WARREND PAILLING LLC See	Phone: 316.262.5	429			Lease Name: W. GREVE Well #: 1
Well Drillad For Well Class: Type Equipment: Ground Surface Elevation: 35.0 Teet MSL Water well within one quarter mile: Ground Surface Elevation: 35.0 Teet MSL Water well within one quarter mile: Ground Surface Elevation: 35.0 Water well within one mile: Ground Surface Elevation: 36.0 Water well within one mile: Ground Surface Elevation: 36.0 Water well within one mile: Ground Surface Elevation: 36.0 Water well within one mile: Ground Surface Elevation: 36.0 Water well within one mile: 36.0 Water well within one mile: 36.0 Water well within one mile: 36.0 Water well water well within one mile: 36.0 Water well water 36.0 Water 36.0 Water well water 36.0 Wate	CONTRACTOR: Licenset WARREN DR	33724 ILLING LLC			ls this a Prorated / Spaced Field? Target Information(s): MISSISSIPPI
COWNO: old well information as follows: Operator: Well Name: Original Completion Date: Original Total Depth:	X Oil Enh F Gas Stora OWWO Dispo	Rec Infield ge y Pool E	xt. / Air	ud Rotary	Ground Surface Elevation: 1350 feet MSL Water well within one-quarter mile: Yes X No Public water supply well within one mile: Yes X No Depth to bottom of fresh water: 200 /30 Depth to bottom of usable water: X 1 2
Water Source for Drilling Operations: Water Source for Drilling Operations: Well Seam Pond Other	Operator: Well Name:				Length of Conductor Pipe required: N/A Projected Total Depth: 4450
Will Cores be taken? Yes No No No No No No No N	Directional, Deviated or H	lorizontal wellbore?	•	Yes X No	Water Source for Drilling Operations:
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 0 2007 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggling; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API # 15					
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 0 2007 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or producin casing is cemented in; 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix 13" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate It cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 3-19-07 Signature of Operator or Agent: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion For	KCC DKT #:				- -
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 0 2007 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or producin casing is cemented in; 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendux 18" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate It cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 3-19-07 Signature of Operator or Agent: Minimum surface pipe required NONE feet feet Minimum surface pipe required NONE feet Minimum surface pipe required NONE feet File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of sp				A T	RECEIVED
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggling; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate It cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Signature of Operator or Agent: For KCC Use ONLY API # 15	The undersigned hereby	affirms that the dr	filling, complet		nlugging of this well will comply with K.S.A. 55 et. seg
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugglng; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. PRESIDENT Remember to: - File Drill Pit Application (from CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud d	It is agreed that the follow	wing minimum req	uirements will	be met:	MAR 2 0 2007
For KCC Use ONLY API # 15	 A copy of the appr The minimum amo through all uncons If the well is dry he The appropriate di If an ALTERNATE Or pursuant to Appropriate de 	oved notice of inte- part of surface pip- olidated materials ole, an agreement strict office will be If COMPLETION, pendix "B" - Easted within 30 days or	ent to drill sha e as specified plus a minima t between the notified befor production pi ern Kansas su f the spud dat	If be posted on earlier below shall be sum of 20 feet into operator and the earlier below shall be cemerated casing order to or the well shall be shall below to the well shall below the tor the well shall below the continuous transfer below the posted to the well shall below to the well shall be the posted on the well shall be the well shall be the posted on the well shall be the well shall be the posted on the well shall be the	district office on plug length and placement is necessary prior to plugging ; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing.
For KCC Use ONLY API # 15	3-19-07 Date:	Signature of	Operator or A	agent:	
This authorization expires: 9-31-07 (This authorization void if drilling not started within 6 months of effective date.) Spud date:Agent:	API # 15	$\frac{1}{2}$ Nonequired $\frac{20}{2}$	L fee	\sim	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
	This authorization expire	s: 9-21-07	vithin 6 months	of effective date.)	check the box below and return to the address below.
	Spud date:	Agent:			

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 077-21577-0000	Location of Well: County: HARPER		
Operator: WHITE PINE PETROLEUM CORPORATION	feet from XXN / S Line of Section		
Lease: W. GREVE	feet from E XXXX W Line of Section		
Well Number: 1	Sec. 32 Twp. 32 S. R. 5 East X West		
Field: FREEPORT			
Number of Acres attributable to well:	ls Section: X Regular or I Irregular		
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	· •	•	•					
	(•	•					
	i l	•	•					
	1 1							
	i I						_	
	1 1							_
	2310							
	2310			. '				
]		•	•
	l f						•	
					•		•	•
	1							
	l ₩	-	•				•	•
_	<u>-></u> 0		•	·	•	•	•	•
			•		•			•
	330	•	• .	32	2		·	•
	,	• ,			•			
		• .			•			•
	•	• .		.				•
								· · · ·
		· · · ·	· · · ·					• • • • •
		• • •			• • • • • • • • • • • • • • • • • • • •			• • • • •
		• • • •						· · · · · · · · · · · · · · · · · · ·
		• • •						· · · · ·
								· · · · · · · · · · · · · · · · · · ·
								· · · · · · · · · · · · · · · · · · ·



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: WHITE PINE PETRO	LEUM CORPORA	License Number: 5044				
Operator Address: 110 S. MAIN, SUITE 500, WICHITA, KS 67202						
Contact Person: WILBUR C. BRADLE	ΣΥ	Phone Number: (316) 262-5429				
Lease Name & Well No.: W. GREVE #			Pit Location (QQQQ):			
Type of Pit:	Pit is:		SW SW NW			
Emergency Pit Burn Pit	XX Proposed	Existing	Sec. 32 Twp. 32 R. 5 East X West			
Settling Pit XX Drilling Pit	If Existing, date of	onstructed:				
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from East / X West Line of Section			
(If WP Supply API No. or Year Drilled)		(bbis)	County			
Is the pit located in a Sensitive Ground Water	Area? Yes X] No	Chloride concentration:mg/l			
	Largelling		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
Is the bottom below ground level? X Yes No	Artificial Liner?	No	bentonite mud			
)	80				
Pit dimensions (all but working pits): 80 Length (feet) 80 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 4 (feet)						
If the pit is lined give a brief description of the			edures for periodic maintenance and determining			
material, thickness and installation procedure).	liner integrity, is	ncluding any special monitoring.			
			THURSOLIN 20/			
Distance to nearest water well within one-mile	of pit	Depth to shallowest fresh water <u>UNKNOWN34</u> feet. Source of information:				
2743 NONE Depth of water well _	ાઉ⊊ _{feet}	measu	tredwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		_	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: CHEMICAL MUD				
Number of producing wells on lease:		Number of working pits to be utilized: 2				
Barrels of fluid produced daily:		Abandonment procedure: haul water & evaporation				
Does the slope from the tank battery allow all	spilled fluids to	then fill pits Drill pits must be closed within 365 days of spud date.				
flow into the pit? Yes No						
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
3-19-07		1,1	Il charle			
Date Date		s	ignature of Applicant or Agent			
KCC OFFICE USE ONLY						
Date Received: 3/20/c7 Permit Number: Permit Date: 3/20/c7 Lease Inspection: Yes X No						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

MAR 2 0 2007