For KCC Use: Effective Date: 5 SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed Ali blanks must be Filled Ft. Scott
Twp. 24S S. R. 24 West word West or West of Section West of Section West of Section with the word with the west of Section with the west of Sectio
Section Plat on reverse side)
Well #: 9-31
VIGII W.
Yes 🗸 No
als 013' FEL
feet MSL
Yes No
nile: Yes ✓ No
200
√ 2
pe set: 20 feet
None
sippian
her
Permit with DWR ☐) Yes ✓ No
RECEIVED AARSAS GORPORATION COMMISSION MAR 2 0 2007
CONSERVATION DIVISION
nent is necessary prior to plugging; in; face within 120 days of spud date. District 3 area, alternate II cementing strict office prior to any cementing.
itte: Land Administraor
1) with intent to Drill; 1 120 days of spud date;

Expected Spud Date	Spot
OPERATOR: License# 33397 Name: Running Foxes Petroleum, Inc.	1942 / feet from N / VS Line of Section 1013 feet from VE / W Line of Section
Name: Running Foxes Petroleum, Inc. Address: 7060-B So. Tucson Way	Is SECTION Regular Irregular?
Contonnial CO 80112	(Note: Locate well on the Section Plat on reverse side)
Comi Soom	County: Bourbon
203.327.7016	Lease Name: Gross Well #: 9-31
Phone:	Field Name: Wildcat
CONTRACTOR: License# Must be licensed by KCC	Is this a Prorated / Spaced Field?
Name: Advise on IACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 1013' FEL
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 868 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal ✓ Wildcat Cable	Depth to bottom of fresh water: >100
Seismic;# of Holes Other	Depth to bottom of usable water:
Other	Surface Pipe by Alternate: 1 √ 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20 feet
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
-	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Weil ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
ACE	DAVIT DECEIVED
AFFI.	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plo	ugging of this well will comply with K.S. AARSAS GORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S. RARSAS GORPORATION COMMISSION MAR 2 0 2007
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	th drilling rig; CONSERVATION DIVISION The drilling rig; to by circulating cement to the top; in all cases surface the sate of the set within and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to be the set of the spud case of the statements and the statements are true and to the best of the set of the spud case of the set of	mark of this well will comply with K.S. MARSAN GORPORATION COMMISSION MAR 2 0 2007 The drilling rig; CONSERVATION DIVISION To be underlying formation. The underlying formation. The underlying formation. The underlying formation are underlying formation plugging; The underlying formation and placement is necessary prior to plugging; The underlying formation are underlying for the underlying formation and plugging is commented in; The underlying formation and placement is necessary prior to plugging; The underlying formation and plugging for the underlying formation and plugging is underlying formation. The underlying formation are underlying formation and plugging formation and plugging formation.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the posted on each through all unconsolidated materials plus a minimum of 20 feet into the setting of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate appropriate district office will be notified before well is either pluging the appropriate ap	the drilling rig; to by circulating cement to the top; in all cases suriage conservation pivision, is strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Administraor
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the lates of the spud date. I hereby certify that the statements made herein are true and to the best of Date: 3/19/07 Signature of Operator or Agent:	And this well will comply with K.S. AARSAN GORPORATION COMMISSION MAR 2 0 2007 The drilling rig; Ton Servation plusion to by circulating cement to the top; in all cases surface the sate of the set of the underlying formation. Setrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Administraor Remember to:
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the sether well is dry hole, an agreement between the operator and the displayment of the setherough the	ARR 2 0 2007 The drilling rig; CONSERVATION DIVISION To be circulating cement to the top; in all cases surface and plugging; the underlying formation. The underlying formation are underlying formation are underlying in a second plugging; The underlying formation are underlying for the underlying formation and underlying formation. The print Pit Application (form CDP-1) with intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the second of the posted on each and the second of the seco	ARR 2 0 2007 The drilling rig; CONSERVATION DIVISION To be circulating cement to the top; in all cases surface surface in the control of t
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 1. The appropriate district office will be notified before well is either plug. 2. The appropriate district office will be notified before well is either plug. 3. The appropriate district office will be notified before well is either plug. 3. The appropriate district office will be notified before well is either plug. 3. The minimum amount of surface pipe as specified below shall be comented to the specified with the statements was a surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 3/19/07 Signature of Operator or Agent: API # 15 - DII - 23.24/6-0000 Conductor pipe required Nore feet	ARR 2 0 2007 The drilling rig; CONSERVATION DIVISION To be circulating cement to the top; in all cases surface and plugging; the underlying formation. The underlying formation are underlying formation are underlying in a second plugging; The underlying formation are underlying for the underlying formation and underlying formation. The print Pit Application (form CDP-1) with intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set into the set of t	ARR 2 0 2007 The drilling rig; Conservation division to the top; in all cases surface surface in the surface of plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Administraor Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent:	ARR 2 0 2007 The drilling rig; Conservation Division to by circulating cement to the top; in all cases surface surface in the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Administraor Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of Date: 3/19/07 Signature of Operator or Agent: For KCC Use ONLY API # 15	ARR 2 0 2007 The drilling rig; Conservation Division To viculating cement to the top; in all cases surface surface in a underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Administraor Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - DI - 23246-0000 Conductor pipe required Nove feet Minimum surface pipe required teet Approved by: 443-22-07 This authorization expires: 9-22-07	ARR 2 0 2007 The drilling rig; To on Servation Division To or on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Administraor Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dl 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to 1 hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent: For KCC Use ONLY API # 15	And this well will comply with K.S. AARSAN GORPORATION COMMISSION MAR 2 0 2007 The drilling rig; To virculating cement to the top; in all cases surface the same of the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Administraor Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Wet! Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be posted on each at the shall unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be notified before well is either plug for the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the shall be completed within 30 days of the spud date or the well shall to the least of the plug certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent:	ARR 2 0 2007 The drilling rig; To virculating cement to the top; in all cases surface the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Administraor Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 011-232 46-0000	Location of Well: County: Bourbon
Operator: Running Foxes Petroleum, Inc.	1942 feet from N / ✓ S Line of Section 1013 feet from ✓ E / W Line of Section
Lease: Gross	
Well Number: 9-31	Sec. 31 Twp. 24S S. R. 24
Field: Wildcat	
Number of Acres attributable to well: QTR / QTR / QTR of acreage:	Is Section:

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

				RECEIVED KANSAS CORPORATION COMMISSIO MAR 2 0 2007 CONSERVATION DIVISION WIGHITA, KS
	· · · · · · · · · · · · · · · · · · ·	: 		EXAMPLE :
				1013'
			1942'	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
April 2004
Form must be Typed
Ft Scott

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Running Foxes Petroleum Inc.			License Number: 33397		
Operator Address: 7060-B So. Tucson Way					
Contact Person: Carol Sears			Phone Number: (303) 327 - 7016		
Lease Name & Well No.: Gross 9-31			Pit Location (QQQQ):		
Type of Pit:	Pit is:		Nω. ewe. NE SE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 31 Twp. 24S R. 24		
Settling Pit	If Existing, date constructed:		1942 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit	Dit appoint		1013 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	BourbonCounty		
is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓] No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes V No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits): 20 Length (feet) 20 Width (feet) N/A N/A: Steel Pits Depth from ground level to deepest point: 5 (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
	a of nit	Dooth to shall	owest fresh water N/A feet.		
Distance to nearest water well within one-mil	e or pit	Source of info	mation:		
N/A feet Depth of water well _		 	uredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Fresh water & Native Mud			
			rking pits to be utilized: 2		
Number of producing wells on lease: Barrels of fluid produced daily:		Abandonment procedure: Evaporation and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION					
3/15/07 Date		Caro	MAR 2 2 2007 CONSERVATION DIVISION Signature of Applicant or Agent WIGHITA, KS		
	кес	OFFICE USE O	NLY		
Date Received: 3/22/07 Permit Nur	mber:	Perm	nit Date: 3/22/07 Lease Inspection: Yes No		