

For KCC Use:	2-27-07
E#ective Date:	3-27-07
District # 1	<u> </u>
SGA? Yes	X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1008400

November 2005
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be ap	oproved by KCC five	(5) days prior to commencing well	
Expected Spud Date: 03/26/2007	year year	Spot Description:	
OPERATOR: License#		leet nom	N / S Line of Section E / W Line of Section
Name: FIML Natural Resources, LLC		Is SECTION: Regular X Irregular?	E / X W Line of Section
Address 1: 410 17th Street, Suite 900		is SECTION: Hegular Imegular?	
Address 2: City: Denver State: CO Zip: 802	202 +	(Note: Locate well on the Section Plat on	reverse side)
Contact Person: Cassie Parks		County: Scott	2-9-1931
Phone: 303-893-5090		Lease Name: Titus Field Name: To be determined	Well #: 2-9-1931
CONTRACTOR: License# 30606 Name: Murfin Drilling Co., Inc.		Is this a Prorated / Spaced Field? Target Formation(s): Mississippian Spergen	Yes No
Oil Enh Rec Infield XIII	<i>Equipment:</i> Mud Rotary Air Rotary Cable	Nearest Lease or unit boundary line (in footage): 990 Ground Surface Elevation: 2953 Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 150	feet MSL Yes No
Other:		Depth to bottom of usable water: 1500 Surface Pipe by Alternate: I I II Length of Surface Pipe Planned to be set: 350	
		Length of Conductor Pipe (if any): 0 Projected Total Depth: 4760	
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #:		Water Source for Drilling Operations: Well Farm Pond Other: Hauled in DWR Permit #: (Note: Apply for Permit with DWF) Will Cores be taken?	
through all unconsolidated materials plus a minimum. 4. If the well is dry hole, an agreement between the construction of the second of the s	tion and eventual plug be met: ling of well; If be posted on each below shall be set b um of 20 feet into the operator and the distri- te well is either plugge pe shall be cemented	drilling rig; by circulating cement to the top; in all cases surface pip underlying formation. ict office on plug length and placement is necessary placed or production casing is cemented in;	SERVATION DIVISION ri Wienivi ngkeng; IVS of spud date.
must be completed within 30 days of the spud date	e or the well shall be	33,891-C, which applies to the KCC District 3 area, alter plugged. <i>In all cases, NOTIFY district office</i> prior to	
I hereby certify that the statements made herein are true	and to the best of my		4
Date: 3/16/2007 Signature of Operator or	Agent: Lassa	,	
	pet per ALT. I XIII	File Drill Pit Application (form CDP-1) with Intent to I File Completion Form ACO-1 within 120 days of sputial File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to wo Submit plugging report (CP-4) after plugging is composited to be submitted approval before disposing or injecting. If this permit has expired (See: authorized expiration check the box below and return to the address below.	id date; ion orders; rkover or re-entry; pleted (within 60 days); salt water. ordate) please
		Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:	 \



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - / 7/-20655 ODDD	Scott
Operator: FIML Natural Resources, LLC Lease: Titus	Location of Well: County: Scott 990 feet from N / S Line of Section
Well Number: 2-9-1931 Field: To be determined	3,300 feet from E / W Line of Section Sec. 9 Twp. 19 S. R. 31 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: - S2 - NW - NE	Is Section: Regular or Integular
arrivarivarivaria	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)


990 ft.

3300 ft.

9

RECEIVED KANSAS CORPORATION COMMISSION MAR 2 2 2007

CONSERVATION DIVISION WIGHTA, KS




NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

FIML NATURAL RESOURCES, LLC
TITUS LEASE
NE.1/4, SECTION 9, T19S, R31W
SCOTT COUNTY, KANSAS

RECEIVED
KANSAS CORPORATION COMMISSION
MAR 2 2 2007



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 ocres.

* Elevations derived from National Geodetic Yertical Datum.

March 14, 2007

^{*} Approximate section lines were determined using the normal standard of care of olifield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not meassarily located, and the exact location of the drillishe location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other appropriate standards are not provided the section of the drillishe location. It is officers and employees harmless from all or only departed the section is officers and from incidental or consequential damages and expenses and said antities released from any liability.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1008400

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: FIML Natural Reso			
Operator Name: FIML Natural Resources, LLC		License Number: 33476	
Operator Address: 410 17th Stre	et, Suite 90	0	Denver CO 80202
Contact Person: Cassie Parks		Phone Number: 303-893-5090	
Lease Name & Well No.: Titus	2-9	9-1931	Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 9 Twp. 19 R. 31 East West
Settling Pit Drilling Pit	If Existing, date c	onstructed:	990 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Dit canacity:		3,300 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity: 3,000	(bbls)	Scott
Is the pit located in a Sensitive Ground Water	r Area? Yes		Chloride concentration:mg/l
			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
			Natural Clay
Fit differsions (all but working pits).	80 Length (fe	,	Width (feet) N/A: Steel Pits
Depth f	rom ground level to de	eepest point: 4	(feet) No Pit
			KANSAS CORPORATION CON MAR 2 2 2007
			CONDECT
			CONSERVATION DIVISION WIGHTAL KS
Distance to nearest water well within one-mil	e of pit	Depth to shallo Source of infor	west fresh water 60 feet.
Distance to nearest water well within one-mil 4969 feet Depth of water well	e of pit 116 _{feet}		west fresh water 60 feet.
4969 feet Depth of water well	116 feet	Source of informeasu Drilling, Worke	west fresh water 60 feet. mation: iredwell ownerelectric logKDWR over and Haul-Off Pits ONLY:
4969 feet Depth of water well _	116 feet	Source of informeasu Drilling, Worke	west fresh water 60feet. mation: redwell ownerelectric logKDWR
4969 feet Depth of water well Emergency, Settling and Burn Pits ONLY. Producing Formation:	116 feet	Source of informeasu Drilling, Worke Type of materia	west fresh water 60 feet. mation: iredwell ownerelectric logKDWR over and Haul-Off Pits ONLY:
4969 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	116 feet	Source of informeasu Drilling, Worke Type of materia Number of wor	west fresh water 60 feet. mation: medwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite Mud
Distance to nearest water well within one-mil 4969 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	116 feet	Source of informeasu Drilling, Worke Type of materia Number of work Abandonment	west fresh water 60 feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite Mud king pits to be utilized: 2
4969 feet Depth of water well	116 feet	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must to	west fresh water 60 feet. mation: med well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite Mud king pits to be utilized: 2 procedure: Evaporation/backfill oe closed within 365 days of spud date.
### Depth of water well	116 feet	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must to	west fresh water 60 feet. mation: med well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite Mud king pits to be utilized: 2 procedure: Evaporation/backfill oe closed within 365 days of spud date.
### Ap69 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	116 feet	Source of informeasure measurement. Drilling, Worker Type of material Number of worker Abandonment. Drill pits must be correct to the best	west fresh water 60 feet. mation: med well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite Mud king pits to be utilized: 2 procedure: Evaporation/backfill oe closed within 365 days of spud date.
	116 feet : Il spilled fluids to ements are true and o	Source of informeasure measurement. Drilling, Worker Type of material Number of work Abandonment. Drill pits must to correct to the best Source of informers in the second of the seco	west fresh water 60 feet. mation: med well owner electric log KDWR over and Haul-Off Pits ONLY: Bentonite Mud king pits to be utilized: 2 procedure: Evaporation/backfill oe closed within 365 days of spud date. t of my knowledge and belief.
	116 feet : Il spilled fluids to ements are true and o	Source of informeasure measurement. Drilling, Worker Type of material Number of worker Abandonment. Drill pits must be correct to the best	west fresh water 60 feet. mation: lired well owner electric log KDWR bover and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Mud king pits to be utilized: 2 procedure: Evaporation/backfill be closed within 365 days of spud date. t of my knowledge and belief.
### The Production of the pits	116 feet : I spilled fluids to ements are true and o	Source of informeasure measurement. Drilling, Worker Type of material Number of work Abandonment. Drill pits must be correct to the best Source of the best Source	west fresh water 60 feet. mation: med well owner electric log KDWR over and Haul-Off Pits ONLY: Bentonite Mud king pits to be utilized: 2 procedure: Evaporation/backfill oe closed within 365 days of spud date. t of my knowledge and belief.