For KCC	Uso:	>	200	6	
For KCC Effective	Date:		00	U	
District #		<u></u>			
	Control of the	f"\$2			

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

xpected Spud Date	3/28/200)7	Spot	x East
•	month di	ay year	SW . NE . SE Sec. 19 Twp. 28S	
PERATOR: License#	32912			XS Line of Section
ame: Carroll En				W Line of Section
	Place, Suite 230		Is SECTION Regular X irregular?	
ity/State/Zip: Independe	ence, KS 67301		(Note: Locate well on the Section Plat o	n reverse side)
ontact Person: Terry Carr	oll Jr.		County: Wilson	40 D2
hone: (620) 330-	-7213		7900 (MIIA-	Well #: 19-D3
	33374		Field Name: Guilford	
ONTRACTOR: License#	Il Service, LLC		Is this a Prorated / Spaced Field?	Yes X No
lame:			Target Formation(s): Cherokee Coals 360'	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary.	
X Oil / Enh Rec	X Infield	Mud Rotary	Ground Surface Elevation:	feet MSL
X Gas Storage	Pool Ext.	X Air Rotary	Water well within one-quarter mile:	Yes X No
OWWO Disposal	Wildcat	Cable	Public water supply well within one mile:	Yes x No
Seismic; # of Hol	accurate and a second	<u></u> J	Depth to bottom of fresh water.	5
Other	·		Depth to bottom of usable water: Surface Pipe by Alternate: 1 X 2	oof condition Mr. Monthad CA Chapter of page on a page on a construction of contrast and a ALM MATE. The
A.,d			Surface Pipe by Atternate: 1 X 2 Length of Surface Pipe Planned to be set: 20'	
OWWO: old well information	n as follows:		Length of Conductor Pipe required:	
Operator:			Projected Total Depth: 1200'	
Well Name:			Formation at Total Depth: Mississippi	
Original Completion Date:	Origin	nal Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizo	ontal wellbore?	Yes X No		
Yes, true vertical depth:			DWR Permit #:	
			(Note: Apply for Permit with DW	/A 191
Notion Hole Location:				
Bottom Hole Location:				Yes X No
			Will Cores be taken? If Yes, proposed zone:	Yes X No
CC DKT #:	ms that the drilling,	AFF, completion and eventual p	Will Cores be taken? If Yes, proposed zone:	Yes X No
CC DKT #:	ms that the drilling, minimum requirem	AFF, completion and eventual prents will be met:	Will Cores be taken? If Yes, proposed zone:	Yes X No
The undersigned hereby affirm this agreed that the following 1. Notify the appropriate of the approved of the approved of the approved of the approved that the well is dry hole, in the appropriate district of the appropriate	ms that the drilling, minimum requirem district office prior d notice of intent to of surface pipe as ated materials plus an agreement betwit office will be notifice will be notificed will be notificed will be notificed will be notificated with the notification will be notificated with the notification will be notificated will be notificated with the notification will be notificated will	AFF, completion and eventual prents will be met: to spudding of well; drill shall be posted on easpecified below shall be sea minimum of 20 feet into the veen the operator and the clied before well is either pluguction pipe shall be cementansas surface casing order spud date or the well shall	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. sec. ch drilling rig; of by circulating cement to the top; in all cases surfate underlying formation. district office on plug length and placement is necestaged or production casing is cemented in; ted from below any usable water to surface within the #133,891-C, which applies to the KCC District 3 as be plugged. In all cases, NOTIFY district office production of the plugged.	Yes X No. The second of the s
The undersigned hereby affint is agreed that the following 1. Notify the appropriate of the approved of the approved of the approved of the approved of the unconsolide of the understanding of the well is dry hole; of the appropriate district of the appropriate district of the appropriate district of the appropriate of the unconsolide of the well is dry hole; of the appropriate district of the appropriate district of the unconsolide of the well is dry hole; of the appropriate of the well is dry hole; of the appropriate of th	ms that the drilling, minimum requirem district office prior d notice of intent to of surface pipe as an agreement betwit office will be notifice will be notificed in a notification of the sments made herein	AFF, completion and eventual prents will be met: to spudding of well; drill shall be posted on easpecified below shall be sea minimum of 20 feet into tween the operator and the cled before well is either pluguction pipe shall be cement ansas surface casing order spud date or the well shall in are true and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. sec. ch drilling rig; of by circulating cement to the top; in all cases surfate underlying formation. district office on plug length and placement is necestiged or production casing is cemented in; ted from below any usable water to surface within the #133,891-C, which applies to the KCC District 3 at be plugged. In all cases, NOTIFY district office put my knowledge and be of the KCC District of th	Yes X No. Acce pipe shall be set assary prior to plugging; 120 days of spud date. rea, alternate II cementing. prior to any cementing.
The undersigned hereby affint is agreed that the following 1. Notify the appropriate of the approved of the approved of the approved of the approved of the unconsolide of the understanding of the well is dry hole; of the appropriate district of the appropriate district of the appropriate district of the appropriate of the unconsolide of the well is dry hole; of the appropriate district of the appropriate district of the unconsolide of the well is dry hole; of the appropriate of the well is dry hole; of the appropriate of th	ms that the drilling, minimum requirem district office prior d notice of intent to of surface pipe as ated materials plus an agreement betwit office will be notifice will be notificed will be notificed will be notificed will be notificed will be notificated will be notificed will be notificated will be noti	AFF, completion and eventual prents will be met: to spudding of well; drill shall be posted on easpecified below shall be sea minimum of 20 feet into tween the operator and the cled before well is either pluguction pipe shall be cement ansas surface casing order spud date or the well shall in are true and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. sec. ch drilling rig; In the underlying coment to the top; in all cases surface underlying formation. district office on plug length and placement is necessinged or production casing is comented in; ted from below any usable water to surface within a #133,891-C, which applies to the KCC District 3 as be plugged. In all cases, NOTIFY district office in the many surface within a plugged. In all cases, NOTIFY district office in the many surface within a plugged. In all cases, NOTIFY district office in the many surface within a plugged. In all cases, NOTIFY district office in the many surface within a plugged. In all cases, NOTIFY district office in the many surface within a plugged. In all cases, NOTIFY district office in the many surface within a plugged. In all cases, NOTIFY district office in the many surface within a plugged. In all cases, NOTIFY district office in the many surface within a plugged or production casing is comented in; #### Title: Lar	Yes X No. The second of the s
The undersigned hereby affirm the sagreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolide 4. If the well is dry hole, if 5. The appropriate district 6. If an ALTERNATE II CO or pursuant to Append must be completed with the the completed with the state of the control of the complete of the control of t	ms that the drilling, minimum requirem district office prior d notice of intent to of surface pipe as an agreement betwit office will be notifice will be notificed in a notification of the sments made herein	AFF, completion and eventual prents will be met: to spudding of well; drill shall be posted on easpecified below shall be sea minimum of 20 feet into tween the operator and the cled before well is either pluguction pipe shall be cement ansas surface casing order spud date or the well shall in are true and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. sec. of drilling rig; of by circulating cement to the top; in all cases surface underlying formation. district office on plug length and placement is necessiged or production casing is cemented in; ted from below any usable water to surface within at #133,891-C, which applies to the KCC District 3 at be plugged. In all cases, NOTIFY district office put my knowledge and be of the transfer of the transf	Yes X No. Ace pipe shall be set ssary prior to plugging; 120 days of spud date. rea, alternate II cementing. prior to any cementing.
The undersigned hereby affirm t is agreed that the following 1. Notify the appropriate of the appropriate districts. The appropriate districts of the appropriate districts of the appropriate districts of the appropriate o	ms that the drilling, minimum requirem district office prior d notice of intent to of surface pipe as at agreement between the office will be notifice will be notificed. The notification of the no	AFF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the earth of the complete specified before well is either pluguetion pipe shall be cementansas surface casing order spud date or the well shall in are true and to the best of actor or Agent:	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. sec. och drilling rig; of by circulating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is necessaged or production casing is cemented in; ted from below any usable water to surface within the #133,891-C, which applies to the KCC District 3 as be plugged. In all cases, NOTIFY district office points with the plugged of the KCC District office points with the plugged. In all cases, NOTIFY district office points with the KCC District	Yes X Notes A
The undersigned hereby affirm the sagreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolide 4. If the well is dry hole, if 5. The appropriate district 6. If an ALTERNATE II CO or pursuant to Append must be completed with the the completed with the state of the control of the complete of the control of t	ms that the drilling, minimum requirem district office prior d notice of intent to of surface pipe as an agreement betwit office will be notifice will be notificated by a constant of the surface of the surface of the surface of the surface of the constant of the notification of the surface o	AFF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the earth of the complete specified before well is either pluguetion pipe shall be cementansas surface casing order spud date or the well shall in are true and to the best of actor or Agent:	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. sec. of drilling rig; of by circulating cement to the top; in all cases surface underlying formation. district office on plug length and placement is necessiged or production casing is cemented in; ted from below any usable water to surface within at #133,891-C, which applies to the KCC District 3 at be plugged. In all cases, NOTIFY district office put my knowledge and be of the transfer of the transf	Yes X No. Accepipe shall be set seary prior to plugging; 120 days of spud date, rea, alternate II cementing prior to any cementing, and Manager to Drill; I spud date;
The undersigned hereby affirm t is agreed that the following 1. Notify the appropriate of the appropriate districts. The appropriate districts of the appropriate districts of the appropriate districts of the appropriate o	ms that the drilling, minimum requirem district office prior d notice of intent to of surface pipe as ated materials plus an agreement between the office will be notificed in 30 days of the ements made herein Signature of Open Nore	AFF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the earth of the complete specified before well is either pluguetion pipe shall be cementansas surface casing order spud date or the well shall in are true and to the best of actor or Agent:	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. sec. sec. sec. sec. sec. sec. sec. sec	Yes X No. Acce pipe shall be set seary prior to plugging; 120 days of spud date, rea, alternate II cementing, and Manager to Drill; I spud date; roration orders; o workover or re-entry;
The undersigned hereby affint is agreed that the following 1. Notify the appropriate of	ms that the drilling, minimum requirem district office prior di notice of intent to of surface pipe as ated materials plus an agreement betwit office will be notifice will be notifice. Signature of Open Note 27/35-000 Note ared	AFF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the earth of the earth	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. sec. ch drilling rig; of the triculating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is necessaged or production casing is cemented in; ted from below any usable water to surface within the #133,891-C, which applies to the KCC District 3 as be plugged. In all cases, NOTIFY district office profit may knowledge and be of the file of the file completion from ACO-1 within 120 days of the file acreage attribution plat according to field possible Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is	Yes X No. Acce pipe shall be set ssary prior to plugging; 120 days of spud date, rea, alternate il cementing orior to any cementing, and Manager to Drill; spud date; roration orders; o workover or re-entry; completed;
The undersigned hereby affine is agreed that the following 1. Notify the appropriate of the approvation of the approvation of the approvation of the approvation of the appropriate distinct of the well is dry hole; 5. The appropriate distinct of the appropriate o	ms that the drilling, minimum requirem district office prior di notice of intent to of surface pipe as ated materials plus an agreement betwit office will be notifice will be notifice. Signature of Open Note 27/35-000 Note ared	AFF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the earth of the complete of the complete of the complete of the complete of the well is either pluguction pipe shall be cement ansas surface casing order spud date or the well shall in are true and to the best of eator or Agent:	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. sec. sec. sec. sec. sec. sec. sec. sec	Yes X No. Acce pipe shall be set ssary prior to plugging; 120 days of spud date, rea, alternate il cementing orior to any cementing, and Manager to Drill; spud date; roration orders; o workover or re-entry; completed;
The undersigned hereby affirm the agreed that the following 1. Notify the appropriate 2. A copy of the approved 3. The minimum amount through all unconsolide 4. If the well is dry hole, 3. The appropriate district 6. If an ALTERNATE II CO or pursuant to Appendent to the completed with the completed with the completed with the content of the content	ms that the drilling, minimum requirem district office prior di notice of intent to of surface pipe as ated materials plus an agreement betwit office will be notifice will be notifice. Signature of Open Note 27/35-000 Note ared	AFF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the earth of the complete of the complete of the complete of the complete of the well is either pluguction pipe shall be cement ansas surface casing order spud date or the well shall in are true and to the best of eator or Agent:	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. sec. sec. sec. sec. sec. sec. sec. sec	Yes X No. Acce pipe shall be set seary prior to plugging; 120 days of spud date, rea, alternate II cementing, and Manager to Drill; I spud date; roration orders; o workover or re-entry; completed; cting salt water, ation date) please
The undersigned hereby affint is agreed that the following 1. Notify the appropriate of	ms that the drilling, minimum requirem district office prior d notice of intent to of surface pipe as an agreement between the office will be notifice will be notificed. Production of the notification of the notifica	AFF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the veen the operator and the clied before well is either pluguction pipe shall be cement ansas surface casing order spud date or the well shall in are true and to the best of ator or Agent: teet teet teet teet teet teet teet per Alt. (2)	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. sec. och drilling rig: In the control of this well will comply with K.S.A. 55 et. sec. och drilling rig: In the underlying coment to the top; in all cases surface to the underlying formation. It is trict office on plug length and placement is necestigated from below any usable water to surface within the second of the top of the top of the top of the top of the plugged. In all cases, NOTIFY district office plugged. In all cases, NOTIFY district office plugged. If the completion form ACO-1 within 120 days of the top	Yes X No. Acce pipe shall be set seary prior to plugging: 120 days of spud date. rea, alternate II cementing. Ind Manager to Drill; I spud date; I roration orders; I workover or re-entry; I completed; I cting salt water. ation date) please


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 20	05-27135-0000	Location of Well: County: Wilson
Operator:	Carroll Energy, LLC	1800 feet from N / X S Line of Section
Lease:	COX	
Well Number:	19-D3	Sec. 19 Twp 28S S. R. 16E X East West
Field:	Guilford	·
	attributable to well:	Is Section: Regular or X Irregular
GIH/GIH/GII	R of acreage: <u>SW</u> - <u>NE</u> - <u>SE</u>	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW XSE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

1400.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

MAR 2 3 2007

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached. (COZ for ell wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Dupilcate

Operator Name: Carroll Energy	II.C	License Number: 32012				
Operator Address: 200 Area Place Suite 220 Independence I/S 67301						
200 Arco Place, Suite 230, Independence, KS 6			There Museles (
Lease Name & Weil No.: OOV 40 DR			Phone Number: (620) 330-7213 Pit Location (QQQQ):			
COX 19-D3	Die im.			SE.		
Type of Pit:	Pit is:		<u>NE - SW - NE - SE</u>			
Emergency Pit Burn Pit	Proposed Existing		Sec. 19 Twp. 28S R. 16E X East West			
Settling Pit X Drilling Pit	If Existing, date constructed:		1800_ Feet from1	North / Nouth Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	*		East / West Line of Section		
	300	(bbls)	Wils	on County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
X Yes No	Yes X No		CLAY			
Pit dimensions (all but working pits):	eet)8	Width (feet)	N/A: Steel Pits			
Depth fr	om ground level to de	eepest point:	5 (feet)			
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining				and determining		
material, thickness and installation procedure	•	liner integrity, ir	ncluding any special monitoring.			
Distance to nearest water well within one-mile	west fresh water 20	5				
,	ог ріс	Depth to shallowest fresh waterfeet. Source of information:				
N/A feet Depth of water wellfeet		measu	redwell owner	electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of materia	aterial utilized in drilling/workover: FRESH WATER			
Number of producing wells on lease:		Number of worl	rking pits to be utilized:			
Barrels of fluid produced daily:	Abandonment procedure: AIR DRY					
Does the slope from the tank battery allow all flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
MAR 2 3 2007						
03/22/2007						
Date Signature of Applicant or Agent KCC				KCC WICHITA		
KCC OFFICE USE ONLY						
Date Received: 3/23/c7 Permit Numi	ner:	Permi	t Date: 3/23/07 Lease	Inspection: Yes 1 No		