For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date April 1, 2007 month day year	NESW - NW - NE Sec. 10 Twp. 17 S. R. 21
OPERATOR: License# 30717 V	730 feet from N / S Line of Section
Name: Downing - Nelson Oil Company, Inc.	2100 feet from Feet from E / W Line of Section
P.O. Box 372	Is SECTIONRegularIrregular?
City/State/Zip: Hays, KS 67601	(Note: Locate well on the Section Plat on reverse side)
Contact Person Ron Neison	County: Ness
Phone: (785) 621-2810	Lease Name: Bek
	Field Name: July South
CONTRACTOR: License# 33237	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Anderson Drilling	Target Formation(s): Kansas City - Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 730'
	Ground Surface Elevation: 2198 est. feet MSL
	Water well within one-quarter mile: Yes ✓ No
	Public water supply well within one mile: Yes ✓ No
	Depth to bottom of fresh water:
Seismic; # of Holes Other	Depth to bottom of usable water:
Other	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200+
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 4,000' Formation at Total Depth: Kansas City - Arbuckle
Original Completion Date:Original Total Depth:	Formation at total Depth.
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
ROC DK1 #:	If Yes, proposed zone:
AFE	If Yes, proposed zone: RECFIVED
AFE	If Yes, proposed zone: RECFIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	If Yes, proposed zone: RECFIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECFIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT Ugging of this well will comply with K.S.A. 55 et. MAR 2 7 2007
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be sall</i>	DAVIT Ungging of this well will comply with K.S.A. 55 et. SAR 2 7 2007 Ch drilling rig; Why circulating cement to the top; in all cases surface pipe shall be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ugging of this well will comply with K.S.A. 55 et. SECEIVED which drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the definition of the driving of	DAVIT ugging of this well will comply with K.S.A. 55 et. SEAR 2 7 2007 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to pluggling;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all the drilling is dry hole, an agreement between the operator and the defence of the specified before well is either plugents.	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. SECRIPED which drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	DAVIT ugging of this well will comply with K.S.A. 55 et. SEAR 2 7 2007 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to pluggling;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the delayed. 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. sec. A 2 7 2007 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the delayed is the surface appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. SEAR 2 7 2007 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. sec. 7 2007 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decention of the surface will be notified before well is either plug 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. SECR 2 7 2007 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be sa</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decompleted is the state of the specified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. sec. 7 2007 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the posted on each and the post of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the state of the properties of the specified before well is either plug and the properties of the specified before well is either plug and the properties of the specified before well is either plug and the properties of the specified before well shall be completed within 30 days of the spud date or the well shall be the post of the specified before the well shall be completed within 30 days of the spud date or the well shall be post of the specified before well is either plug and the specified before well is either plug and the specified before well is either plug and the specified before well is either plug and the specified before well is either plug and the specified before t	DAVIT ugging of this well will comply with K.S.A. 55 et. sec. A 2 7 2007 the drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the specified before well is either pluging the surface and the description of the specified before well is either pluging the surface casing order must be completed within 30 days of the spudiction of the well shall hereby certify that the statements made herein are true and to the best of the best of the surface of the specified within 30 days of the spudiction of the well shall hereby certify that the statements made herein are true and to the best of the surface of the specified within 30 days of the spudiction of the specified within 30 days of the spudiction of the specified well shall be completed within 30 days of the spudiction of the specified well shall be completed within 30 days of the spudiction of the specified well as a specified before well is either plugical to the specifie	DAVIT ugging of this well will comply with K.S.A. 55 et. sec. A 2 7 2007 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set that the well is dry hole, an agreement between the operator and the description of the surface pipe as specified before well is either plug for the surface and the description of the surface pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the post of the post of the surface pipe shall be cement. I hereby certify that the statements made herein are true and to the best of the post of t	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. sec. 7 2007 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the posted on each and the post of the appropriate district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the figure of the appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post o	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. sec. 2 7 2007 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be satherough</i> all unconsolidated materials plus a minimum of 20 feet into the statements between the operator and the first office will be notified before well is either plug for a pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall be conductor pipe required	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. SEAR 2 7 2007 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the posted on each and the post of the appropriate district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the figure of the appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post o	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. SECRIPED the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be satherough</i> all unconsolidated materials plus a minimum of 20 feet into the statements between the operator and the first office will be notified before well is either plug for a pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall be conductor pipe required	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. sec. 2 7 2007 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the driving hall unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the driving hall unconsolidated materials plus a minimum of 20 feet into the season of the well is either plug to the season of the well is either plug to the season of the well shall be completed within 30 days of the spud date or the well shall be the season of the sea	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. SECRIPED the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.

Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 135-24628-0000	Location of Well: County: Ness
Operator: Downing - Nelson Oil Company, Inc.	730 feet from VN / S Line of Section
Lease: Bek	2100 feet from 🗸 E / 🗌 W Line of Section
Well Number: 1-10	Sec. 10 Twp. 17 S. R. 21 ☐ East ✓ Wes
Field:	
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: NESW - NW NE	If Section is irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PI AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		•	1 1 .	•	•
	_	. •	1 .	_	
		•		•	•
	•		1 1 .	•	•
			1 1		
			1		
			● .		
				•	•
	•			•	•
	-	-	1		•
			• • •		
1				•	
1					
	•			•	•
	•	• • • • • • • • • • • • • • • • • • • •	•	•	•
			1		
				•	
		•	•		•
	•		•	•	•
	•		•		•
		•	•	•	•
			1 .		
İ					
			ļ		
	•				
					•
	_	_			_
			1		
	-	•			•
					•
			l .		
l		-	1	•	-
			1		
		•	1 -		
			i		
		· · ·			
		· · ·		•	•



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Downing - Nelson Oil Company, Inc.		License Number: 30717		
Operator Address: P.O. Box 372, Hays, KS 67601				
Contact Person: Ron Nelson		Phone Number: (785) 621 - 2810		
Lease Name & Well No.: Bek 1-10		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE SW NW NE	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 10 Twp. 17 R. 21 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:		730 Feet from 📝 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2100 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	3,600	(bbls)	Ness County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸		Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	INO	Clay type soil	
Pit dimensions (all but working pits):	60 Length (fe	eet) 60	Width (feet) N/A: Steel Pits	
Depth fi	rom ground level to de	eepest point: 5	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		, ,	edures for periodic maintenance and determining ncluding any special monitoring.	
material, inickness and instantion procedure	z.	and anegrity,	ncluding any special monitoring. RECEIVED	
			, -	
			MAR 2 7 2007	
			_,	
Distance to nearest water well within one-mile	e of pit		KCC WICHITA west fresh water & feet.	
	1111	Source of infor	west fresh water & feet.	
<u> 36 (၄</u> feet Depth of water well	44 feet	Source of infor	west fresh water & feet. mation: feet. med well owner electric log KDWR	
<u> 361</u> feet Depth of water well Emergency, Settling and Burn Pits ONLY:	44 feet	Source of informeasu	west fresh water feet. mation: lectric log KDWR over and Haul-Off Pits ONLY:	
<u> 36 (၄</u> feet Depth of water well	44 feet	Source of informed measurements Drilling, Worker Type of materia	west fresh water & feet. mation: feet. med well owner electric log KDWR	
<u> 361年</u> feet Depth of water well Emergency, Settling and Burn Pits ONLY:	44 feet	Source of inform measu Drilling, Work Type of material Number of wor	west fresh water feet. mation: feet. mation: electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud king pits to be utilized: teet.	
3616 feet Depth of water well	44 feet	Source of inform measu Drilling, Work Type of material Number of wor	west fresh water	
361年 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	44 feet	Source of informeasure measure Drilling, Worker Type of materia Number of wor Abandonment excavated directions.	west fresh water	
3616 feet Depth of water well	feet spilled fluids to	Source of informeasure measure of material Number of wor Abandonment excavated directions of the control of the	west fresh water feet. mation: feet. mation: electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud king pits to be utilized: procedure: let fluid evaporate and fill with the closed within 365 days of spud date.	
364 feet Depth of water well	feet spilled fluids to	Source of informeasure measure of material Number of wor Abandonment excavated directions of the control of the	west fresh water feet. mation: feet. mation: electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud king pits to be utilized: procedure: let fluid evaporate and fill with the closed within 365 days of spud date.	
3616 feet Depth of water well	feet spilled fluids to	Source of informease Drilling, Work Type of materia Number of wor Abandonment excavated dirt Drill pits must incorrect to the besi	west fresh water & feet. mation: feet. med well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud king pits to be utilized: 1 procedure: let fluid evaporate and fill with be closed within 365 days of spud date. It of my knowledge and belief. Adamsda	
Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	feet spilled fluids to	Source of informease Drilling, Work Type of materia Number of wor Abandonment excavated dirt Drill pits must incorrect to the besi	west fresh water feet. mation: feet. mation: electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud king pits to be utilized: procedure: let fluid evaporate and fill with the closed within 365 days of spud date.	
3616 feet Depth of water well	spilled fluids to	Source of informease Drilling, Work Type of materia Number of wor Abandonment excavated dirt Drill pits must incorrect to the besi	west fresh water feet. mation: feet. mation: electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud king pits to be utilized: 1 procedure: let fluid evaporate and fill with be closed within 365 days of spud date. It of my knowledge and belief. Adamasa ignature of Applicant or Agent	
3666 feet Depth of water well	spilled fluids to	Source of informeasure measure of material Number of work Abandonment excavated directly pits must be correct to the beside Source of the second of the seco	west fresh water & feet. mation: electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud king pits to be utilized: 1 procedure: let fluid evaporate and fill with be closed within 365 days of spud date. It of my knowledge and belief. Adamsa ignature of Applicant or Agent	