For KCC Use:

Effective Date:

District #

SGA? XYes No

Kansas Corporation Commission Oil & Gas Conservation Division

OIL & GAS CONSERVATION DIVISION NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date March 29, 2007	Spot
month day year	NW - SE - NW Sec. 23 Twp. 26 S. R. 18 West
OPERATOR: License# 5205	1667feet from N / S Line of Section
Name: Mid-Continent Energy Corporation	1775 feet from E / W Line of Section
Address: 105 S. Broadway, Suite 360	Is SECTION Regular Irregular?
City/State/Zip: Wichita, KS 67202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jack Buehler	County: Edwards
Phone: 316-265-9501	Lease Name: Derley Well #: 2
Pnone:	Field Name: applying for field name
CONTRACTOR: License# 33724	Is this a Prorated / Spaced Field?
Name: Warren Drilling, LLC	Target Formation(s): Kansas City, Miss, Viola, Simpson
	Nearest Lease or unit boundary: 1667' north
Well Drilled For: Well Class: Type Equipment:	
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary —	
Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water: 120'
Other	Depth to bottom of usable water:
Ottiol	Surface Pipe by Alternate: 🗸 1 🔝 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250' minimum
Operator:	Length of Conductor Pipe required: N/A
Well Name:	Projected Total Depth: 5100'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	₩ Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	ii ies, proposed zone.
AFF	FIDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual p	olugging of this well will comply with K.S.A. 55 et. seg.
It is agreed that the following minimum requirements will be met:	MAR 2 3 20 /
Notify the appropriate district office <i>prior</i> to spudding of well;	
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a materials plus a material all unconsolidated materials and all unconsolidated materials plus a material all uncons	et by circulating cement to the top; in all cases surface pipe shall be set
	district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plus	
	ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
	be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	
^~	
Date: March 26, 2007 Signature of Operator or Agent:	n n / Julhla
Date: Gignature or Operator or Agents	Thio.
	Remember to:
For KCC Use ONLY	File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 047-21553,000	- File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
None	
200	- Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 250 feet per Alt 1	- Submit plugging report (CP-4) after plugging is completed;
Approved by: [443-27-07	- Obtain written approval before disposing or injecting salt water.
This authorization expires: 9-2707	- If this permit has expired (See: authorized expiration date) please
(This authorization void if drilling not started within 6 months of approval date.)	check the box below and return to the address below.
	Well Not Drilled - Permit Expired
Spud date: Agent:	Signature of Operator or Agent:
	Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 047-21553-0000	Location of Well: County: Edwards
Operator: Mid-Continent Energy Corporation	•
Lease: Derley	1667 feet from ✓ N / S Line of Section 1775 feet from E / ✓ W Line of Section
Well Number: 2	Sec. 23 Twp. 26 S. R. 18 East ✓ Wes
Field: applying for field name	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR of acreage: NW - SE - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	·			•	•	:
		1667	ENT .			
	• • • • • • • • • • • • • • • • • • •			· · · ·		
17	75 FW	L		•		•
	· · · · ·		.	· · · · · · · · · · · · · · · · · · ·		
		•	23 _			;
		:		:	•	
	•	· · · · · · · · · · · · · · · · · · ·		· · · ·	· · · · · ·	
		:				:
					,	
EDN	AKDS LE	7,				•

MAR 2 6 2007 KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		 	The state of the s		
Operator Name: Mid-Continent Energy Corporaton		License Number: 5205			
Operator Address: 105 S. Broadway, Suite 360 - Wichita, KS 67202					
Contact Person: Jack Buehler			Phone Number: (316) 265	⁻ 9501	
Lease Name & Well No.: Derley #2			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NW _ SE _ NW</u>	_	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 23 Twp. 26 R. 18 ☐ East 🗸 West		
Settling Pit	If Existing, date constructed:		1667 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			1775 Feet from Fast /	✓ West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 4800	(bble)	Edwards		
		(bbls)			
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes	No	Chloride concentration: (For Emergency Pits and S	ŭ	
Is the bottom below ground level?	Artificial Liner?	-	How is the pit lined if a plastic liner is		
✓ Yes	Yes ✓ ſ	No	Natural clays and bent	onite	
Pit dimensions (all but working pits):	O Length (fe	et) 80	Width (feet)	N/A: Steel Pits	
	om ground level to de		(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and d ncluding any special monitoring.	etermaning	
Source of infor			. I()		
14 10 feet Depth of water well		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		_	over and Haul-Off Pits ONLY:	ater	
Producing Formation: Type of materia			al utilized in drilling/workover: fresh water		
Number of producing wells on lease: Number of working pits to be utilized:			king pits to be utilized: 3-6 deep x 6 procedure: settlement, haul off free flu	ide let dry and back fill	
Barrels of fluid produced daily:		Abandonment	procedure: Settlement, nati on nee it	nas, let dry and back till	
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must t	be closed within 365 days of spud date		
hereby certify that the above state	ments are true and c	correct to the best	t of my knowledge and belief.	RECEIVED	
3/2 <i>6/07</i> Date	7	an nos	ignature of Applicant or Agent	MAR 2 6 2007 KCC WICHITA	
KCC OFFICE USE ONLY REAS				REASUC	
Date Received: 3/24/c1 Permit Num	ber:	Perm	it Date: 3/27/67 Lease Inspe	ction: X Yes No	



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

March 27, 2007

Mr. Jack Buehler Mid-Continent Energy Corporation 105 S. Broadway Ste 360 Wichita, KS 67202

RE: Drilling Pit Application Derley Lease Well No. 2 NW/4 Sec. 23-26S-18W Edwards County, Kansas

Dear Mr. Buehler:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File