For KCC Use:

Effective Date: 41-07

District # SGA? X Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date April 2, 2006	Spot Fa.	ıst
month day year	NE NW Sec. 36 Twp. 30 S. R. 19 We	est
33344	660 feet from VN / S Line of Section	
OPERATOR: License# 33344 Name: Quest Cherokee LLC	1980feet fromE / ✓ W Line of Section	
Address: 9520 North May Avenue, Suite 300	Is SECTION RegularIrregular?	
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Neosho	
Phone: (405) 463-6880	Lease Name: Lubbers Liv Trust Well #: 36-2	
	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?	No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660	
	Ground Surface Elevation: 893 feet MS	SL
Oil Enh Rec V Infield Mud Rotary	Water well within one-quarter mile: Yes ✓	No.
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:	Νo
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100	
Seismic;# of Hoies Other ✓ Other Coalbed Methane	Depth to bottom of usable water: 200-/50	
✓ Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required:	_
Well Name:	Projected Total Depth: 1300	_
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air	_
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken? Yes ✓	
	Will Cores be taken? Yes ✓ Yes	No
	If Yes, proposed zone:	No —
	If Yes, proposed zone:	No —
AFF	If Yes, proposed zone:	No —
AFF The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED	No —
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	No
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007	No
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 ch drilling rig:	No
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; In the by circulating cement to the top; in all cases surfice to the sequence of the complete of the compl	
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 ch drilling rig; by circulating cement to the top; in all cases sure comply comply formation. listrict office on plug length and placement is necessary prior to plugging;	
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 ch drilling rig; by by circulating cement to the top; in all cases surface with the complete of the c	
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; the by circulating cement to the top; in all cases sure properties of the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.	
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 ch drilling rig; by by circulating cement to the top; in all cases surface with the complete of the c	
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; In all cases suff for the plugging; The underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; The ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well-shall I hereby certify that the statements made herein are true and to the best of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; The by circulating cement to the top; in all cases sure prior to plugging; in all cases sure prior to plugging; in all cases are prior to plugging; in all cases are prior to plugging; in all cases are prior to plugging; in all cases, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. The plugged and belief.	
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well-shall	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; In all cases suff for the plugging; The underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; The ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well-shall I hereby certify that the statements made herein are true and to the best of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; In all cases sure compared to the top; in all cases sure compared to plugging; in a placement is necessary prior to plugging; in all cases are prior to plugging; in all cases, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP	
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the surface of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the surface of the s	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; the by circulating cement to the top; in all cases surfce production. Illistrict office on plug length and placement is necessary prior to plugging; gred or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Improveded and belief. Title: VP Remember to:	
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to the set of the well is dry hole, an agreement between the operator and the constant of the set of the spuddate or the well is either pluguant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall be the set of the spuddate or the well shall be certify that the statements made herein are true and to the best of the spuddate of the set of the spuddate or the well shall be certify that the statements made herein are true and to the best of the spuddate of the spuddate or the well shall be certified. 5. The appropriate district office will be notified before well is either plug to the shall be certified before well is either plug to the shall be certified before well is either plug to the shall be certified before well is either plug to the shall be certified before well is either plug to the shall be certified before well is either plug to the shall be certified before well is either plug to the shall be certified before well is either plug to the shall be set of the shall be certified before well is either plug to the shall be shall be set of the shall be shal	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; In all cases sure compared to the top; in all cases sure compared to plugging; in a placement is necessary prior to plugging; in all cases are prior to plugging; in all cases, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP	
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-26882-0000	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; In all cases sure construction of the top; in all cases sure construction of the underlying formation. Identifying formation of the top; in all cases sure construction of the underlying formation. Identifying formation of the top; in all cases sure construction of the underlying formation. In all cases, prior to plugging; in the plugged or production casing is cemented in; in the plugged of the the top; in all cases within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the constitution of the set of th	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; In the property of	
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well-shall hereby certify that the statements made herein are true and to the best of the surface casing order and the completed within 30 days of the spud date or the well-shall hereby certify that the statements made herein are true and to the best of the surface casing order. For KCC Use ONLY API # 15 - 133-26882-0000 Conductor pipe required	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; In the property of the property of the plugging formation. Identifying formation of spud date. In all cases, NOTIFY district office prior to any cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged in all cases, NOTIFY district office prior to any cementing. If the plugged in all cases, NOTIFY district office prior to any cementing. If the plugged in plugged in all cases, NOTIFY district office prior to any cementing. If the plugged in all cases, NOTIFY district office prior to any cementing. If the plugged in all cases, NOTIFY district office prior to any cementing. If the plugged in all cases, NOTIFY district office prior to any cementing. If the plugged in all cases, NOTIFY district office prior to any cementing. If the plugged in all cases, NOTIFY district office prior to any cementing. If the plugged in all cases, NOTIFY district office prior to any cementing. If the plugged in all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of the set of the surface district office will be notified before well is either plug in the surface district office will be notified before well is either plug in the surface casing order must be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and to the best of the surface case of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; In the property of the property of the property of the plugging formation. Identifying formation assing is cemented in; Identifying formation of the plugging; Identifying formation form below any usable water to surface within 120 days of spud date. If the plugged. In all cases, NOTIFY district office prior to any cementing. If the property formation form CDP-1 with Intent to Drill; If the Completion Form ACO-1 within 120 days of spud date; If the creage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	; ng , 36 c
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well-shall hereby certify that the statements made herein are true and to the best of the surface casing order and the completed within 30 days of the spud date or the well-shall hereby certify that the statements made herein are true and to the best of the surface casing order. For KCC Use ONLY API # 15 - 133-26882-0000 Conductor pipe required	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; The by circulating cement to the top; in all cases surfection of the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well-shall I hereby certify that the statements made herein are true and to the best of Date: March 26, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-26882-000 Conductor pipe required feet Minimum surface pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: 144-3-27-07	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; The by circulating cement to the top; in all cases sum to be plugging; or interest of the complete and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	; ng , 36 c
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the fitten well is dry hole, an agreement between the operator and the completed district office will be notified before well is either plug to fit an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the production pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-26882-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: 443-27-07 This authorization expires: 9-27-07 (This authorization void if drilling not started within 6 months of approval date.)	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; In the proposed general to the top; in all cases surface within 120 days of spud date. Illistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	; ng , 36 c
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the constitution of the surface district office will be notified before well is either plug to find a ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well-shall hereby certify that the statements made herein are true and to the best of the specific prior of t	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 The drilling rig; The by circulating cement to the top; in all cases sum to be plugging; or interest of the complete and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	; ng , 36 c

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-26882-0000	Location of Well: County: Neosho			
Operator: Quest Cherokee LLC	660	feet from VN / S Line of Section		
Lease: Lubbers Liv Trust	1980	feet from E / 📝 W Line of Section		
Well Number: 36-2	Sec. 36 Twp. 30	S. R. 19 East West		
Field: Cherokee Basin CBM				
Number of Acres attributable to well:	Is Section: 🗸 Regular	or Irregular		
QTR / QTR / QTR of acreage: NE NW	If Section is Irregular, locate well from nearest corner boundary.			
	Section corner used: NE NW SE SW			

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344			
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120						
Contact Person: Richard Marlin			Phone Number: (405) 463 - 6			
Lease Name & Well No.: Lubbers Liv Trust #36-2			Pit Location (QQQQ):			
Type of Pit:			NENW_			
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed: Pit capacity: 300 (bbls)		Sec. 36 Twp. 30 R. 19 Feast West 660 Feet from North / South Line of Section 1980 Feet from East / West Line of Section Neosho County			
Settling Pit						
☐ Workover Pit ☐ Haul-Off Pit						
(If WP Supply API No. or Year Drilled)						
Is the pit located in a Sensitive Ground Water		Nor	Chloride concentration:	mg/l		
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is no	t used?		
Pit dimensions (all but working pits):	Length (fe		10	N/A: Steel Pits		
		Air Drilling	Operation Lasting Approx 3 [Jays		
District the second sec		Courte to abolio	west fresh waterfeet.			
Source of info		mation:				
N/Afeet Depth of water wellfeetmeasuredwell ownerelectric logKDW				ogKDWR		
			over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air Drilled			
		rking pits to be utilized: One				
			procedure: Air Dry, Back Fill and Cover			
Does the slope from the tank battery allow all spilled fluids to		be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
MAR 2 7 2007						
March 26, 2007 Date	£ c	chard s	ignature of Applicant or Agent	KCC WICHITA		
KCC OFFICE USE ONLY						
Date Received: $3/27/c7$ Permit Num	nber:	Perm	it Date: $\frac{3/22/67}{}$ Lease Inspection	n: Yes 🗶 No		