For KCC Use: District #

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date April 2, 2006	_ Spot ✓ East
month day year	<u>NW</u> - <u>SE</u> <u>Sec. 33</u> Twp. <u>26</u> S. R. <u>19</u> West
OPERATOR: License# 33344	1980 feet from N / V S Line of Section
Name. Quest Cherokee LLC	1980feet from ✓ E / W Line of Section
9520 North May Avenue, Suite 300	is SECTIONRegularIrregular?
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	Gounty: Alien
Phone: (405) 463-6880	Lease Name: Pool, W. Eugene Well #: 33-2
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
	Ground Surface Elevation: 975 feet MSL
Oil Enh Rec V Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage Pool Ext. ✓ Air Rotary —	Public water supply well within one mile: Yes VNo
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other ✓ Other Coalbed Methane	Depth to bottom of usable water.
✓ Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air
If Yes, true vertical depth:	DMD Demok #.
	- DWR Permit #:
Bottom Hole Location:	- DVVH Permit #: (Note: Apply for Permit with DWR)
•	
Bottom Hole Location:	Will Cores be taken? If Yes, proposed zone: FIDAVIT (Note: Apply for Permit with DWR) Yes V No
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; set by circulating cement to the top; in all cases significant office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing in the plugged. In all cases, NOTIFY district office prior to any cementing.
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a completion all unconsolidated materials plus a minimum of 20 feet into the drill is dry hole, an agreement between the operator and the complete district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; set by circulating cement to the top; in all cases six Cinach Late of the underlying formation. If the district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; and the underlying formation. If the underlying formation is necessary prior to plugging; ugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If the underlying formation.
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a continuous of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either place. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best decrease. Date: March 26, 2007 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 Pach drilling rig; set by circulating cement to the top; in all cases significant to a district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. Figure 133,891-C, which applies to the KCC District 3 area, alternate II cementing. of my knowledge and belief. Title: Title: **P **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a completion of the approved notice of intent to drill <i>shall be</i> posted on a complete district office prior to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a complete district office prior as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the driving the specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be completed with the statement between the operator and the specified below shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; set by circulating cement to the top; in all cases should be underlying formation. If district office on plug length and placement is necessary prior to plugging; ungged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing in the plugged. In all cases, NOTIFY district office prior to any cementing. If Yes I No II Yes II No II Yes II Ye
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a completion and unconsolidated materials plus a minimum of 20 feet into the unimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the unimum o	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; set by circulating cement to the top; in all cases significant to district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. Fill as a seq. alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Title: **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a common shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strongh all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strongh all unconsolidated materials plus a minimum of 20 feet into the well is either pless. The appropriate district office will be notified before well is either pless. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best district of the post of the prior of the post of the spud date or the well shall hereby certify that the statements made herein are true and to the best district of the post of the post of the spud date or the well shall hereby certify that the statements made herein are true and to the best district of the post of the post of the spud date or the well shall hereby certify that the statements made herein are true and to the best district of the post of the pos	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; set by circulating cement to the top; in all cases significant formation. In the underlying formation. In district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. Set #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a composition of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the formulation of the materials plus a minimum of 20 feet into the statement between the operator and the formulation of the production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented that the statements made herein are true and to the best conductor pipe required For KCC Use ONLY API # 15 - 29590-00-00 Conductor pipe required feet per Alt. 2 Approved by 14.3.27.07	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pack drilling rig; set by circulating cement to the top; in all cases sKGCinviGHITA The underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing. II be plugged. In all cases, NOTIFY district office prior to any cementing. If the Completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a strong through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strong that the well is dry hole, an agreement between the operator and the strong that the statement is notified before well is either please. The appropriate district office will be notified before well is either please. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: March 26, 2007 Signature of Operator or Agent: Conductor pipe required Minimum surface pipe required Approved by March 3-27-07 This authorization expires: Particular deventual and eventual eventual eventual and eventual eventuali	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; set by circulating cement to the top; in all cases sKGCiNVCHITA the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a composition of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the formulation of the materials plus a minimum of 20 feet into the statement between the operator and the formulation of the production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented that the statements made herein are true and to the best conductor pipe required For KCC Use ONLY API # 15 - 29590-00-00 Conductor pipe required feet per Alt. 2 Approved by 14.3.27.07	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pack drilling rig; set by circulating cement to the top; in all cases sKGCinviGHITA The underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing. II be plugged. In all cases, NOTIFY district office prior to any cementing. If the Completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: March 26, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - ODI - 29590 - OD-OD Conductor pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; set by circulating cement to the top; in all cases significant to prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 001-295900000	29590000 Location of Well: County: Allen	
Operator: Quest Cherokee LLC	1980feet from N / ✓ S Line of Section	
Lease: Pool, W. Eugene	1980 feet from 🗸 E / W Line of Section	
Well Number: 33-2	Sec. 33 Twp. 26 S. R. 19 ✓ East Wes	
Field: Cherokee Basin CBM		
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular	
QTR / QTR / QTR of acreage: NW SE	If Section is Irregular, locate well from nearest corner boundary.	
	Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North Ma	y Avenue, Su	ite 300 Ok	lahoma City, Oklahor	na 73120
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Pool, W. Eugene #33-2		Pit Location (QQQQ):		
Type of Pit:	Pit is:			<u>SE</u>
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		Sec. 33 Twp. 26 R. 19 East West 1980 Feet from North / South Line of Section 1980 Feet from Feet from Section	
Settling Pit				
Workover Pit Haul-Off Pit				
(If WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbls)	Allen	County
Is the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes V No	Artificial Liner?	No	How is the pit lined if a plastic lin	
Pit dimensions (all but working pits):	Length (fe			N/A: Steel Pits
Distance to pagest water well within one mi	le of nit	Denth to shall	west fresh water	feet
Source of it		Source of info		
			measured well owner electric log KDWR	
		,	, Workover and Haul-Off Pits ONLY: material utilized in drilling/workover: Air Drilled	
ļ.		orking pits to be utilized: One		
			Abandonment procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to		be closed within 365 days of spud date.		
I hereby certify that the above state	tements are true and	correct to the bes	t of my knowledge and belief.	RECEIVED
March 26, 2007	V.	· Land V	Warland	MAR 2 7 2007
Date	<u> </u>	5	ignature of Applicant or Agent	KCC WICHITA
	KCC	OFFICE USE O	NLY	
3/22/27 20 844	mber:	D	it Date: Lease In	spection: 🗶 Yes 🗌 No
Date Received: 3/27/07 Permit Nur	noer:	Perm	Lease III	iapection. K res 100