For KCC Use: 4-2-07
Effective Date: J SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date04 01 2007	Spot East
month day year	SE - NE SW Sec. 16 Twp. 16 S. R. 25 West
OPERATOR: License#	feet from N / S Line of Section
Name: OSBORN ENERGY, LLC	
Address: 24850 FARLEY	is SECTION RegularIrregular?
City/State/Zip: BUCYRUS, KS 66013	(Note: Locate well on the Section Plat on reverse side)
Contact Person: JEFF IAYLOR	County: MIAMI
Phone: 913-533-9900	Lease Name: DECO, INC Well #: 2
CONTRACTOR: License# 32294	Field Name:
Name: OSBORN ENERGY, LLC	Is this a Prorated / Spaced Field? Target Formation(s): MARMATON AND CHEROKEE
Walle,	Nearest Lease or unit boundary: 650'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1000' feet MSL
Oil Enh Rec 🗸 Infield Mud Rotary	Water well within one-quarter mile: Yes √No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes V No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 200+/-
Seismic;# of Holes Other	Depth to bottom of usable water: 300+/-
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: NONE
Weil Name:	Projected Total Depth: 900'
Original Completion Date:Original Total Depth:	Formation at Total Depth: CHEROKEE
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:RECEIVED
ΔFFI	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plants	raging of this well will comply with K.S.A. 55 at sea
It is agreed that the following minimum requirements will be met:	MAR 2 8 2007
Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on each	h drilling rig; CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be se	t by circulating cement to the top; in all cases surface
through all unconsolidated materials plus a minimum of 20 feet into the	e underlying formation.
 If the well is dry note, an agreement between the operator and the d The appropriate district office will be notified before well is either plug 	istrict office on plug length and placement is necessary prior to plugging;
6. If an ALTERNATE II COMPLETION, production pipe shall be cement	ed from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#100 001 C which applies to the KCC District 2 area, alternate II comenting
Of pursuant to Appendix B - Lastern Narious strates strong size.	#133,691-C, Which applies to the RCC District 3 area, alternate in cementing
must be completed within 30 days of the spud date or the well shall I	be plugged. In all cases, NOTIFY district office prior to any cementing.
must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	be plugged. In all cases, NOTIFY district office prior to any cementing. my Includes and belief.
must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	be plugged. In all cases, NOTIFY district office prior to any cementing. my Includes and belief.
must be completed within 30 days of the spud date or the well shall I	pe plugged. In all cases, NOTIFY district office prior to any cementing. my Included and belief. Title: GEOLOGIST
must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	Title: GEOLOGIST
must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Date: Signature of Operator or Agent: For KCC Use ONLY	re plugged. In all cases, NOTIFY district office prior to any cementing. Title: GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 127, 1007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 28426-0000	re plugged. In all cases, NOTIFY district office prior to any cementing. Title: GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Date: 17 27 207 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 28426-0000 Conductor pipe required 16 feet	re plugged. In all cases, NOTIFY district office prior to any cementing. Title: GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 127, 1007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 128426-0000 Conductor pipe required Now feet	re plugged. In all cases, NOTIFY district office prior to any cementing. Title: GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 127, 1007 Signature of Operator or Agent: 15 - 1007 Signature of Operator or Agent: 1007 Signa	replugged. In all cases, NOTIFY district office prior to any cementing. Title: GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Date: Date: Da	replugged. In all cases, NOTIFY district office prior to any cementing. Title: GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 127, 2007 Signature of Operator or Agent: 15 - 28426-0000 Conductor pipe required 16eet feet Minimum surface pipe required 16eet per Alt. 12 Approved by: 13-38-07 This authorization expires: 928-07	replugged. In all cases, NOTIFY district office prior to any cementing. Title: GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: March 1007 Signature of Operator or Agent:	replugged. In all cases, NOTIFY district office prior to any cementing. Title: GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 127 2007 Signature of Operator or Agent: 15 - 28426-0000 Conductor pipe required 15 - 6eet Minimum surface pipe required 16 - feet per Alt. 12 Approved by: 143-33-07 This authorization expires: 928-07	rmy Inbuledge and belief. Title: GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:
must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Date: 17 207 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 28 426-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. Approved by: 13-28-07 This authorization void if drilling not started within 6 months of effective date.)	rmy Incidence plugged. In all cases, NOTIFY district office prior to any cementing. Title: GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 121- 28426-0000	Location of Well: County: MIAMI	
Operator: OSBORN ENERGY, LLC		
Lease: DECO, INC	2310 feet from E / V Line of Section	
Well Number: 2	Sec. 16 Twp. 16 S. R. 25 ✓ East Wes	
Field:	_	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: SE - NE - SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	· · · · · · · · · · · · · · · · · · ·	
:	· · · · ·	
		•
	· · · · · · · · · · · · · · · · · · ·	
:	· · · · ·	· · · · · · · · · · · · · · · · · · ·
į ·	. X	•

EXAMPLE	
	1980
	3390
-	
·	RECEIVED
SEWARD CEAT	NSAS CORPORATION COMMISSION

NOTE: In all cases locate the spot of the proposed drilling locaton.

MAR 28 2007

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION WICHTAL KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			License Number: 32294	
Operator Name: OSBORN ENERGY, LLC				
Operator Address: 24850 FARLEY	BUCYR	US,	KS	66013
Contact Person: JEFF TAYLOR				Phone Number: (913) 533 - 9900
Lease Name & Well No.: DECO, INC	2			Pit Location (QQQQ):
Type of Pit:	Pit is:			_SENESW
Emergency Pit Burn Pit	✓ Proposed Existing		isting	Sec. 16 Twp. 16 R. 25 ✓ East ☐ West
Settling Pit	If Existing, date co	onstruct	ed:	1650 Feet from North / South Line of Section
Workover Pit Haul-Off Pit			_	2310 Feet from East / 🗸 West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity: 550+/-		(bbls)	MIAMI County
		1		Chloride concentration: N/A mg/l
Is the pit located in a Sensitive Ground Water	Area?	No		(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?			How is the pit lined if a plastic liner is not used?
✓ Yes No	Yes	No		NATIVE CLAY LINED
Pit dimensions (all but working pits):	8 Length (fe	et)	20	Width (feet) N/A: Steel Pits
Depth fi	rom ground level to de	epest p	point: 4	(feet)
If the pit is lined give a brief description of the liner material, thickness and installation procedure. N/A		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. 24 HOUR ON SITE MAINTENANCE WHILE DRILLING		
Distance to nearest water well within one-mile of pit N/A 1390 feet Depth of water well 200 feet		Depth to shallowest fresh water N/A 92 feet. Source of information: electric tog KDWR		
Emergency, Settling and Burn Pits ONLY		Drilling, Workover and Haut-Off Pits ONLY:		
1474		Type of material utilized in drilling/workover: BENTONITE		
•		Number of working pits to be utilized: 1		
Number of producing wells on lease: Barrels of fluid produced daily:		Abandonment procedure: LET WATER EVAPORATE THEN USE		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		BULLDOZER TO BACKFILL PIT		
		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above stat	ements are true and	correct	to the bes	RECEIVED St of my knowledge and belie(ANSAS CORPORATION COMMISSION
Mm 27, 2007		M	mtt	MAR 2 8 2007 Signature of Applicant or Agent CONSERVATION DIVISION WICHTPA, KS
KCC OFFICE USE ONLY				
Date Received: 3/28/67 Permit Nur	mber:		Perr	nit Date: 3 28 07 Lease Inspection: Yes V No