For KCC		4-2	-(77	
Effective District #		3	-07	
SGA?	Yes	No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date April 20 2007	- ·
month day year	Spot X East
, · · · · · · · · · · · · · · · · · · ·	NE - SW- SE Sec. 21 Twp. 29 S. R. 15 West
OPERATOR: License# 33454	1162feet from N /S Line of Section
Name: Greg Wells	1438feet from XE / W Line of Section
Address: 12313 K47 Highway	is SECTION X_Regular Irregular?
City/State/Zip: Fredonia, KS 66736	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Greg Wells	County: Wilson
Phone: 620-378-2618	Lease Name: Wells Well#: 11
	Field Name: Cherokee Basin CRM
CONTRACTOR: License# 5831	Is this a Prorated / Spaced Field?
Name: Mokat Drilling	Target Formation(s): Cherokee Coals
W. II D. W. I. D	Nearest Lease or unit boundary: 1162
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1014 feet MSL
Oil Enh Rec X Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water: 150
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1100
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
Original Completion Pale.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes X No	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFF	DAVIT
The undersigned hereby affirms that the drifling, completion and eventual plants and eventual plants.	agging of this well will comply with N.S.M. 33 et. Seq.
The undersigned hereby affirms that the drifting, completion and eventual plit is agreed that the following minimum requirements will be met:	ygging of this well will comply with N.S.M. 55 et. seq.
It is agreed that the following minimum requirements will be met:	ygging of this well will comply with N.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di	h drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugaing ;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugi	h drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the fit the well is dry hole, an agreement between the operator and the diff. The appropriate district office will be notified before well is either pluge for an ALTERNATE II COMPLETION, production pipe shall be cemented.	h drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is	h drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, afternate II cementing
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugi If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be 	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugication. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the spud to the best of the spud case.	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. In this content of the state of t
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the spud to the spud to the best of	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. In which we have the prior to any cementing. Title:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order amust be completed within 30 days of the spud date or the well shall be the production of the spud better that the statements made herein are true and to the best of the post of the spud better that the statements made herein are true and to the best of the post of the spud better that the statements of the operator of the post of the spud better that the statements made herein are true and to the best of the post of the spud better that the statements made herein are true and to the best of the post of the spud better that the statements made herein are true and to the best of the post of the spud better that the statements made herein are true and to the best of the post of the spud better that the statements made herein are true and to the best of the post of the spud better that the statements made herein are true and to the best of the post of the spud better that the statements made herein are true and to the post of the spud better that the statements made herein are true and to the post of the spud better that the statements is a spud better that the statements are true and to the spud better that the statements are true and to the spud better that the statements are true and to the spud better that the statements are true and the spud better that the statements are true and the spud better that the statements are spud better that the statements are true and the spud better the	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; but from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Company Co
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugical for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the post of the spud between the completed within 30 days of the spud bate or the well shall be the post of the spud between the post of the spud bate. 2 / 26 / 07 Signature of Operator or Agent:	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Implementation Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugical if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 3/26/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27/43 - 0000	h drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; but from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Title: Completion
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plugical. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 3/26/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27/43 - Conductor pipe required NOIV feet	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Implementation Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. In knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order amust be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 3/26/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27/43 - COOD Conductor pipe required NONLY Feet	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: ### Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication of the specific of the surface casing order and the district of the minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication. 5. The appropriate district office will be notified before well is either plugication. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the province of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 7. Signature of Operator or Agent: 8. Signature of Operator or Agent: 8. Por KCC Use ONLY API # 15 - 205 - 27/43 - 000 Conductor pipe required 8. Noty 9. Feet Minimum surface pipe required 9. ONLY Approved by: Put 3-28-07	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In knowledge, and belief. ### Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the posted on each and the posted of through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 3/26/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27/43 - 0000 Conductor pipe required NONL feet per Att. 12 Approved by: 24 - 328-07	h drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. In strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the appropriate district of the second o	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. In knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the appropriate district of the second o	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. In strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If it is a span and belies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. The subject of the	h drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: ##134,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. ##134,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. ##134,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. ##134,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. ##134,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. ##134,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. ##134,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district 3 area, alternate II cementing be p


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27143-0000	Location of Well: County: Wilson
Operator: Greg Wells	
Lease: Wells	1438 feet from X E / W Line of Section
Well Number:11	Sec. 21 Twp. 29 S. R. 15 X East West
Field: Cherokee Basin	
Number of Acres attributable to well: 80	ls Section: X Regular or Irregular
QTR / QTR / QTR of acreage: NE SW - SE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for pipelicity ED CG-8 for gas wells).

 KANSAS CORPORATION COMMISSION

MAR 2 8 2007

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Greq Wells		License Number: 33454				
Operator Address: 12313 K47 H	ighway Fr	edonia, F				
Contact Person: Greg Wells		Phone Number: (620) 378 - 2618				
Lease Name & Well No.: Wells 11		Pit Location (QQQQ):				
Type of Pit:	Pit is:	(*** = **	<u>NE - SW - SE</u>			
Emergency Pit Burn Pit	X Proposed Existing		Sec. 21 Twp.29 R. 15 X East West			
Settling Pit X Drilling Pit	If Existing, date constructed:		1162 Feet from North / X South Line of Section			
Workover Pit Haul-Off Pit	Did annually		1438_ Feet from K East / West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity: (bbls)		Wilson County			
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:mg/l			
lo Man hallow hallow and the			(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits): 30	Length (f	eet) 10	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to d	eepest point:	10 (feet)			
Distance to nearest water well within one-mile	of pit	Depth to shallowest fresh waterfeet. Source of information:				
n/afeet Depth of water well	feet	measu	redwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		Driffing, Works	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Air drilled				
Number of producing wells on lease:			ring pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure: Air dry, back fill, cover			
Does the slope from the tank battery allow all s flow into the pit? Yes No	spilled fluids to	Drill pits must b	e closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
3/26/07 Date KANSAS CORPORATION COMMISS Signature of Applicant or Agent						
	KCC C	OFFICE USE ON	CONSERVATION DIVISION WICHTA, KS			
Date Received: 3/28/c7 Permit Number: Permit Date: 3/28/c7 Lease Inspection: Yes 1 No						