For KCC Use: Effective Date: District #___ SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

April 20 2007	Spot
Expected Spud Date	Spot SE Sec. 31 Twp. 12S S. R. 31 West
E244	330feet from N / ✓ S Line of Section
DPERATOR: License# 5214	990feet from
Name: Lario Oil & Gas Company	Is SECTION Regular Irregular?
Address: Wichita, KS 67202	(Nate: Locate well on the Section Plat on reverse side)
City/State/Zip:	County: Gove
316,265,5611	Lease Name: Ziegler Trust Well #: 1-31
Phone:	Field Name: Wildcat
CONTRACTOR: License#5822	Is this a Prorated / Spaced Field?
Name:Val Energy, Inc.	Target Formation(s): Marmaton, Lansing, Cherokee
T. Contemposit	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2960' est. feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 160'
Seismic; # of Holes Other	Depth to bottom of usable water: 4510
Other	Surface Pipe by Alternate: 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required.
Well Name:	Projected Total Depth:
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Wall Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
ROO DIN #	If Yes, proposed zone:
	IDAVIT RECEIVED
AFF	MANUA CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et Seq. RPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	lugging of this well will comply with K.S.A. 55 et seq. RPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	lugging of this well will comply with K.S.A. SS ECRPORATION COMMISSION MAR 2 8 2007
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	lugging of this well will comply with K.S.A. 55 et Second COMMISSION MAR 2 8 2007
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so	ch drilling rig; by circulating cement to the top; in all cases CONSERVATION COMMISSION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the state of the profile of the profile of the state of	lugging of this well will comply with K.S.A. SS et Sec. RPORATION COMMISSION MAR 2 8 2007 ch drilling rig; et by circulating cement to the top; in all cases CONSERVATION COMMISSION the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the state of the	ch drilling rig; by circulating cement to the top; in all cases CONSERVATION COMMISSION the underlying formation. WiCHITA, KS district office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the se	ch drilling rig; ch drilling rig; ch underlying formation. MAR 2 8 2007 Ch drilling rig; ch by circulating cement to the top; in all cases CONSERVATION DAVISION: WICHITA, KS district office on plug length and placement is necessary prior to plugging; digged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen	ch drilling rig; by circulating cement to the top; in all cases CONSERVATION COMMISSION WICHITA, KS bistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133.891-C. which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ch drilling rig; the by circulating cement to the top; in all cases CONSERVATION COMMISSION with the underlying formation. Wichtra, KS district office on plug length and placement is necessary prior to plugging; ded from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	In all cases Conservation commission with K.S.A. So of Section RATION COMMISSION MAR 2 8 2007 The drilling rig; by circulating cement to the top; in all cases Conservations with the underlying formation. Wichita, KS district office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	ch drilling rig; the by circulating cement to the top; in all cases CONSERVATION COMMISSION with the underlying formation. Wichtra, KS district office on plug length and placement is necessary prior to plugging; ded from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	In the underlying formation. Wichitz, KS and Second an
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the surface district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the second of the surface casing order must be completed within 30 days of the spud date or the well shall be second of the spud date or the well shall be second or surface. 2. 2. 2. 2. 2. 2. 2. 2. 2. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.	In all cases within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Jay G. Schweikert, Operations Engineer Remember to:
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the description of the surface will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be common or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the complete of the complete of the complete of the spud date. Signature of Operator or Agent: **Description** Signature of Operator or Agent: Signature of Operator	with K.S.A. So experience commission MAR 2 8 2007 ch drilling rig; by circulating cement to the top; in all cases conservations with the underlying formation. Wichita, KS district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Jay G. Schweikert, Operations Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the spud date of the well shall. For KCC Use ONLY API # 15 - 263 - 2165 7-0000	ch drilling rig; In the underlying formation. In the underlying formation in all cases of spud date. In the underlying formation in the top; in all cases of spud date. In the underlying formation in the top; in all cases of spud date. In the underlying formation in the top; in all cases of spud date; In the underlying formation orders; In the underlying formation in the top; in all cases of spud date; In the underlying formation orders; In the underlying formation orders; In the underlying formation orders; In the underlying formation in the top; in all cases of spud date; In the underlying formation orders; In the
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the description of the well is different and the description of the well is different and the description of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the spund date or the well shall be completed within 30 days of the spund date or the well shall hereby certify that the statements made herein are true and to the beson of the confluence of the description of	In the underlying formation. In the underlying formation in all cases or prior to plugging; and the plugged or production casing is cemented in; and the plugged or production and usable water to surface within 120 days of spud date. In the underlying formation in the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the underlying formation in the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the underlying formation in the top; in all cases Conserved to plugging; area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the underlying formation in the top; in all cases Conserved to plugging; area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the underlying formation in the top; in all cases Conserved to plugging; area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the underlying formation in all cases Conserved to plugging; and the underlying formation in
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the construc	ch drilling rig; In the underlying formation. In the underlying formation casing is completed; In the underlying formation. In the underlying formation and placement is necessary prior to plugging; In the underlying form to plugging; In the underlying formation as the underlying form to plugging; In the underlying formation as the underlying formation formation formation orders; In the underlying formation is necessary prior to plugging is completed; In the underlying formation is necessary prior to plugging formation formation casing is underlying formation orders; In the underlying formation is necessary prior to plugging is completed; In the underlying formation is necessary prior to plugging formation formation formation formation formation orders; In the underlying formation is necessary prior to plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 6. If an ALTERNATE II COMPLETION, production pipe shall be deemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the first pipe in the feet within a signature of Operator or Agent: For KCC Use ONLY API # 15 - OG3 - 2 1057 - OCCO Conductor pipe required feet Minimum surface pipe required feet per Alt. Approved by: ### 3-28-07	with K.S.A. So experience commission MAR 2 8 2007 The drilling rig; In by circulating cement to the top; in all cases conservations with the underlying formation. Wichita, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Jay G. Schweikert, Operations Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 6. If an ALTERNATE II COMPLETION, production pipe shall be deemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the first pipe in the feet within a signature of Operator or Agent: For KCC Use ONLY API # 15 - OG3 - 2 1057 - OCCO Conductor pipe required feet Minimum surface pipe required feet per Alt. Approved by: ### 3-28-07	ch drilling rig; In the underlying formation. In this permit has expired (See: authorized expiration date) please MAR 2 8 2007 Ch drilling rig; In the underlying cement to the top; in all cases Conservation and placement is necessary prior to plugging; In the underlying formation. Wichita, KS Wichi
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the surfaced plus a minimum of 20 feet into the surfaced to surface well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the surfaced pipe required. Date: 3/3/10/2 Signature of Operator or Agent: 10/10/2 Si	In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 6. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be deemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall of the spud date or the well shall be certify that the statements made herein are true and to the best of the spud date of the well shall be completed. For KCC Use ONLY API # 15 - Old -	ch drilling rig; In the underlying formation. In this permit has expired (See: authorized expiration date) please MAR 2 8 2007 Ch drilling rig; In the underlying cement to the top; in all cases Conservation and placement is necessary prior to plugging; In the underlying formation. Wichita, KS Wichi

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 063-21657-0000	Location of Well: County: Gove
Operator: Lario Oil & Gas Company	330 feet from N / ✓ S Line of Section
Lease: Ziegler Trust	990 feet from 🗸 E / W Line of Section
Well Number: 1-31 Field: Wildcat	Sec. 31 Twp. 12S S. R. 31 East ✓ West
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: SW - SE - SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

 ·n			
•	•		
	·	•	•
•		•	•
•	•	•	•
•		•	•
 		·	·
	-	•	•
•	•	•	•
	-		
•	. 1	•	•
 ·	· 31	<u> </u>	·
		•	•
	•		
· .			•
		•	
 	, , , , , , , , , , , , , , , , , , , ,		
		•	•
		9:	90'
•		· o –	
		. 330' V	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lario Oil & Gas Company			License Number: 5214		
Operator Address: 301 S. Market, Wichita, KS 67202					
Contact Person: Jay G. Schweikert		Phone Number: (316) 265 - 5611			
Lease Name & Well No.: Ziegler Trust #1-31		Pit Location (QQQQ):			
	Pit is:		SWSESE		
Type of Pit:			Sec31 Twp12S R31 East		
Emergency Pit Burn Pit	✓ Proposed Existing If Existing, date constructed:		330 Feet from North / South Line of Section		
Settling Pit	II Existing, date con		000		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	7100	(bbis)	Gove County		
Is the pit located in a Sensitive Ground Water Area? Yes Vo		No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓ N	lo	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits): 1	00 Length (fee	_{et)} 100	Width (feet) N/A: Steel Pits		
The difference (and a second s	from ground level to de		4		
Source of		Source of info			
4200 feet Depth of water well 78 feet			ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY	r:		tover and madi-on rits once:		
Producing Formation:		Type of mater	al utilized in drilling/workover: Bentonite Mud		
Number of producing wells on lease: Number of		Number of wo	lumber of working pits to be utilized:2		
Barrels of fluid produced daily:					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Fill in & cover pits. Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above standard $\frac{3}{27}$		Schweikert	St of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMISS Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS		
KCC OFFICE USE ONLY					
Date Received: 3/28/01 Permit Nu	umber:	Perr	nit Date: 3/28/67 Lease Inspection: Yes 🖞 No		