TYPE OR PRINT

NOTICE OF INTENTION TO DRILL

RULE 82-2-311

PORTICE OF INTENTION TO DRILL

RULE 82-2-311

 Depth of the deepest municipal water well within three miles of locationft. If none exists, write N Noneft. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to 		TO BE FILED WITH THE STATE CORPORATION COMMISSION PRIOR TO COMMENCEMENT OF WELL
3. Well Location NW/SE/NW Sec. 3 Township 26 Range 17 € 4. Well to be drilled 920 ft. from nearest lease line. 5. Drilling Contractor Gordon J. Willis Address same as above 6. Type of equipment: Rotary □ Cable Tool N. Approx. date operation to begin June 8 105 1963 7. Well to be drilled for Oil ⑤ Cas □ Disposal □ Input □ Estimated Total Depth of Well 1000 ft. 8. Depth of deepest fresh water well within one mile of location ft. If none exists, write NONE None ft. lower than ground elevation at water well. 9. Ground elevation at location is approx. ft. higher or ft. lower than ground elevation at water well. 9. Depth of the deepest municipal water well within three miles of location ft. If none exists, write None None location ft. If none exists, write None location differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to tect all fresh water zones is 200 ft. and operator agrees to set surface pipe at this location to a depth of not less 800 ft. Alternate 1 location to the surface. 800 ft. Alternate 1 location to the surface.	1.	Operator Gordon J. Willis Address 319 West Seventh
4. Well to be drilled 920 ft. from nearest lease line. 5. Drilling Contractor Gordon J. Willis Address same as above 6. Type of equipment: Rotary Cable Tool Z. Approx. date operation to begin June 8 195 1963 7. Well to be drilled for Oil Gas Disposal Input Estimated Total Depth of Well 1000 ft. 8. Depth of deepest fresh water well within one mile of location ft. If none exists, write NONE None 9. Ground elevation at location is approx. ft. higher or ft. lower than ground elevation at water we 10. Depth of the deepest municipal water well within three miles of location ft. If none exists, write None 11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to tect all fresh water zones is 200 ft. and operator agrees to set surface pipe at this location to a depth of not less 800 ft. Alternate 1 Alternate 2 K EEMARKS: Well to be cemented to the surface.	2.	Lease name Hartwig Well No. 2 County Woodson
5. Drilling Contractor Gordon J. Willis Address same as above 6. Type of equipment: Rotary Cable Tool Approx. date operation to begin June 8 195 1963 7. Well to be drilled for Oil Gas Disposal Input Estimated Total Depth of Well 1000 ft. 8. Depth of deepest fresh water well within one mile of location ft. If none exists, write NONE None ft. lower than ground elevation at water well one of the deepest municipal water well within three miles of location ft. If none exists, write None None Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to tect all fresh water zones is 200 ft. and operator agrees to set surface pipe at this location to a depth of not less 800 ft. Alternate 1 Alternate 2 K EMARKS: Well to be cemented to the surface.	3.	Well Location NW/SE/NW Sec. 3 Township 26 Range 17 E
6. Type of equipment: Rotary Cable Tool Approx. date operation to begin June 8 195 1963 7. Well to be drilled for Oil Gas Disposal Input Estimated Total Depth of Well 1000 ft. 8. Depth of deepest fresh water well within one mile of location ft. If none exists, write NONE None ft. lower than ground elevation at water we of the deepest municipal water well within three miles of location ft. If none exists, write None None 1. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to tect all fresh water zones is 200 ft. and operator agrees to set surface pipe at this location to a depth of not less 800 ft. Alternate 1 Alternate 2 Kemarks: Well to be cemented to the surface.	4.	Well to be drilled 920 ft. from nearest lease line.
7. Well to be drilled for Oil Gas Disposal Input Estimated Total Depth of Well 1000 ft. 8. Depth of deepest fresh water well within one mile of location ft. If none exists, write NONE None 9. Ground elevation at location is approx. ft. higher or ft. lower than ground elevation at water we 1. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to tect all fresh water zones is 200 ft. and operator agrees to set surface pipe at this location to a depth of not less 800 ft. Alternate 1 Alternate 2 Kemarks: Well to be cemented to the surface.	5.	Drilling Contractor Gordon J. Willis Address same as above
8. Depth of deepest fresh water well within one mile of locationft. If none exists, write NONENone, 9. Ground elevation at location is approxft. higher orft. lower than ground elevation at water we 1. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to tect all fresh water zones isft. and operator agrees to set surface pipe at this location to a depth of not less	6.	Type of equipment: Rotary □ Cable Tool ☑. Approx. date operation to begin June 8 195 1963
9. Ground elevation at location is approxft. higher orft. lower than ground elevation at water we on the deepest municipal water well within three miles of locationft. If none exists, write Noneft. 1. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to tect all fresh water zones is200ft. and operator agrees to set surface pipe at this location to a depth of not less800ft. Alternate 1 Alternate 2KEMARKS: Well to be cemented to the surface.	7.	Well to be drilled for Oil 🖺 Gas 🗆 Disposal 🗆 Input 🗆 Estimated Total Depth of Well 1000 ft.
O. Depth of the deepest municipal water well within three miles of locationft. If none exists, write N None	8.	Depth of deepest fresh water well within one mile of locationft. If none exists, write NONENone
None 1. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to tect all fresh water zones is 200 ft. and operator agrees to set surface pipe at this location to a depth of not less 800 ft. Alternate 1 Alternate 2 K REMARKS: Well to be cemented to the surface.	9.	Ground elevation at location is approxft. higher orft. lower than ground elevation at water well.
sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to tect all fresh water zones is 200 ft. and operator agrees to set surface pipe at this location to a depth of not less 800 ft. Alternate 1 Alternate 2 K REMARKS: Well to be cemented to the surface.	0.	Depth of the deepest municipal water well within three miles of locationft. If none exists, write NONE None
tect all fresh water zones is 200 ft. and operator agrees to set surface pipe at this location to a depth of not less 800 ft. Alternate 1 Alternate 2 K REMARKS: Well to be cemented to the surface.	1.	Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into con-
		sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to pro-
Well to be cemented to the surface.		tect all fresh water zones is 200 ft. and operator agrees to set surface pipe at this location to a depth of not less than
Well to be cemented to the surface.		800 ft. Alternate 1 Alternate 2 K
Signature of Operator	ŒΙ	
		Signature of Operator

7-59-25M

Place Stamp Here

State Corporation Commission of Kansas Conservation Division 500 Insurance Building 212 North Market Wichita 2, Kansas

RECEIVED

(IF PREFERRED, MAIL IN ENVELOPE)