

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING APPLICATION**
Please TYPE Form and File ONE Copy

Form CP-1
September 2003
**This Form must be Typed
Form must be Signed
All blanks must be Filled**

API # 15 - 051-20231-00-00 (Identifier Number of this well). This must be listed for wells drilled since 1967; if no API # was issued,

indicate original spud or completion date spud date 3/27/68

Well Operator: Grady Bolding Corporation KCC License #: 1383
(Owner/Company Name) (Operator's)

Address: P.O. Box 486 City: Ellinwood

State: Kansas Zip Code: 67526 Contact Phone: (620) 564 - 2240

Lease: I. Schmeidler Well #: B-2 Sec. 18 Twp. 12S S. R. 17 East West

- NW - SE - SW Spot Location / QQQQ County: Ellis

405 865 Feet (in exact footage) From North / South (from nearest outside section corner) Line of Section (Not Lease Line)

3135 3556 Feet (in exact footage) From East / West (from nearest outside section corner) Line of Section (Not Lease Line)

Check One: Oil Well Gas Well D&A Cathodic Water Supply Well

SWD Docket # _____ ENHR Docket # _____ Other: _____

Conductor Casing Size: none Set at: _____ Cemented with: _____ Sacks

Surface Casing Size: 8 5/8" Set at: 241' Cemented with: 150 Sacks

Production Casing Size: 4 1/2" Set at: 3671' Cemented with: 75 Sacks

List (ALL) Perforations and Bridgeplug Sets: open hole completion ; no perforations or ^{bridge} plugs

Elevation: 2134 (G.L. / K.B.) T.D.: 3671 P.B.T.D.: _____ Anhydrite Depth: 1349' (+785)
(Stone Corral Formation)

Condition of Well: Good Poor Casing Leak Junk in Hole

Proposed Method of Plugging (attach a separate page if additional space is needed): According to retired production superintendent, alternate two cementing was done after well was deemed commercial. Our records do not include this information, but I believe his memory is sufficient. Will plug per state instructions.

Is Well Log attached to this application as required? Yes No Is ACO-1 filed? Yes No

If not explain why? No log was run on well.

Plugging of this Well will be done in accordance with K.S.A. 55-101 et. seq. and the Rules and Regulations of the State Corporation Commission.

List Name of Company Representative authorized to be in charge of plugging operations: _____

Grady Bolding Phone: (620) 564 - 2240

Address: P.O. Box 486 City / State: Ellinwood, KS 67526

Plugging Contractor: Mike's Testing and Salvage, Inc KCC License #: 31529
(Company Name) (Contractor's)

Address: PO Box 209, Chase, KS 67524 Phone: (620) 938-2943

Proposed Date and Hour of Plugging (if known?): Will be dependent on rig availability. 12-21-06

Payment of the Plugging Fee (K.A.R. 82-3-118) will be guaranteed by Operator or Agent

Date: 9/21/06 Authorized Operator / Agent: Grady Bolding
(Signature)

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

* Well already plugged - KCC-Dlg

RECEIVED
SEP 22 2006
KCC WICHITA

Dist
04

TYPE OR PRINT

NOTICE OF INTENTION TO DRILL

C-1

15-051-20,231


TO BE FILED WITH THE STATE CORPORATION COMMISSION PRIOR TO COMMENCEMENT OF WELL

- 1. Operator Ellis Bever Address 713 First Nat'l Bank Bldg.,
- 2. Lease name I. Schmeidler Well No. B-2 County Ellis Wichita
- 3. Well Location NW SE SW Sec. 18 Township 12S Range 17W
- 4. Well to be drilled 330 ft. from nearest lease line.
- 5. Drilling Contractor Sage Drilling Co. Address 500 Bitting Building
- 6. Type of equipment: Rotary Cable Tool Approx. date operation to begin March 27, 196 8
- 7. Well to be drilled for Oil Gas Disposal Input Estimated Total Depth of Well 3800 ft.
- 8. Depth of deepest fresh water well within one mile of location _____ ft. If none exists, write NONE NONE
- 9. Ground elevation at location is approx. flat ft. higher or _____ ft. lower than ground elevation at water well.
- 10. Depth of the deepest municipal water well within three miles of location _____ ft. If none exists, write NONE NONE
- 11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 100 ft. and operator agrees to set surface pipe at this location to a depth of not less than 200 ft. Alternate 1 Alternate 2

REMARKS:

Mailed 3/26/68

for
Signature of Operator Wayne J. Kalmeyer

30-2109-519A  1-64-25M

TYPE OR PRINT

NOTICE OF INTENTION TO DRILL

C-1


15-051-20,210

TO BE FILED WITH THE STATE CORPORATION COMMISSION PRIOR TO COMMENCEMENT OF WELL

- 1. Operator Harms Petroleum Company Address P.O. Box 488 Great Bend, Kansas
- 2. Lease name SCHMEIDLER "B" Well No. 2 County ELLIS
- 3. Well Location SW SW SE Sec. 18 Township 12 Range 17W
- 4. Well to be drilled 330 ft. from nearest lease line.
- 5. Drilling Contractor Harms Drilling Company Address P.O. Box 488 Great Bend, Kansas
- 6. Type of equipment: Rotary Cable Tool Approx. date operation to begin February 13 196 8
- 7. Well to be drilled for Oil Gas Disposal Input Estimated Total Depth of Well 3630 ft.
- 8. Depth of deepest fresh water well within one mile of location 100 ft. If none exists, write NONE _____
- 9. Ground elevation at location is approx. 10 ft. higher or _____ ft. lower than ground elevation at water well.
- 10. Depth of the deepest municipal water well within three miles of location _____ ft. If none exists, write NONE none
- 11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 150 ft. and operator agrees to set surface pipe at this location to a depth of not less than 200 ft. Alternate 1 Alternate 2

REMARKS:

Signature of Operator H. C. Harms

30-2109-519A  1-64-25M

ELLIS BEVER #B-2 I. SCHMEIDLER 18-12-17W
 NW SE SW
 Contr. SAGE DRLG Cty. ELLIS
 Geol. WARREN JOHNSON Pool BEMIS-SHUTTS
 E. 2134 KB Cm. 3/27/68 Cp. 4/25/68 IP P 25 BOPD/ARB
 3671-74
 API 15-051-20, 231

SMP Tops	Depth	Datum
ANHY	1345	+ 789
TOP	3101	- 967
HEEB	3340	-1206
LANS	3387	-1253
CONG	3633	-1499
SP SH	3652	-1518
ARR	3667	-1533
RTD	3671	-1537
DDTD	3674	-1540

Csg. 8" 241/150 SX, 5" 3671
 NO DST'S, CO & DD 3674 TD, ACID
 500, SWB PT LD, POP.

INDEPENDENT OIL & GAS SERVICE
 WICHITA, KANSAS