

TO:
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-167-30208-00-00
Spot: SESESE Sec/Twnshp/Rge: 25-14S-13W
330 feet from S Section Line, 330 feet from E Section Line
Lease Name: GOODHEART Well #: A-17
County: RUSSELL Total Vertical Depth: 3000 feet

Operator License No.: 30606
Op Name: MURFIN DRILLING CO., INC.
Address: 250 N. WATER, STE 300
WICHITA, KS 67202

String	Size	Depth (ft)	Pulled (ft)	Comment
PROD	5.5	3000	0	100 SX
SURF	8.625	314	0	210 SX

\$ 97.50

Well Type: OIL UIC Docket No: _____ Date/Time to Plug: 01/09/2007 3:00 PM
Plug Co. License No.: 30606 Plug Co. Name: MURFIN DRILLING CO., INC.
Proposal Rcvd. from: KEVIN AXELSON Company: MURFIN DRILLING CO., INC. Phone: (316) 267-3241

Proposed
Plugging
Method:

Plugging Proposal Received By: CASE MORRIS Witness Type: COMPLETE (100%)
Date/Time Plugging Completed: 01/09/2007 5:30 PM KCC Agent: CASE MORRIS

Actual Plugging Report:

Perforated at 1225' and 635'.
Ran tubing to 1550'.
Circulated with 180 sxs 60/40 pozmix - 10% gel w/400# hulls.
POOH. Tied onto casing and pumped 30 sxs cement.
Max. P.S.I. 700#. S.I.P. 400#.
Backside full of cement.

Perfs:

Top	Bot	Thru	Comments
2185	2944		

INVOICED
DATE 2-12-07
INV. NO. 2007061328

Remarks: QUALITY CEMENTING COMPANY.

Plugged through: CSG

District: 04

Signed _____

Case Morris

(TECHNICIAN)

RECEIVED
KANSAS CORPORATION COMMISSION
Form CP-2/3


FEB 07 2007

CONSERVATION DIVISION
WICHITA, KS

JAN 24 2007

PKT

3-229 Map No. _____ S-T-R 25-14S-13W
 OPER TEXACO, INC. SPOT SE SE SE
 614 BITTING BLDG. WICHITA, KS. CO RUSSELL, KS.
 WELL #17 W. S. GOODHEART ELEV 1696 KB
 CONTR GABBERT-JONES, INC. (KB LOG)
 FIELD HALL-GURNEY (MULTI PAY) TOP 2518 - 822
 I.P. CO P 75 BOPD (GR 36.2DEG) + 31 BSWPD, LAN 2847 -1151
 LAN 2852-2944 LTD 2959 -1263
 RTD 3000 -1304



SPUD 3-10-66 8" @314 W/210 SX.

Ank¹⁶⁰ 71071

NO DST'S, NO CORES, RTD 3000, NO OH LOG, 5" 3000 W/100 SX.
 MICT, GRN LOG 2100-2959, PF 16/2936-44 (LAN "G" ZN),
 12/2872-78, 10/2881-86 (LAN "D" ZN), 8/2852-56 (LAN "B"
 ZN),
 TREAT G ZN W/250' BDA + 1000A, TREAT D ZN W/250' BDA + 1000A.
 TREAT B ZN W/250' BDA + 1000A, § 42 BO + 23 BL&AW /4 HRS,
 FU 850' FLU/12 HRS, § 5 BO + TR AW/1 HR, TEST D ZN (2872-
 86) & REC 32 BO + 47 BL&AW/5 HRS, TEST G ZN (2936-44) &
 REC 21 BO + 20 BL&AW/4 HRS, FU 600' FLU/12 HRS, POP
 CO P 75 BOPD (GR 36.2) + 31 BSWPD, LAN 2852-2944 - COMPLETED

MISCEL DATA	GEOL	NONE	ELEV	1694 DF	SPUD DATE	3-10-66
	FTG			1691 GR	DRLG COMP	
	SUPPT				FR by DATA	3-11-66
	CSG	8" @314 W/210 SX.	5" 3000 W/100 SX.		COMP by "	3-31-66