

ORIGINAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

RECEIVED  
MAY 03 2004  
KCC WICHITA

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 5254  
Name: MIDCO Exploration, Inc.  
Address: 414 Plaza Drive, Suite 204  
City/State/Zip: Westmont, IL 60559  
Purchaser: ONEOK  
Operator Contact Person: Earl J. Joyce, Jr.  
Phone: (630) 655-2198  
Contractor: Name: Leiker Well Service, Inc.  
License: 30891  
Wellsite Geologist: N/A

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: Keener Oil Co.  
Well Name: Merten-Tunney #1

Original Comp. Date: 7/26/76 Original Total Depth: 4126  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Repair casing leak

11/12/2003 12/23/2003  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

API No. 15 - 095-20489-DD-01  
County: Kingman  
C NE Sec. 3 Twp. 28 S. R. 8  East  West  
1320 feet from S (N) (circle one) Line of Section  
1320 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) (NE) SE NW SW  
Lease Name: Merten Tunney Well #: 1

Field Name: \_\_\_\_\_  
Producing Formation: Mississippi  
Elevation: Ground: 1648 Kelly Bushing: 1653  
Total Depth: 4126 Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 210 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.  
ALT I WITHM 10-17-06


Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Earl J. Joyce, Jr.  
Title: Vice-President Date: 4/28/2004  
Subscribed and sworn to before me this 28th day of April, 2004

\_\_\_\_\_  
Notary Public: Nancy L. Macynunas  
Date Commission Expires: \_\_\_\_\_



KCC Office Use ONLY  
NO Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

Operator Name: MIDCO Exploration, Inc. Lease Name: Merten Tunney Well #: 1  
 Sec. 3 Twp. 28 S. R. 8  East  West County: Kingman

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run: <u>No New Logs</u>	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum  <div style="text-align: center; font-weight: bold; font-size: 1.2em;">                     RECEIVED                      MAY 03 2004                      KCC WICHITA                 </div>
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
*Surface	12 1/4	8 5/8	20#	210	Common	225	3%cc
*Production	7 7/8	4 1/2	10.5#	4120	Pozmix	125	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate	879	Common	900	Various - see tickets
<input checked="" type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone		Asc	200	Kol-Seal

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	A total of 1100 sx used in 4 attempts to squeeze a casing leak at 847'		879'
	After casing repair - treated Mississippi	1500 gal 15% NEFE	4124'

TUBING RECORD	Size <u>2 3/8</u>	Set At <u>4123</u>	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	----------------------	-----------------------	-----------	---

Date of First, Resumerd Production, SWD or Enhr. <u>1/10/2004</u>	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	---

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
		80	40		

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

\*Original

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Medicine Lodge

DATE <u>11-14-03</u>	SEC <u>3</u>	TWP. <u>29N</u>	RANGE <u>8W</u>	CALLED OUT <u>2:30 pm</u>	ON LOCATION <u>4:30 pm</u>	JOB START	JOB FINISH
LEASE <u>Merten Tunney</u>	WELL # <u>1</u>	LOCATION <u>Spivey KS, Ball Park</u>			COUNTY <u>Kingman</u>	STATE <u>Ks.</u>	
<u>OLD</u> OR NEW (Circle one)		<u>North to Clearlake Black top 1 1/2 mi</u>					

CONTRACTOR Leiker Well Service

OWNER Midco Exploration

TYPE OF JOB squeeze

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 4 1/2 DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 700 MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 7 1/2 Bbls Freshwater

EQUIPMENT

PUMP TRUCK CEMENTER Carl Baldwin

#360-302 HELPER Dwayne West

BULK TRUCK \_\_\_\_\_

#364 DRIVER Travy Cushmanberry

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

CEMENT

AMOUNT ORDERED \_\_\_\_\_

200 sx ASC + 5# Kol-seal

COMMON 200 ASC @ 9.00 1800.00

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

Kol Seal 1000 @ .50 500.00

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING 255 @ 1.15 293.25

MILEAGE 38 x 255 x .05 484.50

TOTAL 3077.75

REMARKS:

SERVICE

Holes 847-79' Packer set 439'  
load Annules to 500 psi load tubing  
+ circulate to surface with 10 Bbls  
2 BPM - 700 psi. mix 200 sx ASC + 5# Kol-seal  
wash Pump + Lines. Displace 5 1/2 Bbls  
water, + stage 20 minutes. Pump 1/2 Bbls.  
Stage 5 minutes. Reverse out with 7 1/2 Bbls.  
+ Hold 150 psi. All tubing 10 feet set packer.  
Pump 1/2 Bbl. + shut in tubing.

DEPTH OF JOB 879'

PUMP TRUCK CHARGE 0-300' 520.00

EXTRA FOOTAGE 579' @ .50 289.50

MILEAGE 38 @ 3.50 133.00

PLUG \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 942.50

CHARGE TO: Midco Exploration

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

FLOAT EQUIPMENT

Manifold @ 75.00 75.00

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 75.00

RECEIVED

MAY 03 2004

To Allied Cementing Co., Inc. **KCC WICHITA**  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE ~~\_\_\_\_\_~~

DISCOUNT ~~\_\_\_\_\_~~ IF PAID IN 30 DAYS

SIGNATURE David A. Mayfield

PRINTED NAME \_\_\_\_\_

ANY APPLICABLE TAX  
WILL BE CHARGED  
UPON INVOICING

Federal Tax I.D.#

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT

Med. Lodge, KS

DATE 11-17-03	SEC. 3	TWP. 29 <sup>n</sup>	RANGE 8 <sup>w</sup>	CALLED OUT 1 <sup>00</sup> pm	ON LOCATION 3 <sup>30</sup> pm	JOB START 3 <sup>45</sup> pm	JOB FINISH 9 <sup>00</sup> pm
LEASE Marten Tunnay	WELL # 1	LOCATION Spivey - Ballpark Rd. North			COUNTY Kingman	STATE KS	
<u>OLD</u> OR NEW (Circle one)		to Stop Sign. 1 <sup>n</sup> , 1 <sup>w</sup> est					

CONTRACTOR Leiker Well Service  
 TYPE OF JOB Squeeze  
 HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_  
 CASING SIZE 2 3/8 4 1/2 DEPTH 627  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
~~DRILL PIPE~~ Top holes DEPTH 865  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER Midco Exploration

CEMENT  
 AMOUNT ORDERED 50sx Class A + 3%cc  
50sx Class A neat 100sx Class A + 6% gyp seal  
+ 2%cc + 1% gel

COMMON	<u>200 "A"</u>	@	<u>7.15</u>	<u>1430.00</u>
POZMIX		@		
GEL	<u>1</u>	@	<u>10.00</u>	<u>10.00</u>
CHLORIDE	<u>4</u>	@	<u>30.00</u>	<u>120.00</u>
	<u>Gyp Seal 6</u>	@	<u>17.85</u>	<u>107.10</u>
		@		
		@		
		@		
		@		
HANDLING	<u>211</u>	@	<u>1.15</u>	<u>242.65</u>
MILEAGE	<u>38 x 211 x .05</u>			<del>400.90</del>

TOTAL ~~935.50~~  
2310.65

EQUIPMENT

PUMP TRUCK CEMENTER Mike Rucker  
 # 343 HELPER Dave Delio  
 BULK TRUCK DRIVER Bill Mcadoo  
 # 356  
 BULK TRUCK DRIVER \_\_\_\_\_  
 # \_\_\_\_\_

REMARKS:

SERVICE

SEE Cementing log

DEPTH OF JOB	<u>865'</u>		
PUMP TRUCK CHARGE 0-300'			<u>520.00</u>
EXTRA FOOTAGE	<u>565'</u>	@	<u>1.50</u>
MILEAGE	<u>38</u>	@	<u>3.50</u>
PLUG		@	<u>133.00</u>
		@	
		@	

RECEIVED

MAY 03 2004

TOTAL 935.50

CHARGE TO: Midco Exploration  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

CC WICHITA FLOAT EQUIPMENT

Manifold	@	<u>75.00</u>	<u>75.00</u>
	@		
	@		
	@		

TOTAL 75.00

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE ~~935.50~~  
 DISCOUNT ~~935.50~~ IF PAID IN 30 DAYS

SIGNATURE David H. Mayfield

ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING

PRINTED NAME

Federal Tax I.D.#

14058

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Med Lodge

DATE <u>11-19-03</u>	SEC. <u>3</u>	TWP. <u>29S</u>	RANGE <u>8W</u>	CALLED OUT	ON LOCATION <u>8:30 AM</u>	JOB START <u>9:30 AM</u>	JOB FINISH <u>11:40 AM</u>
LEASE <u>Merten</u>	WELL # <u>1</u>	LOCATION <u>Spivey Ball Park Rd</u>			COUNTY <u>Kingman</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>NEW</u>				<u>to stop sign in 1/4 mi S</u>			

CONTRACTOR Leiker w/s

TYPE OF JOB CSG Success

HOLE SIZE 4 1/2 x 10 1/2 ID.

CASING SIZE 4 1/2 x 10 1/2 DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX 1300 MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS. 865

DISPLACEMENT Fresh #3

OWNER Mideo Exploration

CEMENT

AMOUNT ORDERED 200 5x ASC

200 5x class A + 3% cc

150 5x class A + 8% Gyp-seal 2% cc

+ 1% gel

COMMON	<u>3.50 A</u>	@	<u>7.15</u>	<u>2502.50</u>
POZMIX		@		
GEL	<u>2</u>	@	<u>10.00</u>	<u>20.00</u>
CHLORIDE	<u>11</u>	@	<u>30.00</u>	<u>330.00</u>
		@		
<u>ASC</u>	<u>200</u>	@	<u>9.00</u>	<u>1800.00</u>
<u>Gyp-seal</u>	<u>11</u>	@	<u>17.85</u>	<u>196.35</u>
		@		
		@		
HANDLING	<u>616</u>	@	<u>1.15</u>	<u>708.40</u>
MILEAGE	<u>616 x 38</u>		<u>.05</u>	<u>1170.40</u>

TOTAL 6727.65

EQUIPMENT

PUMP TRUCK CEMENTER Kevin Brungard

# 343 HELPER Justin Hart

BULK TRUCK DRIVER David Felio

# 356-252 DRIVER Tanair Fox

BULK TRUCK DRIVER Travy Cashenberry

# 242

REMARKS:

Pump 40 BBLs cc water

200 5x ASC @ 14.87

200 5x A 3% cc @ 15.17

150 5x A 8% Gyp-seal 2% cc @ 15.17

Disp 135 BBLs Fresh #3

SERVICE

DEPTH OF JOB 865

PUMP TRUCK CHARGE 79-300 520.00

EXTRA FOOTAGE 565 @ 1.50 282.50

MILEAGE 38 @ 3.50 133.00

PLUG @

@

@

@

TOTAL 935.50

CHARGE TO: Mideo Exploration

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

RECEIVED  
MAY 03 2004  
KCC WICHITA FLOAT EQUIPMENT

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE 935.50

DISCOUNT 0.00 IF PAID IN 30 DAYS

TOTAL \_\_\_\_\_

SIGNATURE David Mayfield

PRINTED NAME  
**ANY APPLICABLE TAX  
WILL BE CHARGED  
UPON INVOICING**

Federal Tax I.D.

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Med Lodge

DATE <u>1/21/03</u>	SEC. <u>3</u>	TWP. <u>29S</u>	RANGE <u>8W</u>	CALLED OUT	ON LOCATION <u>10:00 AM</u>	JOB START <u>11:00 AM</u>	JOB FINISH <u>4:45 PM</u>
LEASE <u>Spencer</u>	WELL # <u>1</u>	LOCATION <u>Spivey Ball Park Rd</u>		COUNTY <u>Kingman</u>	STATE <u>KS</u>		
OLD OR NEW (Circle one)				<u>EN to stop sign 1N 4W 5E</u>			

CONTRACTOR \_\_\_\_\_ OWNER Midco Exploration

TYPE OF JOB Csg Squeeze

HOLE SIZE 7 7/8 T.D. \_\_\_\_\_

CASING SIZE 4 1/2 x 10.5 DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 800 MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. 870 ~~870~~

DISPLACEMENT Fresh H<sub>2</sub>O

CEMENT

AMOUNT ORDERED 250 5x ASC

200 5x Class A 8 1/2 Gyp-seal 2% cc

50 5x Class A 8 1/2 Gyp-seal 4% cc

COMMON <u>A 250</u>	@ <u>7.15</u>	<u>1787.50</u>
POZMIX _____	@ _____	_____
GEL <u>2</u>	@ <u>10.00</u>	<u>20.00</u>
CHLORIDE <u>8</u>	@ <u>30.00</u>	<u>240.00</u>
ASC <u>250</u>	@ <u>9.00</u>	<u>2250.00</u>
Gyp-seal <u>19</u>	@ <u>17.85</u>	<u>339.15</u>
HANDLING <u>577</u>	@ <u>1.15</u>	<u>663.55</u>
MILEAGE <u>577 x 38</u>	<u>.05</u>	<u>1096.30</u>
		TOTAL <u>6396.50</u>

EQUIPMENT

PUMP TRUCK # 343 CEMENTER Justin Hart  
HELPER David Felio

BULK TRUCK # 359-250 DRIVER Darin Franklin

BULK TRUCK # 240-290 DRIVER Tracy Cushenberry  
381-380 Mitch Wells

REMARKS:

load hole mud 300 BBLs 3 RPM

250 5x ASC @ 11.8

200 5x A 8 1/2 Gyp-seal 2% cc @ 15.4

50 5x A 8 1/2 Gyp Seal 4% cc @ 15.4

Disp 12 3/4 BBLs + Shut in @ 500

SERVICE

DEPTH OF JOB <u>870</u>		
PUMP TRUCK CHARGE <u>0-300</u>		<u>520.00</u>
EXTRA FOOTAGE <u>470</u>	@ <u>.50</u>	<u>235.00</u>
MILEAGE <u>38</u>	@ <u>3.50</u>	<u>133.00</u>
PLUG <u>Transport H<sub>2</sub>O</u>	@ <u>350.00</u>	<u>350.00</u>
		TOTAL <u>1288.00</u>

CHARGE TO: Midco Exploration

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

FLOAT EQUIPMENT

_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
		TOTAL _____

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE 6396.50

DISCOUNT 6396.50 IF PAID IN 30 DAYS

SIGNATURE David Mayfield

ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING

PRINTED NAME \_\_\_\_\_

