For KCC Use: 4-3-07
Effective Date: 4-3-07
District # 4

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date April 3, 2007	· · · · · · · · · · · · · · · · · · ·	ast
month day year	SWSE - NW - SW Sec. 13 Twp. 15 S. R. 24 ✓ W	est
OPERATOR: License# 33268	1400	
Name: RL Investment, LLC	870 feet from ☐ E / ✓ W Line of Section	
217 St. Peter Street	is SECTION Regular irregular?	
City/State/Zip: Morland, KS 67650	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Leon Pletter	County: Trego	
Phone: (785) 627-5711	Lease Name: Kinderknecht Well #: 2	
	Field Name: wildcat	
CONTRACTOR: License# 33575	Is this a Prorated / Spaced Field? Yes ✓	No
Name: WW Drilling, LLC	Target Formation(s): Mississippian	
Mail British Fam. Mail Class. Time Familianest.	Nearest Lease or unit boundary: 870'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2248 feet M	/ISL
✓ Oil Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓	No.
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 180'	J
Seismic;# of Holes Other	Depth to bottom of usable water: 750'	
Other	Surface Pipe by Alternate:	_
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 4,300'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken? Yes ✓	No
	If Yes, proposed zone:RECEIVED	
AFF	NAMES OF THE PARTY	HOOM
AFFI	NAMES OF THE PARTY	iissk
The undersigned hereby affirms that the drilling, completion and eventual pl	NAMES OF THE PARTY	IISSK
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:	NAMES OF THE PARTY	IISSK
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT WANSAS CORPORATION COMM ugging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	DAVIT Usging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 CONSERVATION DIVISION	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface photolinates set	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface photolinates set	i
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the defence of the surface of	ugging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 CONSERVATION DIVISION to by circulating cement to the top; in all cases surface production. In the set of the control of the set of the set of the set of the control of the set o	i
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either plug that a strength of the surface will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cemented.	ugging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 CONSERVATION DIVISION to by circulating cement to the top; in all cases surface physical set and enderlying formation. In the set of the set	l g;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drilling that the drilling is drilling the shall be cementative. The appropriate district office will be notified before well is either plug that the drilling is drilling that the drilling is drilling to the drilling that the drilling is drilling that the drilling is drilling that the drilling that the drilling is drilling that the drilling that the drilling is drilling that the drilling that t	ugging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 The drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface photographic set in eunderlying formation. In this content is necessary prior to plugging ged or production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement	l g;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the provided in the posted on each and the search of the provided in the search of the well is dry hole, an agreement between the operator and the dry the search of the well is either plug if an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it	DAVIT Unusping of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 CONSERVATION DIVISION of by circulating cement to the top; in all cases surface production. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.	l g;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	conservation community in district office prior to any cementing. KANSAS CORPORATION COMMUNICATION COMMUNICATION OF COMMUNICATION OF CONSERVATION DIVISION of the condensity of the condensity of community of the condensity of condensity of community of	l g;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	conservation community in district office prior to any cementing. KANSAS CORPORATION COMMUNICATION COMMUNICATION OF COMMUNICATION OF CONSERVATION DIVISION of the condensity of the condensity of community of the condensity of condensity of community of	l g;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	conservation deployed by the set of from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent	l g;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	conservation deployed by the set of from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Remember to:	l g;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved and unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the best of the complete that the statements made herein are true and to the best of the best of the best of the best of the complete that the statements made herein are true and to the best of	ugging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 The drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	l g;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sear through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all the well is dry hole, an agreement between the operator and the description of the well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the spund that the plug to the spund that the seateness surface casing order must be completed within 30 days of the spund date or the well shall be the plug to the spund that the statements made herein are true and to the best of the true and to the best of the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well sha	ugging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 The drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface photo-limiting set anderlying formation. Istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	l g;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the drill shall unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill shall be drill shall be cemented. The appropriate district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the drill shall be determined. For KCC Use ONLY API # 15 - 195-22 4444-0000 Conductor pipe required feet	ugging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 The drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	g; ting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior and the district office prior and the district office will be notified before well is either plug for a pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plug of the prior of Agent: For KCC Use ONLY API # 15	ugging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 The drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface production as the underlying formation. It is the complete to the top; in all cases surface production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	g; ting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior and the district office prior and the district office will be notified before well is either plug for a pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plug of the prior of Agent: For KCC Use ONLY API # 15	ugging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 The drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface production as the underlying formation. It is considered to the top in all cases surface production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. In the plugged and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	g; ting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug on the shall be completed in the district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the prior of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the	ugging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 The drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface production described in the underlying formation. Seed or production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	g; ting
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the superior of the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate well appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified	conservation depends of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 In drilling rig; Conservation depends on the top; in all cases surface production described formation. It is the underlying formation. It is the underlying formation. It is the underlying formation. It is the drifting cement to the top; in all cases surface prior to plugging ged or production casing is cemented in; and form below any usable water to surface within 120 days of spud date. If it is a rea, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. If it is dependent to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	g; ting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug on the shall be completed in the district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the prior of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the district office of the well shall be provided by: Battern All Tenants and the	ugging of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 The drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface production be underlying formation. Istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	g; ting
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the superior of the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate well appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified	Language of this well will comply with K.S.A. 55 et. seq MAR 2 9 2007 The drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface production casing is cemented in; set of fice on plug length and placement is necessary prior to plugging ged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	g; ting

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 195-22444-0000	Location of Well: County: Trego
Operator: RL Investment, LLC	1400 feet from N / ✓ S Line of Section
Lease: Kinderknecht	870feet from ☐ E / ✓ W Line of Section
Well Number: 2	Sec. 13 Twp. 15 S. R. 24 ☐ East ✓ West
Field: wildcat Number of Acres attributable to well: QTR / QTR / QTR of acreage: SWSE _ NW _ SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		:	
	· · · · · · · · · · · · · · · · · · ·		
	·		
1			: : : : : : : : : : : : : : : : : : : :
		. 1	
		•	• • •
		:	
,			
	· .		
			•
1			
	•	*	•
	· · · · · · · · · · · · · · · · · · ·	·	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: RL Investment, LLC		License Number: 33268		
Operator Address: 217 Saint Peter	r Street, Morla	and, KS 67	650	
Contact Person: Leon Pfeifer		Phone Number: (785) 627 - 5711		
Lease Name & Well No.: Kinderknec	ht #2		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SW _ SE _ NW _ SW	
Emergency Pit Burn Pit	Proposed Existing		Sec. 13 Twp. 15 R. 24 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:		1400 Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		870 Feet from East / V West Line of Section	
(If WP Supply API No. or Year Drilled)	3,500	(bbls)	Trego County	
Is the pit located in a Sensitive Ground Water	r Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸		clay type soil	
Pit dimensions (all but working pits):	70 Length (fe			
Depth (from ground level to de	eepest point: 4	(feet)	
Distance to nearest water well within one-mi	•		2	
Emergency, Settling and Burn Pits ONLY: Producing Formation:			measuredwell ownerelectric logKDWR Workover and Haul-Off Pits ONLY: material utilized in drilling/workover: drilling mud	
		vorking pits to be utilized: 3		
		nt procedure: let fluid evaporate and backfill		
Does the slope from the tank battery allow all spilled fluids to			be closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.	
March 29, 2007 Date	(No	nna	Thanda ignature of Applicant or Agent	
	KCC (OFFICE USE O	NLY RFASYC	
Date Received: 3/29/02 Permit Nur	nber:	Perm	it Date: 3/29/07 Lease Inspection:	



CORPORATION COMMISSION

KATHLEEN SEBELLUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

March 29, 2007

Leon Pfeifer RL Investment, LLC 217 St Peter Street Morland KS 67650

Re:

Drilling Pit Application

Kinderknecht Lease Well No. 2

SW/4 13-15S-24W Trego County, Kansas

Dear Mr. Pfeifer:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Somelle Rains

Department of Environmental Protection and Remediation

cc: Herb Deines

File