For KCC Use:
Effective Date: 4-3-07
District #
SGA? X Yes No For KCC Use:

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date April 16, 2007	Spot 100 ' E. of		
	330 Sec. IWP. S. H. West		
OPERATOR: License#_5056	1090 feet from E / W Line of Section		
Name: F.G. Holl Company, L.L.C.	Is SECTION Regular Irregular?		
Address: 9431 E. Central, Suite 100	is SECTIONnegularinegular?		
City/State/Zip: Wichita, Kansas 67206	(Note: Locate well on the Section Plat on reverse side)		
Contact Person: Franklin R. Greenbaum	County: Pawnee		
Phone: (316) 684-8481	Lease Name: WARD FEED YARD "A" Well #: 1-19		
CONTRACTOR: License# 5929	Field Name: Wildcat		
CONTRACTOR: License# 5929 Name: Duke Drilling Company, Rig #8	Is this a Prorated / Spaced Field? Yes		
Name.	Target Formation(s): Chase, Lansing-Kansas City & Arbuckle		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'		
Oil / Enh Rec Infield / Mud Rotary	Ground Surface Elevation: 1972 Estimated feet MSL		
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes No		
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 160' Yes No		
Seismic;# of Holes Other	Depth to bottom of usable water: 220'		
Other			
_	Surface Pipe by Alternate:		
If OWWO: old well information as follows:	Length of Conductor Pipe required: None		
Operator:	Projected Total Depth: 4000'		
Well Name:	Formation at Total Depth: Arbuckle		
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:		
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other		
If Yes, true vertical depth:	DWR Permit #: (Contractor will apply)		
Bottom Hole Location:	(Note: Apply for Permit with DWR		
KCC DKT #:			
	If Yes, proposed zone:		
	If Yes, proposed zone: RECEIVED		
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. seq.		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 The drilling rig; The proposed zone: MAR 2 7 2007 The drilling rig; The proposed zone: RECEIVED MAR 2 7 2007 The drilling rig; The proposed zone: MAR 2 7 2007 The drilling rig; The proposed zone: MAR 2 7 2007 The drilling rig; The proposed zone: MAR 2 7 2007 The drilling rig; The proposed zone: MAR 2 7 2007 The drilling rig; The proposed zone: MAR 2 7 2007 The drilling rig; The proposed zone: MAR 2 7 2007 The drilling rig; The proposed zone: MAR 2 7 2007 The drilling rig; The proposed zone: MAR 2 7 2007 The drilling rig; The proposed zone: MAR 2 7 2007		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the proof of the approved notice of intent to drill <i>shall be</i> posted on each and the second of t	DAVIT Augging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 The drilling rig; The by circulating cement to the top; in all cases surface production. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The plugged in all cases and belief. The Cacentral complete in the case in the c		
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the interval of the well is dry hole, an agreement between the operator and the displayment of the appropriate district office will be notified before well is either pluggered. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 The drilling rig; The production casing is cemented in; The drived from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the proof of the approved notice of intent to drill <i>shall be</i> posted on each and the second of t	DAVIT Augging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 In drilling rig; It by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If all cases, NOTIFY district office prior to any cementing. If all cases, NOTIFY district office prior to any cementing. If all cases surface pipe snan be set. If all cases, NOTIFY district office prior to any cementing. If all cases surface pipe snan be set. If all cases		
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on each and the posted on each and the sum of the posted on each and the sum of the posted on each and the sum of the posted on each and the posted on each a	DAVIT Augging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 In drilling rig; It by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If all cases, NOTIFY district office prior to any cementing. If all cases, NOTIFY district office prior to any cementing. If all cases surface pipe snan be set. If all cases, NOTIFY district office prior to any cementing. If all cases surface pipe snan be set. If all cases		
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the province of intent to drill <i>shall be</i> posted on each and the second of the province of the well is plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the difference of the well is different office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the province of the well shall be completed. I hereby certify that the statements made herein are true and to the best of the province o	DAVIT Augging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 In drilling rig; It by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If all cases, NOTIFY district office prior to any cementing. If all cases, NOTIFY district office prior to any cementing. If all cases surface pipe snan be set. If all cases, NOTIFY district office prior to any cementing. If all cases surface pipe snan be set. If all cases		
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a completed. I hereby certify that the statements made herein are true and to the best of the control of the c	DAVIT Augging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 In drilling rig; It by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If all cases, NOTIFY district of sarea, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If the surface pipe snan be set. If all cases surface pipe snan be set. If all cases, NOTIFY district office prior to any cementing. If the surface pipe snan be set. If all cases s		
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the displayment of the set of the spropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the surface of the spud to the best of the surface of the spud to the best of the spud to the best of the spud to the best of the spud to the spud to the best of the spud to the spud to the best of the spud to the spud to the best of the spud to the spud to the best of the spud to the	DAVIT Agging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 The drilling rig; By circulating cement to the top; in all cases surface pipe snan be ser. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Exploration Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;		
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed. I hereby certify that the statements made herein are true and to the best of the spud date. 1 hereby certify that the statements made herein are true and to the best of the spud date. One of the spud date or the well shall be completed. Signature of Operator or Agent: 1 hereby certify that the statements made herein are true and to the best of the spud date. One of the spud date or the well shall be set to the spud date or the well shall be completed. One of the spud date or the well shall be set to the spud date or the well shall be cemented. One of the spud date or the well shall be cemented as a spud date or the well shall be cemented. One of the spud date or the well shall be cemented as a spud date or the well shall be cemented. One of the spud date or the well shall be cemented as a spud date or the well shall be cemented as a spud date. The shall be cemented as a spud date or the well shall be cemented as a spud date or the well shall be cemented as a spud date or the spud date. The shall be cemented as a spud date or the well shall be cemented as a spud date or the shall be cemented as a spud date or the shall be cemented as a spud date. The shall be cemented as a spud date or the shall be cemented as a spud date or	DAVIT In agging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 In drilling rig; It by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If completion casing is cemented in; and from below any usable water to surface within 120 days of spud date. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases. If it is a lie of the top; in all cases. If it is a lie of the top; i		
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the production of the pro	DAVIT Agging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 The drilling rig; The by circulating cement to the top; in all cases surface pipe snan be set. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Exploration Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.		
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the second shall be posted on each and the second shall be second through all unconsolidated materials plus a minimum of 20 feet into the second shall be second shall b	DAVIT In agging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 In drilling rig; It by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If by circulating cement to the top; in all cases surface pipe snan be set. If completion casing is cemented in; and from below any usable water to surface within 120 days of spud date. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases surface pipe snan be set. If it is a lie of the top; in all cases. If it is a lie of the top; in all cases. If it is a lie of the top; i		
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the spudding of the shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through a nature of operator and the discovery of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be received and the statements made herein are true and to the best of the spud date or the well shall be completed. Date: 03-26-2007	DAVIT Agging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 The drilling rig; It by circulating cement to the top; in all cases surface pipe snan be ser. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Exploration Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the second and the drill unconsolidated materials plus a minimum of 20 feet into the second and the drilling is dry hole, an agreement between the operator and the drilling is dry hole, an agreement between the operator and the drilling is dry hole, an agreement between the operator and the drilling is dry hole, an agreement between the operator and the drilling is dry hole, an agreement between the operator and the drilling is dry hole. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be removed by that the statements made herein are true and to the best of the productor pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 145 - 21 SS3 - OOOO Conductor pipe required. Approved by: 43 - 29 - 07 This authorization expires: 9 - 29 - 07 (This authorization void if drilling not started within 6 months of approval date.)	DAVIT In agging of this well will comply with K.S.A. 55 et. seq. RECEIVED MAR 2 7 2007 In drilling rig; It by circulating cement to the top; in all cases surface program be Carlitate underlying formation. In a strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is a superposed in all cases, NOTIFY district office prior to any cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Title: Exploration Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired		
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the second shall be posted on each and the second shall be second through all unconsolidated materials plus a minimum of 20 feet into the second shall be second shall b	DAVIT Agging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2007 The drilling rig; It by circulating cement to the top; in all cases surface pipe snan be ser. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Exploration Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 145- 21553-0000	Location of Well: County: Pawnee		
Operator: F.G. Holl Company, L.L.C.	330 feet from VN/ S Line of Section		
Lease: WARD FEED YARD "A"	feet from N / S Line of Section 1090 feet from E / W Line of Section		
Well Number: 1-19	Sec. 19 Twp. 21S S. R. 15W East Wes		
Field: Wildcat			
Number of Acres attributable to well:	ls Section: Regular or Irregular		
QTR / QTR / QTR of acreage: C NE - NW - NW	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	-330	(Show fo	otage to ti	he nearest le	ase or unit t
090		•	• •	•	
		19	•		•
	: 	· .			:
				· · · · · · · · · · · · · · · · · · ·	· , · ,
					:
	· ·		•	•	•



NOTE: In all cases locate the spot of the proposed drilling locaton.

RECEIVED

MAR 2 7 2007

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding section with 8 surrounding section 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: F.G. Holl Company, L.L.C.		License Number: 5056				
Operator Address: 9431 E. Central, Suite 100, Wichita, Kansas 67206						
Contact Person: Franklin R. Greenbaum		Phone Number: (316) 684 - 8481				
Lease Name & Well No.: WARD FEED YARD "A" 1-19		Pit Location (QQQQ):				
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 19 Twp. 21S R. 15 East West			
Settling Pit	If Existing, date c	onstructed:	330 Feet from 🗹 North	/ South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1090 Feet from East	West Line of Section		
(If WP Supply API No. or Year Drilled)	500	(bbls)	Pawnee			
Is the pit located in a Sensitive Ground Water	Area? 🗸 Yes	No	Chloride concentration:	<u>-</u>		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner in			
Yes No	Yes 🗸	No	Mud & natural clays	Mud & natural clays		
Pit dimensions (all but working pits):15	50 Length (fe	eet)150	Width (feet)	N/A: Steel Pits		
Depth fr	om ground level to de	eepest point:4	(feet)			
		edures for periodic maintenance and dincluding any special monitoring.	letermining			
material, thickness and installation procedure	•	inter integrity, in	loldding arry special monitoring.			
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water17fee	et.			
\690feet	56 feet	Source of infor				
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	ne log KDVVK		
			al utilized in drilling/workover: Fresh mud			
I		king pits to be utilized: 3				
·		procedure: Backfill rotary pits and smooth location				
Does the slope from the tank battery allow all spilled fluids to						
flow into the pit? Yes No	·	Drill pits must t	pe closed within 365 days of spud date	3 .		
I hereby certify that the above state	ments are true and	correct to the best	of my knowledge and belief.	RECEIVED		
		tycar	nklin R. Greenbaum	MAR 2 7 2007		
March 26, 2007		Fell-	ignature of Applicant or Agent			
Date	, , , , , , , , , , , , , , , , , , , ,	1 2	guatore of Applicant of Agent	KCC WICHITA		
KCC OFFICE USE ONLY			NLY	PH less 31 RFASaC		
Date Received: 3/27/c7 Permit Num	ber:	Permi	t Date: 3/28/c7 Lease Inspe			
Date Received: 0/47/07 Permit Num	ber:	Permi	t Date: 3/28/67 Lease Inspe	ction: Yes No		



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

March 28, 2007

Mr. Franklin R. Greenbaum F.G. Holl Company, LLC 9431 E. Central Ste 100 Wichita, KS 67206

RE: Drilling Pit Application

Ward Feed Yard A Lease Well No. 1-19

NW/4 Sec. 19-21S-15W Pawnee County, Kansas

Dear Mr. Greenbaum:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and **no deeper then 3'** and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: S Durrant