SGA? Yes X No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date April 6, 2007	Spot ✓ East
month day year	NE NE NE Sec. 34 Twp. 28 S. R. 18 West
OPERATOR: License# 33344	400 feet from N / S Line of Section
Nome: Quest Cherokée LLC	400 feet from VE / W Line of Section
Address: 9520 North May Avenue, Suite 300	Is SECTIONRegularIrregular?
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Richard Marlin	County: Neosho
Phone: (405) 463-6880	Lesse Name. Triplett, C.W. Well #: 34-3
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Class. The Englishments	Nearest Lease or unit boundary: 400
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 924feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other ✓ Other Coalbed Methane	Depth to bottom of usable water:
✓ Other Coalded Methatie	Surface Pipe by Alternate: 1 √ 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Wetl Farm Pond Other Air
Yes, true vertical depth:	DWR Permit #:
Sottom Hole Location:	(Note: Apply for Permit with DWR 🔲)
(CC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone: RECEIVED
	KANSAS CORPORATION
AFF	IDAVIT KANSAS CORPORATION COMMISS
The undersigned hereby affirms that the drilling, completion and eventual pl	lugging of this well will comply with K.S.A. 55 et. seq. APR - 2 2007
is agreed that the following minimum requirements will be met:	· · · · · · · · · · · · · · · · · · ·
 Notify the appropriate district office prior to spudding of well; 	ch drilling rig; CONSERVATION DIVISION
2. A copy of the approved notice of intent to drill shall be posted on each	et by circulating cement to the top; in all cases surface pipe SHAN, Seet
through all unconsolidated materials plus a minimum of 20 feet into the	to by circulating cernation
4. If the well is dry hole, an agreement between the operator and the d	Sisteriot office on plug langth and placement is necessary prior to plugging:
4. II me well is giv bole, an agreement between the operator and the G	astrict office off plug length and placement is necessary prior to pragging,
5. The appropriate district office will be notified before well is either plug	aged or production casing is cemented in;
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement 	gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I	gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall bereby certify that the statements made herein are true and to the best of	gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall bereby certify that the statements made herein are true and to the best of	gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall bereby certify that the statements made herein are true and to the best of	gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall bereby certify that the statements made herein are true and to the best of	gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to:
The appropriate district office will be notified before well is either plug if an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall be certify that the statements made herein are true and to the best of the certify that the statements made herein are true and to the best of the certific that the statements of the certific true and to the best of the certific true and to the description. Signature of Operator or Agent:	gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The appropriate district office will be notified before well is either plug if an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall be certify that the statements made herein are true and to the best of the complete. March 30, 2007	gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: March 30, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 20885-0000	reged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to:
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: March 30, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 2088 5-0000 Conductor pipe required Nove feet	reged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: March 30, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 2088 5-0000 Conductor pipe required feet Minimum surface pipe required feet per Alt.	reged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: March 30, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 20885-0000 Conductor pipe required 1000 feet Minimum surface pipe required 20 feet per Alt. Approved by: 114 4-2-07	reged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: March 30, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 24885 - 0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2) Approved by: 44-2-07 This authorization expires: 10-2-07	reged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: March 30, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 2088 5-0000 Conductor pipe required feet Minimum surface pipe required 20 feet per Alt.	ritle: VP Remember to: Title:
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: March 30, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 24885-0000 Conductor pipe required Minimum surface pipe required Approved by: HH 4-2-07 This authorization expires: 102-07 (This authorization void if drilling not started within 6 months of approval date.)	red from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Dritled - Permit Expired
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: March 30, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 24885 - 0000 Conductor pipe required Nove feet Minimum surface pipe required feet per Alt. Approved by: 44-2-07 This authorization expires: 10-2-07	reged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-26885-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	400 feet from VN / S Line of Section
Lease: _Triplett, C.W.	400 feet from ✓ E / W Line of Section
Well Number: 34-3	Sec. 34 Twp. 28 S. R. 18
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NE - NE - NE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344	
Operator Address: 9520 North May	/ Avenue, Su	ite 300 Ok	dahoma City, Oklahoma 73120
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880	
Lease Name & Well No.: Triplett, C. W. #34-3		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NENE</u>
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 34 Twp. 28 R. 18
Settling Pit	If Existing, date of	onstructed:	400 Feet from ✓ North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	400 Feet from ✓ East / West Line of Section Neosho County
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes V No	Artificial Liner? ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fe	eet)10	Width (feet) N/A: Steel Pits
Depth fr	om ground level to de	eepest point:	10 (feet)
If the pit is lined give a brief description of the liner Describe pro material, thickness and installation procedure.		Describe proce liner integrity, in	dures for periodic maintenance and determining notuding any special monitoring.
		Air Drilling	Operation Lasting Approximately Approximately Control of the Contr
			Operation Lasting Approximately Section Computer APR - 2 2007
Distance to nearest water well within one-mile	of pit		west fresh water feet CONSERVATION
Distance to nearest water well within one-mile N/A- feet Depth of water well	·	Depth to shallo Source of infor	west fresh waterfeet. CONSERVATION DIVISION mation: WICHITA, KS redwell owner electric logKDWR
.,	·	Depth to shallo Source of infor measu Drilling, Worke	west fresh waterfeet. CONSERVATION DIVISION WICHITA, KS red well owner electric log KDWR over and Haul-Off Pits ONLY:
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Depth to shallo Source of infor measu Drilling, Worke	west fresh waterfeet. CONSERVATION DIVISION WICHITA, KS redwell owner electric logKDWR over and Haul-Off Pits ONLY:
N/Ar feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Depth to shallo Source of infor measu Drilling, Worke Type of materia Number of wor	west fresh waterfeet. CONSERVATION DIVISION WICHITA, KS mation: WICHITA, KS red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Depth to shallo Source of infor measu Drilling, Work Type of materia Number of wor Abandonment	west fresh waterfeet. CONSERVATION DIVISION WICHITA, KS redwell owner electric logKDWR over and Haul-Off Pits ONLY:
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet fluids to	Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must be	west fresh water
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit?	spilled fluids to	Depth to shallo Source of infor measu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be correct to the best	west fresh water
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state March 30, 2007	spilled fluids to	Depth to shallo Source of infor measu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be correct to the best	west fresh water