For KCC Use: 4-8-07
Effective Date: 4
SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date April 9 2007	Spot NE C SW/4 Sec. 16 Twp. 17 S. R. 13 West
OPERATOR: License# 4419	1338 feet from N / S Line of Section
Name: Bear Petroleum Inc.	feet from E / W Line of Section
Address: Box 438	ls SECTION _✓Regularirregular?
City/State/Zip: Haysville Ks. 67060	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Dick Schremmer	County: Barton
Phone: 316-524-1225	Lease Name: Baker Well #: 1-16
CONTRACTOR: License# 33724	Field Name: Trapp
Name: Warren Drilling,LLC	Is this a Prorated / Spaced Field?
Name.	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1297'
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary ✓	Ground Surface Elevation: 1941 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic;# of Holes Other	Depth to bottom of fresh water: 260 Depth to bottom of usable water: 340
Other	
	Surface Pipe by Alternate: 1 2 Length of Surface Pipe Planned to be set: 870
If OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 3450
Well Name:	Formation at Total Depth: Arbuckle
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	turned transit
A P.P.	If Yes, proposed zone: RECEIVED
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plants and eventual plants.	ugging of this well will comply with K.S.A. 55 et. seMFR U Z 2007
It is agreed that the following minimum requirements will be met:	140 m
Notify the appropriate district office <i>prior</i> to spudding of well;	AND ADDRESS AND AD
2. A copy of the approved notice of intent to drill shall be posted on ear	on draining ng; If you circulating coment to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	
	listrict office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plug	
	ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
	be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best #	rev knowledne and belief.
I hereby certify that the statements made herein are true and to the best of	
I hereby certify that the statements made herein are true and to the best of Date: 3-29-07 Signature of Operator or Agent.	f.my knowledge and belief. Title: President
	Title: President
Date: 3-29-07 Signature of Operator or Agents For KCC Use ONLY	Title: President Remember to:
Date: 3-29-07 Signature of Operator or Agents For KCC Use ONLY	Title: President
Date: 3-29-07 Signature of Operator or Agents For KCC Use ONLY API # 15 - 009 - 2504/-000	Title: President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY API # 15 - OO9 - 2504/-000 Conductor pipe required 1000 feet (C) 1/1	Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
For KCC Use ONLY API # 15 - OO9 - 2504/-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (1)	Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
For KCC Use ONLY API # 15 - OO9 - 2504/-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (1) Approved by: #4-3-07	Title: President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
For KCC Use ONLY API # 15 - OO9 - 2504/-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (1)	Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
For KCC Use ONLY API # 15 - OO9 - 2504/-000 Conductor pipe required	Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
For KCC Use ONLY API # 15 - OO9 - 2504/-000 Conductor pipe required	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
For KCC Use ONLY API # 15 - OO9 - 2504/-000 Conductor pipe required	Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009 - 25041 - 0000	Location of Well: County: Barton
Operator: Bear Petroleum, Inc.	
Lease: Baker	1338 feet from N / S Line of Section 1327 feet from E / W Line of Section
Well Number: 1-16	Sec. 16 Twp. 17 S. R. 13 ☐ East
Field: Trapp	
Number of Acres attributable to well: 160 QTR / QTR / QTR of acreage: 80' NE _ C _ SW/4	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

						. 1
	•					1
				Į.		
						·
						•
				Į.		1
				[
				l		
.					 	
				1		I
						•
				1		. !
						i
						. 1
					•	-
				l-		- 1
						- 1
			•	ł ·		
				i		
					•	-
				I		
				I	 	1
				1 -		
				1		
			1		•	•
				l		ļ
. 42					•	
, 13						
,	- 1					
-			-		 	
		-	4		 	
		-	•	-		-
			1	•	 	
			1	•	•	- ·
			1	-		·
			1	-	•	
•			1	-		·
				-	•	•
			1			•
			1		 	•
				-		•
					 	•
					 	•
					 	· ·
			5		 	
			į		 	
			į		 	
			5		 	
			130		 	- - - -
			1000		 	-
			4001		 	
			1998		 	
			1000			
			1000		 	
			1998		 	
			1000			
			1998		 	
			1000		 	
			1998		 	
			1998		 	
			1000		 	
			1998			
			1998		 	
			1000			
			500			
			1998		 	
			1998			
			1998			

RECEIVED APR U 2 2007 KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Bear Petroleum, Inc.			License Number: 4419		
Operator Address: P.O. Box 438,	Haysville, I	KS 6706	0		
Contact Person: Dick Schremmer			Phone Number: (316) 524 ~ 1225		
Lease Name & Well No.: Baker 1-16			Pit Location (QQQQ):		
Type of Pit:			80' NE _ C _ SW/4		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 16 _{Twp.} 17 _{R.} 13		
Settling Pit	If Existing, date constructed:		1338 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1327 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	5500	(bbis)	Barton County		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration:mg/l		
to the pictorial and the picto			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes ✓	No	Natural soils		
Pit dimensions (all but working pits):1	00 Length (fe	eet) 100	Width (feet) N/A: Steel Pits		
	rom ground level to de	eepest point: 5	(feet)		
If the pit is lined give a brief description of the	liner	Describe proc	edures for periodic maintenance and determining		
material, thickness and installation procedure		liner integrity,	including any special monitoring.		
		liner integrity,	APR 0 2 2007		
			APR 0 2 2007 KCC WICHITA		
	e of pit	Depth to shall	APR 0 2 2007 KCC WICHITA Divides the fresh water 79 197 feet.		
material, thickness and installation procedure Distance to nearest water well within one-mil	.	Depth to shall Source of info	APR 0 2 2007 KCC WICHITA Divides the fresh water 79 197 feet.		
Distance to nearest water well within one-mil	e of pit 305 120 feet	Depth to shall Source of info meas	APR 0 2 2007 KCC WICHITA Divinest fresh water 79 197 feet.		
material, thickness and installation procedure Distance to nearest water well within one-mil	e of pit 205 120 feet	Depth to shall Source of info meas	APR 0 2 2007 KCC WICHITA Divest fresh water 79 197 feet. Immation: Ured well owner electric log KDWR Kover and Haul-Off Pits ONLY:		
Distance to nearest water well within one-miles and the standard s	e of pit 205 120 feet	Depth to shall Source of info meas Drilling, Worl	APR 0 2 2007 KCC WICHITA Diverse fresh water 79 197 feet. Immation: Ured well owner electric log KDWR Kover and Haul-Off Pits ONLY: Ital utilized in drilling/workover: Mud and fresh water		
Distance to nearest water well within one-miled and burn Pits ONLY	e of pit 305 120 feet	Depth to shall Source of info meas Drilling, Worl Type of mater	APR 0 2 2007 KCC WICHITA Divest fresh water 79 197 feet. Immation: Ured well owner electric log KDWR Kover and Haul-Off Pits ONLY:		
Distance to nearest water well within one-mil 4237 3778 Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	e of pit 305 120 feet	Depth to shall Source of info meas Dritting, Worth Type of mater Number of wo Abandonment	APR 0 2 2007 KCC WICHITA Divide the second of the second		
Distance to nearest water well within one-miled and state and installation procedure. 3778	e of pit 305 120 feet :	Depth to shall Source of info meas Dritting, Worth Type of mater Number of wo Abandonment Drill pits must	APR 0 2 2007 KCC WICHITA Dowest fresh water 79 197 feet. Transition: Lured well owner electric log KDWR Rover and Haul-Off Pits ONLY: Training pits to be utilized: 3 Liprocedure: Air dry and back fill be closed within 365 days of spud date.		
Distance to nearest water well within one-miled and burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a	e of pit 305 120 feet :	Depth to shall Source of info meas Dritting, Worth Type of mater Number of wo Abandonment Drill pits must	APR 0 2 2007 KCC WICHITA Dowest fresh water 79 197 feet. Transition: Lured well owner electric log KDWR Rover and Haul-Off Pits ONLY: Training pits to be utilized: 3 Liprocedure: Air dry and back fill be closed within 365 days of spud date.		
Distance to nearest water well within one-miled and state and installation procedure. 37.78	e of pit 305 120 feet :	Depth to shall Source of info meas Dritting, Worth Type of mater Number of wo Abandonment Drill pits must	APR 0 2 2007 KCC WICHITA Dowest fresh water 79 197 feet. Transition: Lured well owner electric log KDWR Rover and Haul-Off Pits ONLY: Training pits to be utilized: 3 Liprocedure: Air dry and back fill be closed within 365 days of spud date.		
Distance to nearest water well within one-miled and state and installation procedure. 3778	e of pit 305 120 feet :	Depth to shall Source of informeas Drilling, World Type of mater Number of wood Abandonment Drill pits must correct to the best	APR 0 2 2007 KCC WICHITA Dowest fresh water 79 197 feet. Transition: Lured well owner electric log KDWR Rover and Haul-Off Pits ONLY: Training pits to be utilized: 3 Liprocedure: Air dry and back fill be closed within 365 days of spud date.		
Distance to nearest water well within one-miled to search to search water well within one-miled to search to search water well to search to search water well to search water	e of pit 305 120 feet :	Depth to shall Source of informeas Drilling, World Type of mater Number of wood Abandonment Drill pits must correct to the best	APR 0 2 2007 KCC WICHITA Dowest fresh water 79 197 feet. Intered well owner electric log KDWR Rover and Haul-Off Pits ONLY: Intered in drilling/workover: Mud and fresh water Intered in drilling/workover: Mud and fresh water Intered in drilling/workover: Mud and fresh water Intered well owner electric log KDWR Rover and Haul-Off Pits ONLY: Intered well owner electric log KDWR Rover and Haul-Off Pits ONLY: Intered well owner electric log KDWR Rover and Haul-Off Pits ONLY: Intered well owner electric log KDWR Rover and Haul-Off Pits ONLY: Intered well owner electric log KDWR Intered well owner electric log well electric log		
Distance to nearest water well within one-miled to perfect the distance of the pit? Distance to nearest water well within one-miled to the pit? Depth of water well to the pit? Depth of water well to the pit to the pit? Depth of water well to the pit to the pit? Depth of water well to the pit to the pit to the pit to the pit? Does the slope from the tank battery allow a flow into the pit? Depth of water well to the pit	e of pit 305 120 feet : If spilled fluids to ements are true and	Depth to shall Source of info meas Drilling, Worl Type of mater Number of wo Abandonment Drill pits must Correct to the beson	APR 0 2 2007 KCC WICHITA Dowest fresh water 79 197 feet. Intered well owner electric log KDWR Rover and Haul-Off Pits ONLY: Intered in drilling/workover: Mud and fresh water Intered in drilling/workover: Mud and fresh water Intered in drilling/workover: Mud and fresh water Intered well owner electric log KDWR Rover and Haul-Off Pits ONLY: Intered well owner electric log KDWR Rover and Haul-Off Pits ONLY: Intered well owner electric log KDWR Rover and Haul-Off Pits ONLY: Intered well owner electric log KDWR Rover and Haul-Off Pits ONLY: Intered well owner electric log KDWR Intered well owner electric log well electric log		