* Corrected Intent

For KCC Use Effective Date District #	4-307
_	<u> </u>

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CORRECTED

December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date	A**	4046	0007		
-	April	16th	2007		Eas
	month	day	year		Wes
OPERATOR: License#	08			330 feet from N / S Line of Section	
Name: Trans Pacific Oil Co	orporation			199t from V E / V Line of Section	on
Address: 100 S. Main, Suit	ie 200			ls SECTION _✓_RegularIrregular?	
City/State/Zip: Wichita, KS	6/202			(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Scott Oats	edean			County: Rooks	
hone: 316-262-3596				* Lease Name: Hansen Foundation 'B' Well #: 1-12	
ONTRACTOR: License#=	5184			Field Name: VVIICCAL	
ame: Shields Oil Produ	cers, Inc.			Is this a Prorated / Spaced Field?	√N
W110.				Target Formation(s): Lansing-Kansas City	
Well Drilled For:	Well Class:	Type E	quipment:	Nearest Lease or unit boundary: 330'	
✓ Oil Enh Re	c Infield	✓ Mı	ud Rotary	Ground Surface Elevation: 1941 est. feet	
Gas Storage	e 🔲 Pool Ext	t. 🔲 Air	r Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes Yes	
OWWO Disposa	al 📝 Wildcat	Ca	ple	Depth to bottom of fresh water: 180'	√ 14
Seismic;# of I	Holes Other			Depth to bottom of usable water: 820°	
Other				Surface Pipe by Alternate: 1 2 /	
OWWO: old well informat	tion as follows:			Length of Surface Pipe Planned to be set: 220'	
				Length of Conductor Pipe required: None	
Well Name:				Projected Total Depth: 3550'	
Original Completion Dat	te: (Original Total [Depth:	Formation at Total Depth: Arbuckle	
				Water Source for Drilling Operations:	
ectional, Deviated or Hor			Yes ✓ No	Well ✓ Farm Pond Other	
Yes, true vertical depth:				DWR Permit #:	
ttom Hole Location:				(Note: Apply for Permit with DWR 🔲)	
C DKT #:	(), \ \ \			Will Cores be taken?	∠JN
ias: Hansen Fou				If Yes, proposed zone:	
15: Hansen Foun	dation 'B'	1-12	AF	FIDAVIT RECEIVED	ירורי
e undersigned hereby at	ffirms that the dril	ling, complet	ion and eventual	plugging of this well will comply with K.S.A.KSS ST. SEQ.	الارد
s agreed that the followi	ng minimum requi	irements will	be met:	APR 0.3 2007	
	e district office p	rior to spudd	ling of well;	71 11 0 0 2001	
1. Notify the appropriat		nt to drill sha	II be posted on e	ach drilling rig;	
2. A copy of the approv	ed notice of inter			set by circulating cement to the top; in all cases surface plant be set	
 A copy of the approv The minimum amour 	nt of surface pipe	as specified	below shall be s	the underlying formation WICHITA, KS	
 A copy of the approv The minimum amounthrough all unconsoling 	nt of surface pipe idated materials p	as specified olus a minimu	below shall be a of 20 feet into	the underlying formation.	
 A copy of the approv The minimum amounthrough all unconsoli If the well is dry hole 	nt of surface pipe idated materials p e, an agreement t	as specified a solus a minimulation a minimulation between the	below shall be a im of 20 feet into operator and the	the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to pluggir ugged or production casing is cemented in;	
 A copy of the approva The minimum amounthrough all unconsoli If the well is dry hole The appropriate distriction If an ALTERNATE II 	nt of surface pipe idated materials p e, an agreement t rict office will be n COMPLETION, p	as specified blus a minimu between the notified before production pip	below shall be a um of 20 feet into operator and the e well is either plu be shall be ceme	the underlying formation. district office on plug length and placement is necessary prior to plugglingged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date	ng; e.
 A copy of the approval. The minimum amounthrough all unconsolist. If the well is dry holes. The appropriate district. If an ALTERNATE II. Or pursuant to Appe. 	nt of surface pipe idated materials p e, an agreement t rict office will be n COMPLETION, p andix "B" - Easteri	as specified blus a minimuletween the control before broduction pign Kansas sur	below shall be a am of 20 feet into operator and the e well is either plu be shall be cementace casing order	the underlying formation. district office on plug length and placement is necessary prior to plugglingged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement	<i>ng;</i> e. entin
 A copy of the approva The minimum amounthrough all unconsoli If the well is dry hole The appropriate distriction If an ALTERNATE II Or pursuant to Appendix to be completed with 	nt of surface pipe idated materials p e, an agreement t rict office will be n COMPLETION, p andix "B" - Easter within 30 days of	as specified blus a minimulation of the control of	below shall be a im of 20 feet into operator and the e well is either plu be shall be ceme rface casing orde e or the well shall	the underlying formation. district office on plug length and placement is necessary prior to plugglicupped or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II ceme I be plugged. In all cases, NOTIFY district office prior to any cementing	<i>ng;</i> 9. entin
 A copy of the approva The minimum amounthrough all unconsoli If the well is dry hole The appropriate distriction If an ALTERNATE II Or pursuant to Appendix to be completed with 	nt of surface pipe idated materials pe, an agreement trict office will be n COMPLETION, pendix "B" - Eastern within 30 days of atternents made he	as specified blus a minimulative of the control of	below shall be a am of 20 feet into operator and the e well is either plu be shall be cemel rface casing orde e or the well shall a and to the best	the underlying formation. district office on plug length and placement is necessary prior to pluggin lagged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement is be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.	<i>ng;</i> 9. entin
A copy of the approva The minimum amounthrough all unconsoli If the well is dry hole The appropriate distriction of the appropriate distri	nt of surface pipe idated materials pe, an agreement trict office will be n COMPLETION, pendix "B" - Eastern within 30 days of atternents made he	as specified blus a minimulative of the control of	below shall be a am of 20 feet into operator and the e well is either plu be shall be cemel rface casing orde e or the well shall a and to the best	the underlying formation. district office on plug length and placement is necessary prior to pluggin lagged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement is be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.	<i>ng;</i> 9. entin
2. A copy of the approva 3. The minimum amounthrough all unconsoli 4. If the well is dry hole 5. The appropriate distriction 6. If an ALTERNATE II Or pursuant to Appermust be completed vereby certify that the sta	nt of surface pipe idated materials pe, an agreement trict office will be n COMPLETION, pendix "B" - Eastern within 30 days of atternents made he	as specified blus a minimulative of the control of	below shall be a im of 20 feet into operator and the e well is either plu be shall be ceme rface casing orde e or the well shall	the underlying formation. district office on plug length and placement is necessary prior to plugglingged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cemel be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Geologist	<i>ng;</i> 9. entin
2. A copy of the approvation of the minimum amounthrough all unconsolidated and the well is dry holes. The appropriate distriction of the approval of the appropriate distriction of the a	nt of surface pipe idated materials pe, an agreement trict office will be n COMPLETION, pendix "B" - Eastern within 30 days of atternents made he	as specified blus a minimulative of the control of	below shall be a am of 20 feet into operator and the e well is either plu be shall be cemel rface casing orde e or the well shall a and to the best	the underlying formation. district office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cemel I be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Geologist Remember to:	<i>ng;</i> 9. entin
2. A copy of the approvation of the minimum amounthrough all unconsoling the unconsoling of the appropriate districts. If an ALTERNATE II or pursuant to Appear must be completed whereby certify that the state: 3/28/07 For KCC Use ONLY	nt of surface pipe idated materials pe, an agreement trict office will be n COMPLETION, pendix "B" - Easterwithin 30 days of atements made he Signature of O	as specified blus a minimulative of the control of	below shall be a am of 20 feet into operator and the e well is either plu be shall be cemel rface casing orde e or the well shall a and to the best	the underlying formation. district office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cemel II be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Geologist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	<i>ng;</i> 9. entin
2. A copy of the approvation of the approvation of the approval of the well is dry hole of the appropriate distriction of the approval of the appropriate distriction of the appropriate di	nt of surface pipe idated materials pe, an agreement trict office will be n COMPLETION, pundix "B" - Easterwithin 30 days of attements made he Signature of O	as specified blus a minimul between the notified before production piper in Kansas sure the spud date erein are true operator or Agreement in Agreem	below shall be a um of 20 feet into operator and the e well is either plus on shall be cemeinace casing order or the well shall a and to the best gent:	the underlying formation. district office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cemel I be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Geologist Remember to:	<i>ng;</i> 9. entin
2. A copy of the approva 3. The minimum amounthrough all unconsoli 4. If the well is dry hole 5. The appropriate distriction 6. If an ALTERNATE II Or pursuant to Appermist be completed wereby certify that the state: 3/28/07 For KCC Use ONLY API # 15 - 1/6 3 ~ 2.3	nt of surface pipe idated materials pe, an agreement trict office will be n COMPLETION, pundix "B" - Eastern within 30 days of atements made he Signature of O	as specified blus a minimulative in the motified before production pip in Kansas suithe spud date erein are true operator or Agreement in the spud date erein are true operator or agreement in the spud date erein are true erein are true erein are true erein are tru	below shall be a um of 20 feet into operator and the e well is either plus on shall be cemeinace casing order or the well shall a and to the best gent:	the underlying formation. district office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cemeil be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Geologist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	<i>ng;</i> 9. entin
2. A copy of the approva 3. The minimum amounthrough all unconsoli 4. If the well is dry hole 5. The appropriate distr 6. If an ALTERNATE II Or pursuant to Appermust be completed was to exercise that the state: 3/28/07 For KCC Use ONLY API # 15 - 1/43 ~ 23 Conductor pipe required Minimum surface pipe req	nt of surface pipe idated materials pe, an agreement trict office will be n COMPLETION, pendix "B" - Easterwithin 30 days of atements made he Signature of O	as specified blus a minimul between the notified before production pip in Kansas suithe spud date erein are true operator or Again feet	below shall be a um of 20 feet into operator and the e well is either plus on shall be cemeinace casing order or the well shall a and to the best gent:	the underlying formation. district office on plug length and placement is necessary prior to pluggin lagged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement II be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Complete to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	<i>ng;</i> 9. entin
2. A copy of the approva 3. The minimum amounthrough all unconsoli 4. If the well is dry hole 5. The appropriate distr 6. If an ALTERNATE II Or pursuant to Appermust be completed was to exercise that the state: 3/28/07 For KCC Use ONLY API # 15 - 1/43 ~ 23 Conductor pipe required Minimum surface pipe req	nt of surface pipe idated materials pe, an agreement trict office will be n COMPLETION, pendix "B" - Easterwithin 30 days of atements made he Signature of O	as specified blus a minimul between the notified before production pip in Kansas suithe spud date erein are true operator or Again feet	below shall be a or of 20 feet into operator and the e well is either plu be shall be ceme of ace casing orde e or the well shall e and to the best gent:	the underlying formation. district office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cemel II be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Geologist Remember to:	enting.
2. A copy of the approva 3. The minimum amounthrough all unconsoli 4. If the well is dry hole 5. The appropriate districts 6. If an ALTERNATE II Or pursuant to Appermust be completed wereby certify that the state: 3/28/07 For KCC Use ONLY API # 15 - 1/43 - 23 Conductor pipe required Minimum surface pipe req Approved by 4443-39	nt of surface pipe idated materials pe, an agreement trict office will be n COMPLETION, pendix "B" - Eastern within 30 days of atements made he Signature of ONE Signature OF ONE SIGNATURE SIGNATUR	as specified blus a minimul between the notified before production pip in Kansas suithe spud date erein are true operator or Again feet	below shall be a or of 20 feet into operator and the e well is either plu be shall be ceme of ace casing orde e or the well shall e and to the best gent:	the underlying formation. district office on plug length and placement is necessary prior to pluggling upged or production casing is cemented in; neted from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cemel II be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Geologist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	<i>ng;</i> 9. entin
2. A copy of the approvance of the approvance of the appropriate distriction of the appropria	nt of surface pipe idated materials pe, an agreement trict office will be n COMPLETION, pendix "B" - Eastern within 30 days of atements made he Signature of ONE Signature of ON	as specified blus a minimulative motified before production piper in Kansas suithe spud date erein are true operator or Agreement feet of the spud date of the	below shall be a m of 20 feet into operator and the e well is either plube shall be cemerace casing order or the well shall a and to the best gent:	the underlying formation. district office on plug length and placement is necessary prior to pluggin laged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement II be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Geologist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	enting.
2. A copy of the approvation of the minimum amounthrough all unconsoli 4. If the well is dry hole 5. The appropriate distriction of the appropriate distri	nt of surface pipe idated materials pe, an agreement trict office will be no COMPLETION, pendix "B" - Eastern within 30 days of atements made he signature of OMPLETION Pendix "B" - OOO OMPLETION Pendix "B" - OOO OMPLETION PENDIX BUTTON PEND	as specified blus a minimulative motified before production piper in Kansas suithe spud date erein are true operator or Agreement feet of the spud date of the	below shall be a m of 20 feet into operator and the e well is either plube shall be cemerace casing order or the well shall a and to the best gent:	the underlying formation. district office on plug length and placement is necessary prior to pluggling upged or production casing is cemented in; neted from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cemel II be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Geologist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	enting.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

*GORRECTED If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15- 163-23603-0000	Location of Well: County: Rooks
Operator: Trans Pacific Oil Corporation	330 feet from N / ✓ S Line of Section
Lease: Hansen Foundation 'B'	2310 feet from ✓ E / W Line of Section
Well Number: 1-12 Field: Wildcat	Sec. 12 Twp. 6 S. R. 18 ☐ East ✓ West Is Section: ✓ Regular or ☐ Irregular
Number of Acres attributable to well: QTR / QTR / QTR of acreage: SW - SW - SE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

				·		
	•		•	•	•	•
	•			:	•	
					,	
		<i>.</i>		-	•	•
	•	•	•		•	-
						` .
					•	
					•	
	•		•		i	-
						•
ļ			12	2		
	•		· · ·		•	
				1		
	• • •					
	• • •		· · · ·			
			· · · · ·			
			· · · · ·			
	· · · · · ·	•	· · • • •			
		•				
	· · · · · ·	•				

NOTE: In all cases locate the spot of the proposed drilling locaton.



APR 0 3 2007

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections IVISION WICHITA, KS 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate ORRECTE! Operator Name: Trans Pacific Oil Corp. License Number: 9408 Operator Address: 100 S. Main, Suite 200 Contact Person: Scott Oatsdean Phone Number: (316) 262 - 3596 Lease Name & Well No.: Hansen Foundation 'B' #1-12 Pit Location (QQQQ): _ SW _ SW _ SE Type of Pit: Sec. 12 _{Twp.} 6 _{R.} 18 ☐ East ✓ West **✓** Proposed Existing Emergency Pit Burn Pit If Existing, date constructed: 📝 Drilling Pit Settling Pit Feet from North / ✓ South Line of Section 2310 Workover Pit Haul-Off Pit Feet from 🗸 East / 🗌 West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) Rooks (bbls) County Is the pit located in a Sensitive Ground Water Area? Yes Chloride concentration: _ (For Emergency Pits and Settling Pits only) is the bottom below ground level? **Artificial Liner?** How is the pit lined if a plastic liner is not used? Yes Yes 150 150 Width (feet) Length (feet) __ Pit dimensions (all but working pits): ____ N/A: Steel Pits Depth from ground level to deepest point: 4 (feet) Describe procedures for periodic maintenance and determining If the pit is lined give a brief description of the liner material, thickness and installation procedure. liner integrity, including any special monitoring. 5-163-23603-0000 Distance to nearest water well within one-mile of pit Depth to shallowest fresh water ___ Source of information: N/A feet Depth of water well _ _ well owner ___ __ electric log ____ measured Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Plts ONLY: Type of material utilized in drilling/workover: Fresh mud Producing Formation: Number of working pits to be utilized: _3 Number of producing wells on lease: ___ Abandonment procedure: Let pits dry, fill pits, rip and smooth Barrels of fluid produced daily: __ location. Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISSION I hereby certify that the above statements are true and correct to the best of my knowledge and belief. APR 0 3 2007 3/28/07 CONSERVATION DIVISION WICHITA KS KCC OFFICE USE ONLY Permit Date: 4/3/c7 Lease Inspection: \square Yes \square No Date Received: