For KCC Use:	4-9-07
Effective Date:	-7-7-01
District #	<u> </u>
SGA? XIYes	No.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## **NOTICE OF INTENT TO DRILL**

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

Must be approved by KCC five	(5) days prior to commencing well		
Expected Spud Date April 10 2007  month day year	Spot <b>SE</b> <u>app</u> . NW Sec. 27 Twp. 29 S. R. 15 ✓ West		
OPERATOR: License# 5004  Name: Vincent Oil Corporation  Address: 155 N. Market, Suite 700	1950 feet from N / S Line of Section 1920 feet from E / V W Line of Section Is SECTION Regular Irregular?		
City/State/Zip: Wichita, Kansas 67202	(Note: Locate well on the Section Plat on reverse side)		
Contact Person: Rick Hiebsch	County: Pratt		
Phone: 316-262-3573	Lease Name: Axtell Well #: 1-27		
	Field Name: wildcat		
CONTRACTOR: License#_5123  Name: Pickrell Drilling Co., Inc.	Is this a Prorated / Spaced Field?YesNo		
Name: Pickell Dilling Co., Inc.	Target Formation(s): Arbuckle		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 690 ft.		
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: 1961 feet MSL  Water well within one-quarter mile: Yes   ✓ No		
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:  Public water supply well within one mile:  Yes ✓ No ✓		
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150 ft.		
Seismic;# of Holes Other	Depth to bottom of usable water: 180 ft.		
Other	Surface Pipe by Alternate:   ✓ 1 2		
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 400 ft.		
Operator:	Length of Conductor Pipe required:none		
Well Name:	Projected Total Depth: 4900 ft.		
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle		
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:		
If Yes, true vertical depth:	Well Farm Pond Other unknown  DWR Permit #:		
Bottom Hole Location:	(Note: Apply for Permit with DWR		
KCC DKT #:	Will Cores be taken? Yes ✓ No		
	If Yes, proposed zone:		
ACC	IDAVIT		
The undersigned hereby affirms that the drilling, completion and eventual p	ADD 0 A		
It is agreed that the following minimum requirements will be met:	lagging of this well will comply with N.C.A. 55 et. seq.		
	KCC MIOU		
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> </ol>	ch drilling rig;		
3. The minimum amount of surface pipe as specified below shall be se	et by circulating cement to the top; in all cases surface pipe shall be set		
through all unconsolidated materials plus a minimum of 20 feet into t	he underlying formation.		
<ol> <li>If the well is dry note, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plug</li> </ol>	district office on plug length and placement is necessary <i>prior to plugging</i> ;		
6. If an ALTERNATE II COMPLETION, production pipe shall be cement	ted from below any usable water to surface within 120 days of spud date.		
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing		
	be plugged. In all cases, NOTIFY district office prior to any cementing.		
I hereby certify that the statements made herein are true and to the best of	r my knowledge and belief.		
Date: March 30, 2007 Signature of Operator or Agent:	Title: President		
<u> </u>	Remember to:		
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;		
API # 15 · 151-22264-000	- File Completion Form ACO-1 within 120 days of spud date;		
Your	- File acreage attribution plat according to field proration orders;		
200	<ul> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> </ul>		
Minimum surface pipe required 200 feet per Alt. (1)	<ul> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> </ul>		
Minimum surface pipe required 200 feet per Alt 1) X Approved by: YW4 4-4-07	<ul> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> </ul>		
Minimum surface pipe required 200 feet per Alt 1 Y Approved by: <u>YW4 4- 4-07</u> This authorization expires: 10-4-07	<ul> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> </ul>		
Minimum surface pipe required 200 feet per Alt 1) X Approved by: YW4 4-4-07	<ul> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please</li> </ul>		
Minimum surface pipe required 200 feet per Alt 1 Y Approved by: <u>YW4 4- 4-07</u> This authorization expires: 10-4-07	<ul> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.</li> </ul>		

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 151-22264-0000	Location of Well: County: Pratt			
Operator: Vincent Oil Corporation				
Lease: Axtell	1950 feet from V N / S Line of Section 1920 feet from E / V W Line of Section			
Well Number: 1-27	Sec. 27 Twp. 29 S. R. 15 East ✓ West			
Field: wildcat				
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular			
QTR / QTR / QTR of acreage:app SW NW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used:NENWSESW			

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•			•
	1930			
1920	Pytell +	11-27	•	
	•	a7		
•		4 /	-	
 		:		•



NOTE: In all cases locate the spot of the proposed drilling locaton.

### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Vincent Oil Corporation			License Number: 5004		
Operator Address: 155 N. Market, Suite 700 Wichita, Kansas 67202					
Contact Person: Rick Hiebsch			Phone Number: ( 316 ) 262 - 3573		
Lease Name & Well No.: Axtell #1-27			Pit Location (QQQQ):		
Type of Pit:	Pit is:		app C SE NW		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 27 Twp. 29 R. 15 ☐ East ✓ West		
Settling Pit	If Existing, date c	onstructed:	Feet from 🗸 North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1920 Feet from East / 🗹 West Line of Section		
(If WP Supply API No. or Year Drilled)	6000	(bbls)	Pratt County		
is the pit located in a Sensitive Ground Water	Area? Yes	Ne	Chloride concentration: mg/l		
	I		(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner?	<b>A</b> 1-	How is the pit lined if a plastic liner is not used?		
_✓ Yes	Yes	NO	native and chemical muds		
Pit dimensions (all but working pits):8	Length (fo	eet)80	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to d		(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe proce liner integrity, i	edures for periodic maintenance and determining		
			APR 0 2 2007		
			KCC WICHITA		
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water 35 feet.  Source of information:			
4000 feet Depth of water well 53 feet		measuredwell owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:water & bentonite			
Number of producing wells on lease:		Number of working pits to be utilized: 2 working and 1 reserve			
Barrels of fluid produced daily:		Abandonment	procedure: allow to dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
March 30, 2007		Tich	d A. Diebal		
Date		S	ignature of Applicant or Agent		
KCC OFFICE USE ONLY  Keep p.+ on h.: 4  REASTC					
Date Received: 4/2/67 Permit Num		_	it Date: 4/3/c1 Lease Inspection: 7/ Yes No		



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

April 3, 2007

Mr. Rich Hiebsch Vincent Oil Corporation 155 N. Market Ste 700 Wichita, KS 67202

RE: Drilling Pit Application

Axtell Lease Well No. 1-27 NW/4 Sec. 27-29S-15W Pratt County, Kansas

Dear Mr. Hiebsch:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. The pits need to be kept on the hill away from the draw.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: File