	RECEIVED OWW (KANSAS CORPORATION COMMISSION
Effective Date: OIL & GAS CONS	RATION COMMISSION APR 0 3 2007 Form C-December 2002
	TENT TO DRILL CONSERVATION DIVISION must be Signed WICHITA, KS All blanks must be Filled
Expected Spud Date April 6, 2007	Spot
month day year	SE NE - NE Sec. 24 Twp. 23 S. R. 15 V West
OPERATOR: License# 5056 Name: F.G. Ho⊪ Company, L.L.C.	4290 feet from N / S Line of Section 330 feet from Feet from E / W Line of Section
Address 9431 E. Central, Suite 100	Is SECTION Regular irregular?
City/State/Zip: Wichita, Kansas 67206	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Franklin R. Greenbaum	County: Pawnee
Phone: (316) 684-8481	Lease Name: JOHNSON "OWWO" Murphy Well #: 1-24 Field Name: Greenridge NW
CONTRACTOR: License# 8253 Name: G&L Well Service Inc.	Is this a Prorated / Spaced Field?
Yallio,	Target Formation(s): Pennslyvanian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: 1982 Estimated feet MSL Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage Pool Ext. Air Rotary	
✓ CWWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 180'
Seismic;# of Holes Other	Depth to bottom of usable water: 200'
Other_* Washdown	Surface Pipe by Alternate: 1 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned-te-ber set: 446'
Operator: Grady Bolding Corproration	Length of Conductor Pipe required: None
Well Name: JOHNSON 1	Projected Total Depth: 4120'
Original Completion Date: 09/11/1989 Original Total Depth: 4120'	Formation at Total Depth: Arbuckle
Singerfrage) Control of Uniform Confidence	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
f Yes, true vertical depth:	DWR Permit #: (Contractor will apply)
Sottom Hole Location:	(Note: Apply for Permit with DWB
CC DNI #.	Will Cores be taken?
	If Yes, proposed zone:
AFF	DAVIT
Fhe undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office prior to spudding of well; 	
2. A copy of the approved notice of intent to drill shall be posted on each	
The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the	t by circulating cement to the top; in all cases surface pipe shall be set
•	istrict office on plug length and placement is necessary <i>prior to plugging:</i>
5. The appropriate district office will be notified before well is either plug	
O MAN ANTERNIATE II COMPLETIONI AND	ad forms below only with making a conformation 400 day.

Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing

6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing, I hereby certify that the statements made herein are true and to the best of my/knowledge and belief. Date: _04/03/2007 **Exploration Manager** Signature of Operator or Agent: Remember to: For KCC Use ONLY File Drill Pit Application (form CDP-1) with Intent to Drill; API # 15 - 145-21304-00-0 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Conductor pipe required. Notify appropriate district office 48 hours prior to workover or re-entry; Minimum surface pipe required. Submit plugging report (CP-4) after plugging is completed; Approved by Lut 4-5-07 Obtain written approval before disposing or injecting sait water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. (This authorization void if drilling not started within 6 months of approval date.) Well Not Drilled - Permit Expired Signature of Operator or Agent: Spud date: Agent: Date:. Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 145-21304-00-01	Location of Well: County: Pawnee
Operator: F.G. Holi Company, L.L.C.	4290feet from ☐ N / ✓ S Line of Section
Lease: JOHNSON "OWWO" Murphy	feet from 🗸 E / 🗌 W Line of Section
Well Number: 1-24	Sec. 24 Twp. 23 S. R. 15 East ✓ Wes
Field: Greenridge NW	
Number of Acres attributable to well:	ls Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: SE - NE - NE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

RECEIVED KANSAS CORPORATION COMMISSION

3. The distance to the nearest lease or unit boundary line.
 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; APR 0 3 2007)

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: F.G. Holl Company	, L.L.C.		License Number: 5056	
Operator Address: 9431 E. Central, Suite 100, Wichita, Kansas 67206				
Contact Person: Franklin R. Greenbaum		Phone Number: (316) 684 - 8481		
Lease Name & Well No.: JOHNSON		rphy	Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 24 Twp. 23S R. 15 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		4290 Feet from North / 🗸 South Line of Section	
✓ Workover Pit ☐ Haul-Off Pit			330 Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 500	(bbls)	Pawnee County	
Is the pit located in a Sensitive Ground Water	Area? 🗸 Yes		Chloride concentration:mg/l	
			(For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?	Na	How is the pit lined if a plastic liner is not used?	
Yes No	Yes ✓	N0	Mud and natural clays	
Pit dimensions (all but working pits):1	50 Length (fe	eet)150	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point: 4	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile	e of pit		west fresh water67feet.	
Source 21 feet Depth of water well 75 feet		measu	Source of information: measured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover: Fresh mud	
		king pits to be utilized: 3		
		procedure: Backfill rotary pits, rip and smooth location		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
RECEIVED Frankfin R Greenbaum KANSAS CORPORATION COMMISSION				
4/03/2007 APR 0 3 2807				
Date Signature of Applicant of Agent				
KCC OFFICE USE ONLY CONSERVATION DIVISION WICHITA, KIR FAC				
Date Received: 4/3/67 Permit Number: Permit Date: 4/5/67 Lease Inspection: V Yes No				

1	NUMBER	15-145-21,304-00-00
---	--------	---------------------

KANSAS /RPORATION COMMISSION	K.A.R.→82-3-117	API NUMBER 15-145-21,304-00-0
darket, Room 2078	•	LEASE NAME Johnson
KS 67202		
	TYPE OR PRINT NOTICE: Fill out completely	WELL NUMBER #1
1. A.	and return to Coos. Div.	
	office within 30 days.	330 Ft. from E Section Line
EASE OPERATOR Grady Bolding (Corporation	SECTWPRGE(E)ar(W)
JORESS 114 N. Main Ellinwood	l, Ks. 67526	COUNTY Pawnee
IONE#(316) 564-2240 OPERAT	FORS LICENSE NO. 7383	Date Well Completed
taracter of Well Oil		Plugging Commenced 9-25-98
Oll, Gas, D&A, SWD, Input, Wat	ter Supply Well)	Plugging Completed 9-30-98
്ക് Teleforante arosesi was asses	aved an	(date)
A CONTRACT OF THE CONTRACT OF		-
		(KCC District Agent's Name).
s ACO-1 filed?If	not, is well log attached?	water the state of
roducing Formation	Depth to Top	BottomT.D. 4120'
how depth and thickness of all		
OIL, GAS OR WATER RECORDS		•
•		SING RECORD
Formation Content	From To Size	Put in Pulled out
		446' None
		4119' 1610'
escribe in detail the manner i	n which the well was plugged	, indicating where the mud fluid
laced and the method or metho	ds used in introducing it in	to the hole. It cament or other pl
Phigged off bottom with sand t	to 3725' and 5 sacks cement.	Shot pipe 02800', 1610', pulled
up to 1050', pumped 15 sks. ge pulled to 40', pumped 10 sks.	el and 50 sks.cement, pulled	to 460', pumped 50 sks. cement.
paried to 40 , paried to Sks.	P. Cenent. 60/40 bos. 6% der.	lugging Complete.
Control of the second of the s		jus -
lame of Plugging Contractor M	ike's Testing & Salvage,	Inc. License No. 31529
iddress P.O. Box 467	Chase, Kansas 6752	4
IAME OF PARTY RESPONSIBLE FOR P	LUGGING FEES: Grady Bolding	Corporation
iTATE OF Kansas	COUNTY OF Rice	
		, 55.
MIKE KEISO	(Er st duly sworn on oath, says:	mployee of Operator) or (Operator). That I have knowledge of the fact
itatements, and matters herei:	n contained and the log of th	ne above-described well as filed to
he same are true and correct, :	so neip me God. (Signature)_	middle-
	(Address) p	O. Box 467 Chase, KS 67524
CHRCCOIREN AND	SWORN TO before me this 5th	

My Commission Expires:

IRENE HERZBERG State of Kansas My Appt. Exp. Aug. 24, 2001

Notad Public

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

April 5, 2007

Mr. Franklin R. Greenbaum F.G. Holl Company, LLC 9431 E. Central Ste 100 Wichita. KS 67206

RE: Drilling Pit Application

Murphy OWWO Lease Well No. 1-24

NE/4 Sec. 24-23S-15W Pawnee County, Kansas

Dear Mr. Greenbaum:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Hunne Kathy Haynes

Environmental Protection and Remediation Department

cc: File