For KCC Use:	11 11-00
Effective Date:	4-11-07
District #	
SCA2 Tives	MAG

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

	Mu	st be approved by KCC five	(5) days prior to commencing well	All blanks must be Filled
Expected Sout Date May 15	5, 2007		Snot	; =
Expected Spud Date		day year	Spot w/2 SE_SWSESec. 14 Twp. 20	S. R. ¹⁶ West
OREBATOR: License# 32278		•		S. R. ¹⁰ West
OFERAION, LICERSEN			i de la	W Line of Section
Name: Tengasco Inc.			Is SECTION ✓ Regular Irregular?	I IAA TRUE OF SECTION
Address: P.O. Box 458 City/State/Zip: Hays, Ks. 67601				
City/State/Zip: Rod Tremblay			(Note: Locate well on the Section Plat on County: Pawnee	n reverse side)
Phone: 402-560-0715	,		Lease Name: Dirks	Well #; ²
			Field Name: Pawnee Rock	vveir#; [−]
CONTRACTOR: License# 306	06		Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Murfin Drilling Company	<i>t</i>		Target Formation(s): Arbuckle	, 100 i ¥ 140
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary: 330'	
read and a second		Type Equipment:	Ground Surface Elevation: 2050 Est from topo	feet MSL
✓ Oil Enh Rec	✓ Infield Pool Ext.	✓ Mud Rotary—— Air Rotary	Water well within one-quarter mile:	Yes V No
OWWO Disposal	Wildcat	Cable	Public water supply well within one mile:	Yes / No
Seismic; # of Hole	4 4	Cable	Depth to bottom of fresh water: 200'	
Other	of Lower		Depth to bottom of usable water 520 380	
. , 0 0			Surface Pipe by Alternate:	
OWWO: old well information	as follows:		Length of Surface Pipe Planned to be set: 1100'	
Operator:			Length of Conductor Pipe required: none	
Well Name:			Projected Total Depth: 3900'	
Original Completion Date:	Origin	nal Total Depth:	Formation at Total Depth: Arbuckle	
Pirectional, Deviated or Horizon	ntal wellbore?	Yes V No	Water Source for Drilling Operations:	
Yes, true vertical depth:	HUNDORD!	i i i da i k i i MO	Well Farm Pond Other	
ottom Hole Location:		•	DWR Permit #:	. 1
CC DKT #:			(Note: Apply for Permit with DWR	
and determinent		•	Will Cores be taken?	jYes ∣ √ No
			If Yes, proposed zone:	
			DAVIT	
		•	ugging of this well will comply with K.S.A. 55 et. seq.	
is agreed that the following n	•			
# Blacks, Man			h drilling rig:	
through all unconsolidate 4. If the well is dry hole, ar 5. The appropriate district of 6. If an ALTERNATE II COI Or pursuant to Appendix	notice of intent to f surface pipe as seed materials plus in agreement betwoffice will be notifice will be notifice.	specified below shall be set a minimum of 20 feet into the geen the operator and the dis ed before well is either plugo uction pipe shall be cemente ansas surface casing order #	by circulating cement to the top; in all cases surface	ary <i>prior to plugging;</i> 0 <i>days</i> of spud date. a, alternate II cementing
 A copy of the approved in the minimum amount of through all unconsolidated. If the well is dry hole, and the appropriate district of the appropriate district of the appropriate of the approved in the a	notice of intent to f surface pipe as a sed materials plus in agreement betwooffice will be notific MPLETION, produx "B" - Eastern Kain 30 days of the sed for the sed of the se	specified below shall be set a minimum of 20 feet into the yeen the operator and the dised before well is either plugg uction pipe shall be cemente ansas surface casing order # spud date or the well shall be	t by circulating cement to the top; in all cases surface underlying formation. strict office on plug length and placement is necessaged or production casing is cemented in; and from below any usable water to surface within 126 t133,891-C, which applies to the KCC District 3 area to plugged. In all cases, NOTIFY district office price	ary <i>prior to plugging;</i> 0 <i>days</i> of spud date. a, alternate II cementing
2. A copy of the approved a 3. The minimum amount of through all unconsolidate 4. If the well is dry hole, ar 5. The appropriate district of an ALTERNATE II COI Or pursuant to Appendix must be completed within hereby certify that the statem.	notice of intent to f surface pipe as a sed materials plus in agreement betwooffice will be notific MPLETION, produx "B" - Eastern Kain 30 days of the sed for the sed of the se	specified below shall be set a minimum of 20 feet into the een the operator and the died before well is either plugguction pipe shall be cemente ansas surface casing order supply and the well shall be a are true and to the best of	t by circulating cement to the top; in all cases surface underlying formation. strict office on plug length and placement is necessaged or production casing is cemented in; and from below any usable water to surface within 126 t133,891-C, which applies to the KCC District 3 area to plugged. In all cases, NOTIFY district office price	ary <i>prior to plugging;</i> 0 days of spud date. a, alternate II cementing or to any cementing.
A copy of the approved a The minimum amount of through all unconsolidate If the well is dry hole, ar The appropriate district o If an ALTERNATE II COI Or pursuant to Appendix must be completed within	notice of intent to f surface pipe as sed materials plus in agreement betwoorfice will be notified MPLETION, product "B" - Eastern Kain 30 days of the senents made herein	specified below shall be set a minimum of 20 feet into the een the operator and the died before well is either plugguction pipe shall be cemente ansas surface casing order supply and the well shall be a are true and to the best of	t by circulating cement to the top; in all cases surfact e underlying formation. strict office on plug length and placement is necessaged or production casing is cemented in; deform below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area to plugged. In all cases, NOTIFY district office prior my knowledge and belief.	ary <i>prior to plugging;</i> 0 days of spud date. a, alternate II cementing or to any cementing.
2. A copy of the approved a 3. The minimum amount of through all unconsolidate 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II COI Or pursuant to Appendix must be completed within thereby certify that the statem pate: April 4, 2007 For KCC Use ONLY API # 15 - 2 Conductor pipe required Minimum surface pipe, required.	notice of intent to f surface pipe as sed materials plus in agreement betwooffice will be notificially plus in 30 days of the senents made herein signature of Operation 1555500	specified below shall be set a minimum of 20 feet into the yeen the operator and the dised before well is either plugguction pipe shall be cemente ansas surface casing order # spud date or the well shall be a are true and to the best of ator or Agent:	t by circulating cement to the top; in all cases surface e underlying formation. strict office on plug length and placement is necessaged or production casing is cemented in; and from below any usable water to surface within 120 this 133,891-C, which applies to the KCC District 3 area to plugged. In all cases, NOTIFY district office prior my knowledge and belief. Title: Senior German in the case of	any prior to plugging; O days of spud date. a, alternate II cementing or to any cementing. Polit; pud date; ration orders; vorkover or re-entry; impleted;
2. A copy of the approved a 3. The minimum amount of through all unconsolidate 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II COI Or pursuant to Appendix must be completed within hereby certify that the statemental endors are: April 4, 2007 For KCC Use ONLY API # 15 - 2 A Conductor pipe required Minimum surface pipe required Approved by Let 4-6-6	notice of intent to f surface pipe as sed materials plus in agreement betwoording will be notific MPLETION, produx "B" - Eastern Kain 30 days of the snents made herein Gignature of Opera	specified below shall be set a minimum of 20 feet into the yeen the operator and the dised before well is either plugguction pipe shall be cemente ansas surface casing order # spud date or the well shall be a are true and to the best of ator or Agent:	t by circulating cement to the top; in all cases surface e underlying formation. strict office on plug length and placement is necessary and or production casing is cemented in; and from below any usable water to surface within 120 to 133,891-C, which applies to the KCC District 3 area to plugged. In all cases, NOTIFY district office prior my knowledge and belief. Title: Senior General Pile Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field promotify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is co	any prior to plugging; O days of spud date. a, alternate II cernenting or to any cementing. Cologist Drill; pud date; ration orders; vorkover or re-entry; impleted; ing salt water.
2. A copy of the approved a 3. The minimum amount of through all unconsolidate 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II COI Or pursuant to Appendix must be completed within hereby certify that the statem late: April 4, 2007 S For KCC Use ONLY API # 15 - # 5 - 2 I Conductor pipe required Minimum surface pipe required Approved by Let # 6 - 0 This authorization expires: 10	notice of intent to f surface pipe as sed materials plus in agreement betwooffice will be notified mPLETION, product "B" - Eastern Kain 30 days of the senents made herein Signature of Operation 1975	specified below shall be set a minimum of 20 feet into the een the operator and the died before well is either plugguction pipe shall be cemente ansas surface casing order # spud date or the well shall be are true and to the best of ator or Agent:	t by circulating cement to the top; in all cases surface e underlying formation. strict office on plug length and placement is necessary and or production casing is cemented in; and from below any usable water to surface within 120 fits 133,891-C, which applies to the KCC District 3 area to plugged. In all cases, NOTIFY district office price may knowledge and belief. Title: Senior General Price Completion Form ACO-1 within 120 days of specific completion Form ACO-1 within 120 days of specific cases attribution plat according to field proreselved in Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is co-	any prior to plugging; O days of spud date. a, alternate II cementing or to any cementing. PollI; pud date; ration orders; vorkover or re-entry; impleted; ing salt water. On date) please
2. A copy of the approved a 3. The minimum amount of through all unconsolidate 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II COI Or pursuant to Appendix must be completed within hereby certify that the statem late: April 4, 2007 For KCC Use ONLY API # 15 - 2 Conductor pipe required Minimum surface pipe required Approved by Lett 1-0-10	notice of intent to f surface pipe as sed materials plus in agreement betwooffice will be notified mPLETION, product "B" - Eastern Kain 30 days of the senents made herein Signature of Operation 1975	specified below shall be set a minimum of 20 feet into the een the operator and the died before well is either plugguction pipe shall be cemente ansas surface casing order # spud date or the well shall be are true and to the best of ator or Agent:	t by circulating cement to the top; in all cases surface e underlying formation. strict office on plug length and placement is necessary and or production casing is cemented in; and from below any usable water to surface within 120 to 133,891-C, which applies to the KCC District 3 area to plugged. In all cases, NOTIFY district office prior my knowledge and belief. Title: Senior General Pile Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field promoved to 150 t	any prior to plugging; O days of spud date. a, alternate II cementing or to any cementing. PollI; pud date; ration orders; vorkover or re-entry; impleted; ing salt water. On date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 145-21555-0000	Location of Well: County: Pawnee
Operator: Tengasco Inc. Lease: Dirks	330' feet from N / ✓ S Line of Section 1880' feet from ✓ E / W Line of Section
Well Number: ² Field: Pawnee Rock	Sec. 14 Twp. 20 S. R. 16 East West
Number of Acres attributable to well: 10	Is Section: ✓ Regular or
QTR / QTR / QTR of acreage: w/2 SE _ SW SE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

i			· i			İ		
1		 				. [
		•						
		•	. '	• •		!		
1		 						
1		•	. ,			İ		
	•	 	· · · · · · · · · · · · · · · · · · ·		· ·	ļ 1		
						•		
					•	i	EXAMPLE	
			14				EXAMPLE	
	•			,				·
' 	٠	•	-]	•	•	:		1980
1		 						
!			. ;			1		
		 	· · · · · · · · · · · · · · · · · · ·		· · · · · · · ·	'	:	· 3390' -
İ			• 1 •					
I	٠		- 1	•		!		
		 • • •			,	ļ i		•
i			*	•		1080		
1	·		. *	1			SEWARD CO.	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- CG-8 for gas wells). KANSAS CORPORATION COMMISSION

APR 0 6 2007

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Tengasco Inc.			License Number: 32278
Operator Address: P.O. Box 458; h	Hays, KS 676	301	
Contact Person: Rod Tremblay	·		Phone Number: (402) 560 - 0715
Lease Name & Well No.: Dirks			Pit Location (QQQQ):
Type of Pit:	Pit is:		<u>W/2</u> _ <u>SE</u> _ <u>SW</u> _ <u>SE</u>
Emergency Pit Burn Pit	Proposed	Existing	Sec. 14 Twp. 20 R. 16 ☐ East 🗸 West
Settling Pit	If Existing, date co	onstructed:	330' Feet from North / South Line of Section
Workover Pit Haul-Off Pit	3000		1880' Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Pawnee County
is the pit located in a Sensitive Ground Water	Area? Yes 🗸	No	Chloride concentration: mg/l
to the pit located in a constant cross of the			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? ✓ Yes No	Artificial Liner? ✓ Yes □ I	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	30 Length (fe	eet) 80	Width (feet) N/A: Steel Pits
Depth f	rom ground level to de	eepest point: 4	(feet)
If the pit is lined give a brief description of the	tiner .	,	edures for periodic maintenance and determining
If the pit is lined give a brief description of the material, thickness and installation procedure	tiner .	,	edures for periodic maintenance and determining including any special monitoring.
· · · · · · · · · · · · · · · · · · ·	e liner e.	liner integrity, li	west fresh water 80° feet.
material, thickness and installation procedure	e liner e. e of pit	Depth to shallo Source of infor	west fresh water 80° feet.
material, thickness and installation procedure Distance to nearest water well within one-mil	e liner e. e of pit 150' feet	Depth to shallo Source of informeasu	west fresh water 80' feet feet water well owner electric log KDWR
material, thickness and installation procedure Distance to nearest water well within one-mil 4000' feet Depth of water well	e liner e. e of pit 150' feet	Depth to shallo Source of informeasu	west fresh water 80' feet mation: weed well owner electric log KDWR
Distance to nearest water well within one-miled to the standard st	e liner e. e of pit 150' feet	Depth to shallo Source of informeasu Drilling, Work Type of materia	west fresh water 80° feet feet feet water well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water/Drilling Mud fing pits to be utilized:
Distance to nearest water well within one-mil 4000' feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	e liner e. e of pit 150' feet	Depth to shallo Source of informeasu Drilling, Work Type of materia	west fresh water 80' feet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water/Drilling Mud king pits to be utilized: Three
Distance to nearest water well within one-mil 4000' feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	e liner e. e of pit 150' feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor	west fresh water 80° feet mation: west fresh water 80° feet mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water/Drilling Mud king pits to be utilized: Three procedure: Evaporite and backfill be closed within 365 days of spud date.
Distance to nearest water well within one-miled 4000' feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed.	e liner e. e of pit 150' feet :	Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must	west fresh water 80' feet mation: ared well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water/Drilling Mud king pits to be utilized: Three procedure: Evaporite and backfill oe closed within 365 days of spud date.
Distance to nearest water well within one-mil 4000' feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state	e liner e. e of pit 150' feet :	Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must	west fresh water 80' feet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water/Drilling Mud king pits to be utilized: Three procedure: Evaporite and backfill oe closed within 365 days of spud date.
Distance to nearest water well within one-mile 4000' feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit?	e liner e. e of pit 150' feet :	Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must	west fresh water 80' feet. mation: med well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water/Drilling Mud king pits to be utilized: Three procedure: Evaporite and backfill be closed within 365 days of spud date. RECE t of my knowledge and belief.