For KCC Use:	11 11 00
Effective Date:	4-11-07
District #	3
SGA? X Ye	No.

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

	4/10/2007	Spot	East
	month day year	ANALOG CIAL O OSO 405 E	West
OPERATOR: License#	32912 🗸	960 feet from N / X S Line of Section	
	nergy, LLC	1650 feet from E / XW Line of Section	n
ddress: 200 Arco	Place, Suite 230	Is SECTIONRegular X Irregular?	
city/State/Zip: Independ	dence, KS 67301	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Terry Ca	moll Jr.	County: Allen	
hone: (620) 330	0-7213	Lease Name: SMART HD Well #: 2-B4	
	22274	Field Name: IOLA	
CONTRACTOR: License#	33374	Is this a Prorated / Spaced Field?	× No
Vame: L & S VVI	ell Service, LLC	Target Formation(s): Cherokee Coals	
Well Drilled For:	Well Class: Type Equipment:	Nearest Lease or unit boundary: 360 330	
			MSL
)		Water well within one-quarter mile:	× No
X Gas Storage		Public water supply well within one mile:	x No
hand had	land to the second	Depth to bottom of fresh water:	
Seismic; # of Ho	L	Depth to bottom of usable water: 3004-150	
Conte		Surface Pipe by Alternate: 1 X 2	
f OWWO: old well information	on as follows:	Length of Surface Pipe Planned to be set:	
Operator:		Length of Conductor Pipe required:	
Well Name:		Projected Total Depth:1100'	
Original Completion Date	: Original Total Depth:	Formation at Total Depth: Mississippi	
Disablemat Desides de au Hada	zontal wellbore? Yes X No	Water Source for Drilling Operations:	
Directional, Deviated or Horiz		Well X Farm Pond Other	
•		DWR Permit #:	
		(Note: Apply for Permit with DWR)	∵ 1
ACC DAT #:		Will Cores be taken? Yes	^ No
		14.14	
		If Yes, proposed zone:	**********
	AFF	RECEIVED	0000-1 4 0 4 0-7 1807 044
The undersigned hereby affi		RECEIVED	MMIS
-		RECEIVED KANSAS CORPORATION CO	
It is agreed that the following 1. Notify the appropriate	irms that the drilling, completion and eventual p g minimum requirements will be met: district office <i>prior</i> to spudding of well;	RECEIVED KANSAS CORPORATION COI LUGging of this well will comply with K.S.A. 55 et. seq. APR 0 5 2007	I
It is agreed that the following 1. Notify the appropriate	irms that the drilling, completion and eventual p g minimum requirements will be met: district office <i>prior</i> to spudding of well;	RECEIVED KANSAS CORPORATION COL Diugging of this well will comply with K.S.A. 55 et. seq. APR 0 5 2007 Ach drilling rig: of by circulating cement to the top; in all cases surface pipe ATTIONOLUSE.	I
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid	irms that the drilling, completion and eventual p g minimum requirements will be met: district office <i>prior</i> to spudding of well; ed notice of intent to drill shall be posted on ea t of surface pipe as specified below shall be s dated materials plus a minimum of 20 feet into	RECEIVED KANSAS CORPORATION COL Diugging of this well will comply with K.S.A. 55 et. seq. APR 0 5 2007 Ach drilling rig: of by circulating cement to the top; in all cases surface piece with the underlying formation.	ON
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole,	irms that the drilling, completion and eventual p g minimum requirements will be met: district office <i>prior</i> to spudding of well; ed notice of intent to drill shall be posted on ea t of surface pipe as specified below shall be s dated materials plus a minimum of 20 feet into a , an agreement between the operator and the	RECEIVED KANSAS CORPORATION COL Diugging of this well will comply with K.S.A. 55 et. seq. APR 0 5 2007 Ach drilling rig; of by circulating cement to the top; in all cases surface property with the underlying formation. district office on plug length and placement is necessary prior to plugging.	ON
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district	irms that the drilling, completion and eventual p g minimum requirements will be met: a district office <i>prior</i> to spudding of well; ad notice of intent to drill shall be posted on ea to f surface pipe as specified below shall be s stated materials plus a minimum of 20 feet into an agreement between the operator and the ct office will be notified before well is either plu	RECEIVED KANSAS CORPORATION COL APR 0.5 2007 ach drilling rig; of by circulating cement to the top; in all cases surface by circulating formation. district office on plug length and placement is necessary prior to pluggligged or production casing is cemented in;	ON ng;
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C	irms that the drilling, completion and eventual p g minimum requirements will be met: district office <i>prior</i> to spudding of well; ed notice of intent to drill shall be posted on ea to f surface pipe as specified below shall be s dated materials plus a minimum of 20 feet into an agreement between the operator and the ct office will be notified before well is either plu COMPLETION, production pipe shall be cemen	RECEIVED KANSAS CORPORATION COL APR 0.5 2007 ach drilling rig; of by circulating cement to the top; in all cases surface prior to plugglistic office on plug length and placement is necessary prior to pluggligged or production casing is cemented in; ited from below any usable water to surface within 120 days of spud date	ON ng;
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II O Or pursuant to Appen	irms that the drilling, completion and eventual page minimum requirements will be met: a district office <i>prior</i> to spudding of well; ad notice of intent to drill shall be posted on eal to fourface pipe as specified below shall be s ated materials plus a minimum of 20 feet into a the an agreement between the operator and the control of the well be notified before well is either plus completion, production pipe shall be cemented to "B" - Eastern Kansas surface casing order	RECEIVED KANSAS CORPORATION COL APR 0.5 2007 ach drilling rig; of by circulating cement to the top; in all cases surface by circulating formation. district office on plug length and placement is necessary prior to pluggligged or production casing is cemented in;	ON ng; o. nting
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II COr pursuant to Appen must be completed wi	irms that the drilling, completion and eventual page minimum requirements will be met: a district office prior to spudding of well; and notice of intent to drill shall be posted on ear to fourface pipe as specified below shall be so dated materials plus a minimum of 20 feet into a , an agreement between the operator and the act office will be notified before well is either plu COMPLETION, production pipe shall be cementally "B" - Eastern Kansas surface casing order ithin 30 days of the spud date or the well shall	RECEIVED KANSAS CORPORATION COL clugging of this well will comply with K.S.A. 55 et. seq. APR 0 5 2007 Ach drilling rig: CONSERVATION DIVISION CONSERVATION	ON ng; o. nting
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II COr pursuant to Appen must be completed with	irms that the drilling, completion and eventual page minimum requirements will be met: a district office prior to spudding of well; ad notice of intent to drill shall be posted on ear to foundate pipe as specified below shall be so dated materials plus a minimum of 20 feet into a complete and the confice will be notified before well is either plue completion, production pipe shall be demended in the second of the spuddate or the well shall be the spuddate or the well shall be the second of the spuddate or the well shall be the spuddate.	RECEIVED KANSAS CORPORATION COL APR 0.5 2007 ach drilling rig: et by circulating cement to the top; in all cases surface in the underlying formation. district office on plug length and placement is necessary prior to pluggling gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date in #133,891-C, which applies to the KCC District 3 area, alternate it ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and be of the contract of the con	ON ng; o. nting
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appen must be completed will hereby certify that the state	irms that the drilling, completion and eventual page minimum requirements will be met: a district office prior to spudding of well; and notice of intent to drill shall be posted on ear to fourface pipe as specified below shall be so dated materials plus a minimum of 20 feet into a , an agreement between the operator and the act office will be notified before well is either plu COMPLETION, production pipe shall be cementally "B" - Eastern Kansas surface casing order ithin 30 days of the spud date or the well shall	RECEIVED KANSAS CORPORATION COL clugging of this well will comply with K.S.A. 55 et. seq. APR 0 5 2007 Ach drilling rig: CONSERVATION DIVISION CONSERVATION	ON ng; o. nting
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II COr pursuant to Appen must be completed with	irms that the drilling, completion and eventual page minimum requirements will be met: a district office prior to spudding of well; ad notice of intent to drill shall be posted on ear to foundate pipe as specified below shall be so dated materials plus a minimum of 20 feet into a complete and the confice will be notified before well is either plue completion, production pipe shall be demended in the second of the spuddate or the well shall be the spuddate or the well shall be the second of the spuddate or the well shall be the spuddate.	RECEIVED KANSAS CORPORATION COLLEGE ANSAS COLLEGE ANSAS CORPORATION COLLEGE ANSAS CO	ON ng; o. nting
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appen must be completed will hereby certify that the state 04/04/2007	irms that the drilling, completion and eventual page minimum requirements will be met: a district office prior to spudding of well; ad notice of intent to drill shall be posted on ear to foundate pipe as specified below shall be so dated materials plus a minimum of 20 feet into a complete and the confice will be notified before well is either plue completion, production pipe shall be demended in the second of the spuddate or the well shall be the spuddate or the well shall be the second of the spuddate or the well shall be the spuddate.	RECEIVED KANSAS CORPORATION COL APR 0.5 2007 ach drilling rig; et by circulating cement to the top; in all cases surface property to pluggling to the underlying formation. district office on plug length and placement is necessary prior to pluggling gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date of #133,891-C, which applies to the KCC District 3 area, alternate II ceme to be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and be of the control of the	ON ng; o. nting
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II COP pursuant to Appen must be completed will hereby certify that the state Date: 04/04/2007 For KCC Use ONLY	irms that the drilling, completion and eventual page minimum requirements will be met: a district office prior to spudding of well; and notice of intent to drill shall be posted on eat of surface pipe as specified below shall be stated materials plus a minimum of 20 feet into a care and the stated materials plus a minimum of 20 feet into a care and the conflict will be notified before well is either plus COMPLETION, production pipe shall be cemental to "B" - Eastern Kansas surface casing order of thin 30 days of the spud date or the well shall be the shall be	RECEIVED KANSAS CORPORATION COLLEGE ANSAS COLLEGE ANSAS CORPORATION COLLEGE ANSAS CO	ON ng; nting
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appen must be completed will hereby certify that the state 1. Date: 04/04/2007 For KCC Use ONLY API # 15 - OOI ~ 2.5	irms that the drilling, completion and eventual page minimum requirements will be met: I district office prior to spudding of well; I of surface pipe as specified below shall be stated materials plus a minimum of 20 feet into a management between the operator and the confice will be notified before well is either plus completion, an agreement between the operator and the confice will be notified before well is either plus completion, production pipe shall be cementally "B" - Eastern Kansas surface casing order ithin 30 days of the spud date or the well shall tements made herein are true and to the best of the signature of Operator or Agent: Signature of Operator or Agent:	RECEIVED KANSAS CORPORATION COL APR 0 5 2007 Ach drilling rig: APR 0 5 2007 APR 0 5 2007 APR 0 5 2007 Ach drilling rig: APR 0 5 2007 Ach drilling rig: APR 0 5 2007 APR 0 5 2007	ON ng; o. nting
t is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II CO or pursuant to Appen must be completed will hereby certify that the state 1. Date: 04/04/2007 For KCC Use ONLY API # 15 - 00/ - 2 Conductor pipe required	g minimum requirements will be met: district office prior to spudding of well; ed notice of intent to drill shall be posted on ea tof surface pipe as specified below shall be s dated materials plus a minimum of 20 feet into a n agreement between the operator and the ct office will be notified before well is either plu COMPLETION, production pipe shall be cemen dix "B" - Eastern Kansas surface casing order ithin 30 days of the spud date or the well shall tements made herein are true and to the best of Signature of Operator or Agent: 9594-0000	RECEIVED KANSAS CORPORATION COLLEGING OF THE MANSAS CO	ON ng; nting
t is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appen must be completed will hereby certify that the state Date: 04/04/2007 For KCC Use ONLY API # 15 - OOI ~ 2 C Conductor pipe required	g minimum requirements will be met: I district office prior to spudding of well; I district office prior to spudding of well; I of surface pipe as specified below shall be a tested materials plus a minimum of 20 feet into a minimum of 20 feet into a minimum of 20 feet into a confice will be notified before well is either plucompletion, production pipe shall be cemental "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall be ments made herein are true and to the best of the spud state of the well shall be completed by the spud state of the well shall be cements made herein are true and to the best of the spud state of the well shall be completed by the spud state of the well shall be completed by the spud state of the well shall be completed by the spud state of the well shall be completed by the spud state of the well shall be completed by the spud state of the well shall be completed by the spud state of the well shall be spud to the best of the spud state of the well shall be spud to the spud state of the well shall be spud to the spud state of the well shall be spud stated by the spud state of the well shall be spud stated by the	RECEIVED KANSAS CORPORATION COLLEGING OF THE MILES OF THE	ON ng; nting
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II CO or pursuant to Appen must be completed will hereby certify that the state 1. Date: 04/04/2007 For KCC Use ONLY API # 15 - 00/ - 2 Conductor pipe required	g minimum requirements will be met: district office prior to spudding of well; ed notice of intent to drill shall be posted on ea to surface pipe as specified below shall be s tated materials plus a minimum of 20 feet into a n agreement between the operator and the ct office will be notified before well is either plu COMPLETION, production pipe shall be cemen dix "B" - Eastern Kansas surface casing order ithin 30 days of the spud date or the well shall tements made herein are true and to the best of Signature of Operator or Agent: 9594-0000 Nore feet teet per Alt. (2)	RECEIVED KANSAS CORPORATION COLLEGED STATES AND AND COLLEGED STATES AND CORPORATION COLLEGED STATES AND CORPORATION COLLEGED STATES AND COLLEGED S	ON ng; nting
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appen must be completed will hereby certify that the state 1. Date: 04/04/2007 For KCC Use ONLY API # 15 - OOI ~ 2 CO Conductor pipe required	g minimum requirements will be met: I district office prior to spudding of well; I district office prior to spudding of well; I of surface pipe as specified below shall be a tested materials plus a minimum of 20 feet into a minimum of 20 feet into a minimum of 20 feet into a confice will be notified before well is either plucompletion, production pipe shall be cemental "B" - Eastern Kansas surface casing order within 30 days of the spud date or the well shall be ments made herein are true and to the best of the spud state of the well shall be completed by the spud state of the well shall be cements made herein are true and to the best of the spud state of the well shall be completed by the spud state of the well shall be completed by the spud state of the well shall be completed by the spud state of the well shall be completed by the spud state of the well shall be completed by the spud state of the well shall be completed by the spud state of the well shall be spud to the best of the spud state of the well shall be spud to the spud state of the well shall be spud to the spud state of the well shall be spud stated by the spud state of the well shall be spud stated by the	RECEIVED KANSAS CORPORATION COLLEGING OF THE MANSAS COLLEGING OF T	ON ng; nting
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II COPPURSUANT TO Append must be completed with the state 1. hereby certify that the state 1. Date: 04/04/2007 For KCC Use ONLY API # 15 - 00/ - 2 CONDUCT Conductor pipe required Minimum surface pipe required Approved by: 244 4-6-4 This authorization expires: 4	g minimum requirements will be met: district office prior to spudding of well; ed notice of intent to drill shall be posted on ea to surface pipe as specified below shall be s tated materials plus a minimum of 20 feet into a n agreement between the operator and the ct office will be notified before well is either plu COMPLETION, production pipe shall be cemen dix "B" - Eastern Kansas surface casing order ithin 30 days of the spud date or the well shall tements made herein are true and to the best of Signature of Operator or Agent: 9594-0000 Nore feet teet per Alt. (2)	RECEIVED KANSAS CORPORATION COLLEGING OF THE WILLIAM CORPORATION COLLEGING OF THE WILLIAM COLLEG	ON ng; nting
It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II COPPURSUANT TO Append must be completed with the state 1. Date: 04/04/2007 For KCC Use ONLY API # 15 - 00/ - 2 COPPURSUANT TO API # 15 - 00/ - 2 COPPURSUANT TO API # 15 - 00/ - 2 CONDUCTOR TO API # 1	irms that the drilling, completion and eventual programming minimum requirements will be met: I district office prior to spudding of well; an office of intent to drill shall be posted on early of surface pipe as specified below shall be stated materials plus a minimum of 20 feet into a nare and the confice will be notified before well is either plus completion, production pipe shall be cemental to "B" - Eastern Kansas surface casing order inthin 30 days of the spud date or the well shall dements made herein are true and to the best of the spud state of the well shall dements made herein are true and to the best of the spud state of the well shall dements made herein are true and to the best of the spud state of the well shall dements made herein are true and to the best of the spud state of the well shall dements made herein are true and to the best of the spud state of the well shall dements made herein are true and to the best of the spud state of the well shall dements made herein are true and to the best of the spud state of the spud s	RECEIVED KANSAS CORPORATION COLLEGING OF THE MANSAS COLLEGING OF T	ON ng; nting


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 001-29594-000		Location of Well: County: Allen	
Operator:	Carroll Energy, LLC	960 feet from N / X S Line of Section	
Lease:	SMART HD	1650 feet from E / X W Line of Section	
Well Number:	2-B4	Sec. 2 Twp. 25S S. R. 18E X East Wes	
Field:	IOLA		
Number of Acres attributable to well:		Is Section: Regular or X Irregular	
QTR/QTR/QT	R of acreage: <u>NW</u> - <u>SE</u> - <u>SW</u>	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE XSW	


PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

APR 0 5 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Carroll Energy, LLC		License Number: 32912			
Operator Address: 200 Arco Place, Suite 230, Independence, KS 67301					
Contact Person		Phone Number: (620) 330-7213			
Lease Name 9 Well No.		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Bum Pit	<u></u>				
Settling Pit X Drilling Pit	Proposed Existing If Existing, date constructed:				
Workover Pit Haul-Off Pit			960 Feet from North / Nouth Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:		1650_ Feet from East / [2] West Line of Section		
	300	(bbls)	Allen County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No No	Chloride concentration: NA mg/l		
is the bottom below ground level?	Artificial Liner?		(For Emergency Pite and Settling Pite only) How is the pit lined if a plastic liner is not used?		
X Yes No	Artificial Liner?		CLAY		
Pit dimensions (all but working pits):	20 Length (fe	et)8	Width (feet) N/A: Steel Pits		
	om ground level to de	epest point:	5 (feet)		
		• • • • • • • • • • • • • • • • • • • •	edures for periodic maintenance and determining nocluding any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION APR 0 5 2007		
•		Depth to shallo Source of infor	west fresh water 20 © CONSERVATION DIVISION feet. WICHITA, KS CONSERVATION DIVISION WICHITA, KS CONSERVATION DIVISION FEET CONSERVATION FEE		
1641 feet Depth of water well 238 feet		measu	measuredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:			Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: FRESH WATER king pits to be utilized:		
Number of producing wells on lease:		Number of wor	lumber of working pits to be utilized:1		
Barrels of fluid produced daily:		Abandonment	procedure: AIR DRY		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and o	correct to the best	of my knowledge and belief.		
04/04/2007					
Date		<u> </u>	ignature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 45 c7 Permit Number: Permit Date: 45 c7 Lease Inspection: Yes K No					