For KCC Use:

Effective Date: 4-15-67

District # SGA? Yes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date April 16, 2007	Spot ✓ East
month day year	2 <u>E 2</u> <u>SW</u> <u>Sw</u> <u>Sec. 8</u> <u>Twp. 27</u> S. R. 19 West
	660 feet from N / VS Line of Section
OPERATOR: License# 33344 / Name: Quest Cherokee LLC	775 feet from E / / W Line of Section
9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?
City/State/Zip: Oklahoma City, Oklahoma 73120	
Contact Person: Richard Marlin	(Note: Locate well on the Section Plat on reverse side)  County: Neosho
Phone: (405) 463-6880	Lease Name: Nordt, P.J. Rev Trust Well #: 8-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 984
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other  Other  Other	Depth to bottom of usable water: 200
✓ Other_coalises methans	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals <
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR 🔲 )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
ΔEEI	If Yes, proposed zone:RECENTED
AFFI The undersigned bereby affirms that the drilling, completion and eventual pli	If Yes, proposed zone:RECENTED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:RECENTED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well:	DAVIT  KANSAS CORPORATION COMMISSION  JUDICA SERVICE OF THE PROPERTY OF THE PR
	DAVIT  KANSAS CORPORATION COMMISSION  JUDICA SERVICE OF THE PROPERTY OF THE PR
	DAVIT  KANSAS CORPORATION COMMISSION  JUDICA SERVICE OF THE PROPERTY OF THE PR
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> </ol>	DAVIT  Ugging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION OF CONSERVATION DIVIS
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the di</li> </ol>	DAVIT  Urgging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  The drilling rig;  The by circulating cement to the top; in all cases surface placement is necessary prior to plugging;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the propriate district of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.</li> </ol>	DAVIT  Urgging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  The drilling rig; The by circulating cement to the top; in all cases surface placement is necessary prior to plugging; The drilling formation.  Strict office on plug length and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging right and placement is necessary prior to plug
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the management of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	If Yes, proposed zone:    RECEIVED
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the properties of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a set through all unconsolidated materials plus a minimum of 20 feet into the set.</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in the properties of the properties o</li></ol>	DAVIT  Urgging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  The drilling rig; The by circulating cement to the top; in all cases surface placement is necessary prior to plugging; The drilling formation.  Strict office on plug length and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging; The drilling right and placement is necessary prior to plugging right and placement is necessary prior to plug
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the street into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be</li> </ol>	DAVIT  RANSAS CORPORATION COMMISSION  APR 1 0 2007  CONSERVATION DIVISION  In drilling rig:  It by circulating cement to the top; in all cases surface pluce or production casing is cemented in;  Indirect from below any usable water to surface within 120 days of spud date.  It is all cases, NOTIFY district office prior to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the property of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the standard property of the appropriate district office will be notified before well is either plugger.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the plugger.</li> </ol>	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  The drilling rig;  The by circulating cement to the top; in all cases surface plucing in the complying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  Although the complete to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  The proposed zone:  RECEIVED  APR 1 0 2007  CONSERVATION DIVISION  Experimentation  CONSERVATION DIVISION  1 and cases surface plugging; and cases surface plugg
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the property of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the standard property of the appropriate district office will be notified before well is either plugger.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the plugger.</li> </ol>	DAVIT  RANSAS CORPORATION COMMISSION  APR 1 0 2007  CONSERVATION DIVISION  In drilling rig:  It by circulating cement to the top; in all cases surface pluce or production casing is cemented in;  Indirect from below any usable water to surface within 120 days of spud date.  It is all cases, NOTIFY district office prior to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the appropriate district of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug.</li> <li>The appropriate district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the plug that the statements made herein are true and to the best of</li> </ol>	DAVIT  In agging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  The drilling rig;  The by circulating cement to the top; in all cases surface plucing in the complete of the complete
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the posted on each and the district of the second and the district of the second and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: April 9, 2007</li> <li>Signature of Operator or Agent: April 9, 2007</li> </ol>	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  The drilling rig:  The by circulating cement to the top; in all cases surface phocharming to enderlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dient 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of Date: April 9, 2007  Signature of Operator or Agent:  For KCC Use ONLY	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  The drilling rig:  The polycirculating cement to the top; in all cases surface phocharmy are underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dient 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  April 9, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26902 - 00 - 00	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  The drilling rig:  The polycirculating cement to the top; in all cases surface phocharmy are underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second and the company and the company and the company and the company and the district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: April 9, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26907 - 00 - 00  Conductor pipe required NONE feet	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  In drilling rig:  It by circulating cement to the top; in all cases surface pluctural are separated in the second complete separate or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  It is all cases, NOTIFY district office prior to any cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  In drilling rig;  It by circulating cement to the top; in all cases surface plucture is set on the confiction of the production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second and the company and the company and the company and the company and the district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: April 9, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26907 - 00 - 00  Conductor pipe required NONE feet	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  In drilling rig; It by circulating cement to the top; in all cases surface plucing in the complete office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  It is 33,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  In drilling rig:  It by circulating cement to the top; in all cases surface place of the control of
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: April 9, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26902 - 00 - 00  Conductor pipe required	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  In drilling rig; It by circulating cement to the top; in all cases surface phocharmy as the underlying formation.  In deficient on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  It is 33,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  In which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the search through all unconsolidated materials plus a minimum of 20 feet into the search and the district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the production of the district of the production of the produ	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION  In drilling rig:  It by circulating cement to the top; in all cases surface place of the control of
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the search through all unconsolidated materials plus a minimum of 20 feet into the search and the district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the production of the district of the production of the produ	DAVIT  RECEIVED  RECEIVED  APR 1 0 2007  CONSERVATION DIVISION  In drilling rig; It by circulating cement to the top; in all cases surface philicularing selection of the surface of plug length and placement is necessary prior to plugging; and for production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is a specific plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15-133-26902-00-00	Location of Well: County: Neosho						
Operator: Quest Cherokee LLC							
Lease: Nordt, P.J. Rev Trust	feet from N / S Line of Section  775 feet from E / W Line of Section						
Well Number: 8-1	Sec. 8 Twp. 27 S. R. 19 ✓ East Wes						
Field: Cherokee Basin CBM							
Number of Acres attributable to well:	ls Section: ✓ Regular or ☐ Irregular						
QTR / QTR / QTR of acreage:SWSW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW						

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

715												 							
M5																			
M5																			
M5											1			•					
M5						•		•					•	٠			•		
M5																			
M5		' '	•	,	. ,	•		•		•	'		,		٠.	•	•	• •	•
M5																	,		
M5																			
M5						•		•						•					
M5								•											
M5			. ;	•		•		•		•			•			'		• •	•
M5																			
M5																			
M5		ľ						•			1						•		
M5								•			i		•				•		
M5		, <i>,</i> ,														,			
M5											ĺ								
M5																			
M5						-								•					
M5						•					ı,			•			•		
M5		ĺ								6	2								
m5						/	- Array saviety in		- y y-	-4	)・								
m5		1	•			•		•				•		•			•		
m5		Į	-			ı						٠		٠			•		
m5 =		i				,					)								
m5 =		1																	
m5								•					•						
m5		ĺ																	
m5 =		}				•		•											
m5 =		1								Ì	4								
n5		l																	
n5						•				- 1									
n5		ĺ																	
n5		]	•					•				•					•		
ns <del>k</del>		!	•		•			•				•					•		
ns <del>k</del>																			
				1.						ł									
	712 T		7	7	• •	•		•			·		•	 _		•	•		•
	-	Ì								ł				•					
			•	1			•	•						•					
			•	1				•				,		٠					
L	- 1		•	1/															
				Y	-		-	_											



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344							
Operator Address: 9520 North May	/ Avenue, Su	ıite 300 Ok	klahoma City, Okla	ahoma 73120						
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880								
Lease Name & Well No.: Nordt, P.J. F	Rev Trust #8-	Pit Location (QQQQ):								
Type of Pit:	Pit is:	<u></u>								
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec8Twp27R19							
Settling Pit 📝 Drilling Pit	If Existing, date c	constructed:	660 Feet from North / South Line of Section							
Workover Pit Haul-Off Pit	Pit capacity:		775 Feet from East / 📝 West Line of Section							
(If WP Supply API No. or Year Drilled)	300	(bbis)	Neosho	County						
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No		mg/l						
				y Pits and Settling Pits only)						
Is the bottom below ground level?  Yes  No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a pla	stic liner is not used?						
Pit dimensions (all but working pits):	0 Length (fe	eet) 10	Width (feet)	N/A: Steel Pits						
Depth fr	om ground level to de	eepest point:	10(feet)							
If the pit is lined give a brief description of the material, thickness and installation procedure		edures for periodic maintenance and determining								
,		Air Drilling	including any special monitoring.  Operation Lasting Approx & RECEIVED  APR 1.0.							
			- p	CORPORATION COMMISS.						
				2007						
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor			lowest fresh waterfeet. CONSERVATION Dates							
NA feet Depth of water well	feet	measu	suredwell ownerelectric logKDWR							
Emergency, Settling and Burn Pits ONLY:		1	over and Haul-Off Pits ONI							
			al utilized in drilling/workover: Air Drilled							
			rking pits to be utilized: One							
Barrels of fluid produced daily:		procedure: All Dry, back Fill and Cover								
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be			be closed within 365 days of spud date.							
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief	00						
April 9 2007 Date		Pichard si	Ignature of Applicant or Agent	By Klietianis						
	KCC	OFFICE USE ON	NLY	· ·						
Date Received: 4/10/07 Permit Numl	per:	Permi	t Date: 4/10/07 Lea	ase Inspection: Yes X No						