For KCC Use:

Effective Date:

District #

SGA2 Ves XINO

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date April 16, 2007	Spot ✓ E	ast
month day year	▲ / CE NIM NE 27 28 19	vest
	1010 feet from $\sqrt{N}$ N / S Line of Section	
OPERATOR: License# 33344 / Name: Quest Cherokee LLC	1680 feet from VE / W Line of Section	
	Is SECTION ✓ RegularIrregular?	
Address: 9520 North May Avenue, Suite 300 City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Neosho	
Phone: (405) 463-6880	Lease Name: Schultz, John G. Well #: 27-2	
	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC /	Is this a Prorated / Spaced Field?	Ne
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals -	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 960	
	Ground Surface Elevation: 984 feet	иSL
Oil Enh Rec / Infield Mud Rotaffy	Water well within one-quarter mile:	N6
, ✓ Gas Storage Poot Ext. ✓ Air Rotary  OWWO Disposal Wildcat Cable	Public water supply well within one mile:	]No′
OWO Disposa! Wildcat Cable Seismic: # of Holes Other	Depth to bottom of fresh water: 100 <	
Other Coalbed Methane	Depth to bottom of usable water: 200 -	
A Onici	Surface Pipe by Alternate: 1 2 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25 /	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1300 Cherokee Coats	
Original Completion Date:Original Total Depth:	1 orthador at rotal popul	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:  Well Farm Pond Other Air	
If Yes, true vertical depth:	Well Farm Pond Other AIF	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	
KCC DKT #:	Will Cores be taken? Yes ✓	No
	Tim Caree Bo tantam	
	If Yes, proposed zone:	_
	If Yes, proposed zone:	<u> </u>
AFFI	If Yes, proposed zone:  KANSAS CORPORATION CO	<u> </u>
AFFIE The undersigned hereby affirms that the drilling, completion and eventual plu	OAVIT  gging of this well will comply with K.S.A. 55 et. seq. APR 1.0. 200:	<u> </u>
	gging of this well will comply with K.S.A. 55 et. seq. APR 1 0 2007	) PMMISSION
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> </ol>	gging of this well will comply with K.S.A. 55 et. seq. APR 1 0 2007	) PMMISSION
Notify the appropriate district office <i>prior</i> to spudding of well;     A copy of the approved notice of intent to drill shall be posted on each	gging of this well will comply with K.S.A. 55 et. seq. APR 1 0 2007  CONSERVATION DIVISION	) PMMISSION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	gging of this well will comply with K.S.A. 55 et. seq. APR 1 0 2007  CONSERVATION DIVISION DIVISION OF CONTRACTION DIVISION OF CONTRACTION DIVISION DIVISION OF CONTRACTION DIVISION DIVISION OF CONTRACTION DIVISION DIVISION OF CONTRACTION DIVISION DI VISION DIVISIONI DI VISIONI D	) ) ) ) ) ) On
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> </ol>	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 200;  CONSERVATION DIVISION DIVISIONI DIVISI	) ) ) ) ) ) On
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> </ol>	gging of this well will comply with K.S.A. 55 et. seq. APR 1 0 2007  CONSERVATION DIVISION DIVISION DIVISION OF CONSERVATION DIVISION DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DI VISIONI DI VI	) ) ) ) ) ) On
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> </ol>	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 200;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe SHATACHESSET  e underlying formation.  strict office on plug length and placement is necessary prior to plugging  ed or production casing is cemented in;  d from below any usable water to surface within 120 days of spud date.	OMMISSION ON
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>	gging of this well will comply with K.S.A. 55 et. seq. APR 1 0 2007  CONSERVATION DIVISION DIVISION DIVISION OF CONSERVATION DIVISION DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DI VISIONI DI VI	OMMISSION ON
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION DI CARRILLI DI VISIONI DI LI CARRILLI DI VISIONI DI LI CARRILLI DI LI	OMMISSION ON
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 200;  CONSERVATION DIVISION DIVISION OF CONSERVATION DIVISION DIVISIONI DI CONSERVATION DIVISIONI DI CONSERVATION DIVISIONI DI CONSERVATION DIVISIONI DI CONSERVATIONI DI	OMMISSION ON
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 200;  CONSERVATION DIVISION DIVISION OF CONSERVATION DIVISION DIVISIONI DI CONSERVATION DIVISIONI DI CONSERVATION DIVISIONI DI CONSERVATION DIVISIONI DI CONSERVATIONI DI	OMMISSION ON
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 200;  CONSERVATION DIVISION DIVISION OF CONSERVATION DIVISION DIVISIONI DI CONSERVATION DIVISIONI DI CONSERVATION DIVISIONI DI CONSERVATION DIVISIONI DI CONSERVATIONI DI	OMMISSION ON
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of the control of the contro	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 200;  CONSERVATION DIVISION  In drilling rig;  by circulating cement to the top; in all cases surface pipe SHATALESSET  a underlying formation.  Interior office on plug length and placement is necessary prior to plugging  and or production casing is cemented in;  d from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cement  a plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	PMMISSION PM PM DN g; ting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of 10 Date: April 9, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-26901	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 200;  CONSERVATION DIVISION  In drilling rig;  by circulating cement to the top; in all cases surface pipe SHAMANSSET  a underlying formation.  Intrict office on plug length and placement is necessary prior to plugging  and or production casing is cemented in;  d from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cement  a plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	OMMISSION ON
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of 10 Date: April 9, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-26901	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 200;  CONSERVATION DIVISION DIVISIONI DI DIVISIONI DI DIVISIONI DIVISIONI DIVISIONI DIVISIONI D	PMMISSION PM PM DN g; ting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of 10 Date: April 9, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-26901-000  Conductor pipe required NONE feet	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 200;  CONSERVATION DIVISION DIVISIONI DI	PMMISSION PM PM DN g; ting
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and to the best of the part of the prior of April 9, 2007</li> <li>Signature of Operator or Agent:</li> </ol> For KCC Use ONLY API # 15	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 200;  CONSERVATION DIVISION DIVISIONI DI DIVISIONI DI DIVISIONI DIVISIONI DIVISIONI DIVISIONI D	OMMISSION ON g; ting
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and to the best of the conductor pipe required</li> <li>Signature of Operator or Agent:</li> </ol> For KCC Use ONLY API # 15 - 133 - 26901 - OP Conductor pipe required NONE feet per Alt. X2 Approved by: WHM H-10-07	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 200;  CONSERVATION DIVISION DIVISIONI DI CONSTRUCTORI DIVISIONI DI CONSTRUCTO DI CO	PMMISSION PM PM DN g; ting
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and to the best of the conductor pipe required Signature of Operator or Agent:</li> </ol> For KCC Use ONLY API # 15 - 133 - 26901 - OP Conductor pipe required NONE feet per Alt. Approved by: WHM H-10-07 This authorization expires: 10-10-07	Gays of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION DIVISIONI DI UNI DIVISIONI DI UNI DIVISIONI DI	OMMISSION ON Ting  27 27
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and to the best of the conductor pipe required</li> <li>Signature of Operator or Agent:</li> </ol> For KCC Use ONLY API # 15 - 133 - 26901 - OP Conductor pipe required NONE feet per Alt. X2 Approved by: WHM H-10-07	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 200;  CONSERVATION DIVISION DIVISIONI DI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVI	OMMISSION ON Ting  27 27
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and to the best of the conductor pipe required Signature of Operator or Agent:</li> </ol> For KCC Use ONLY API # 15 - 133 - 26901 - OP Conductor pipe required NONE feet per Alt. Approved by: WHM H-10-07 This authorization expires: 10-10-07	gging of this well will comply with K.S.A. 55 et. seq.  APR 1 0 2007  CONSERVATION DIVISION DIVISIONI	OMMISSION ON Ting  27 27

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-26901-0000	Location of Well: County: Neosho		
Operator: Quest Cherokee LLC	1010 feet from VN / S Line of Section		
Lease: Schultz, John G.	1680 feet from VE / W Line of Section		
Well Number: 27-2	Sec. 27 Twp. 28 S. R. 18 ✓ East Wes		
Field: Cherokee Basin CBM			
Number of Acres attributable to well:	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344			
Operator Address: 9520 North May	y Avenue, Su	iite 300 Ok	klahoma City, Oklah	noma 73120	
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880			
Lease Name & Well No.: Schultz, Joh	ın G. #27-2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SENWNE</u>		
Emergency Pit Burn Pit	✓ Proposed	Existing	1	18 🗸 East 🗌 West	
Settling Pit	If Existing, date constructed:		1010 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		1680 Feet from ✓	East / West Line of Section	
(II WE Supply AFTIND. OF Teat Diffied)	300	(bbls)	Neosho	County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🔽	☑ No	(For Emergency P	mg/l mg/l	
Is the bottom below ground level?  Yes No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plasti	c liner is not used?	
Pit dimensions (all but working pits):	30 Length (fe	eet) 10	Width (feet)	N/A: Steel Pits	
Depth fr	om ground level to d	eepest point:	10 (feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, in	edures for periodic maintenance ncluding any special monitoring		
		Air Drilling	Operation Lasting Ap	prox 3 DaysRECEIVED  KANSAS CORPORATION COMMISSION	
Distance to nearest water well within one-mile of pit  Depth to shallo Source of info		west fresh water mation:	feet. CONSERVATION DIVISION		
N/A feet Depth of water well		measured well owner electric log KDVR			
Emergency, Settling and Burn Pits ONLY:  Producing Formation:		1,00			
Number of producing wells on lease: Number of working pits to be utilized: One		2			
Barrels of fluid produced daily: Abandonment procedure: Air Dry, Back Fill and Co		nd Cover			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.		ud date.			
I hereby certify that the above state	ements are true and	correct to the best	of my knowledge and belief.	,	
April 9, 2007 Date  April 9, 2007  Signature of Applicant or Agent 7. Conclusions					
			Applicant of Agent A	· Contacting	
	KCC	OFFICE USE O		· WARM WITH	