For KCC Use: 4-15-07
Effective Date: 4-15-07
District # 3

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date April 16, 2007	Spot ✓ Eas
month day year	NE <u>SW</u> - <u>NE</u> Sec. 21 Twp. 28 S. R. 18 Wes
OPERATOR: License#	2125feet from V N / S Line of Section
Name: Quest Cherokee LLC	2000 feet from VE / W Line of Section
9520 North May Avenue, Suite 300	Is SECTION _✓ _RegularIrregular?
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: (405) 463-6880	Lease Name: Spieker, Hugo / Well #: 21-4
	Field Name: Cherokee Basin CBM C
CONTRACTOR: License# Will be licensed by the KCC	
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals / Yes V
	larget Formation(s); Statistical Statistic
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 515
Oil Enh Rec V Infield Mud Rotary	Ground Surface Elevation: 973 - feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ N
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Saismic: # of Holes Other	Depth to bottom of fresh water:
✓ Other Coalbed Methane	Depth to bottom of usable water: 200 Surface Pipe by Alternate: 1 2
	Surface Pipe by Alternate: 1 2
If OWWO: oid well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗍)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF	IDAVIT RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	RECEIVED Nugging of this well will comply with K.S.A. 55 et. seq. APR 1 0 2007
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti. If the well is dry hole, an agreement between the operator and the control of the control of	APR 1 0 2007 ch drilling rig; et by circulating cement to the top; in all cases surface NSERWAY CRESTON IN MICHITA KS district office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the control of the state of the state of the specified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	APR 1 0 2007 The characteristic comply with K.S.A. 55 et. seq: The CORPORATION COMP APR 1 0 2007 The characteristic complete to the top; in all cases surface in the complete complete to the underlying formation. WICHITA IN THE COMP IN THE COM
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the sec	APR 1 0 2007 The drilling rig; The top circulating cement to the top; in all cases surface in the underlying formation. The un
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the second of the seco	APR 1 0 2007 ch drilling rig; et by circulating cement to the top; in all cases surface MSERWANGER DIVISION MICHITA KS gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into tl. 4. If the well is dry hole, an agreement between the operator and the construction of the specified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction. Signature of Operator or Agent: **Date: April 9, 2007** Signature of Operator or Agent:	APR 1 0 2007 ch drilling rig; et by circulating cement to the top; in all cases surface NSERVALOR DISSION MICHITA KS gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the desired through all unconsolidated materials plus a minimum of 20 feet into the desired to the desired through all unconsolidated materials plus a minimum of 20 feet into the desired through all unconsolidated materials plus a minimum of 20 feet into the desired through the well is desired through the desired through through the desired through the desired through the desired through through the desired through the desired through through through through the desired through throug	APR 1 0 2007 ch drilling rig; et by circulating cement to the top; in all cases surface MSERWANGER DIVISION MICHITA KS gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the specified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plugible. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 26898 - 700 - 700	APR 1 0 2007 ch drilling rig; et by circulating cement to the top; in all cases surface NSERVANICADE SION MICHITA KS garden or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the specified before well is either plus of the specified b	APR 1 0 2007 The character of the comply with K.S.A. 55 et. seq. and conformation complete to the top; in all cases surface in the underlying formation. Wichitz K.S.A. 55 et. seq. and conformation complete to the top; in all cases surface in the underlying formation. Wichitz K.S.A. 55 et. seq. and conformation complete to the top; in all cases surface in the underlying formation. Wichitz K.S.A. 55 et. seq. and conformation complete to the top; in all cases surface in the underlying form to any complete to pilotic or prior to pilogging; and the underlying in th
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the construction of the statement of the statement of the statement of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the prior of the statement of the determinant of the post of the spud date or the well shall the prior of the statement of the statement of the post of the spud date or the well shall the prior of the statement of the statement of the prior of the statement of the statement of the prior of the statement of the sta	APR 1 0 2007 AP
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the cost. The appropriate district office will be notified before well is either pluging the surface casing order of the well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spudic date or the well shall thereby certify that the statements made herein are true and to the best of Date: April 9, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Society of the product of the produc	APR 1 0 2007 AP
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the desired to the well is dry hole, an agreement between the operator and the cost. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: April 9, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - SS - 26.898 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 5	APR 1 0 2007 AP
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the cost. The appropriate district office will be notified before well is either pluging the surface casing order of the well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spudic date or the well shall thereby certify that the statements made herein are true and to the best of Date: April 9, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Society of the product of the produc	APR 1 0 2007 AP
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the specific plus is either plus of the specific plus is either plus of the specific plus of the	APR 1 0 2007 AP
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the desired through all unconsolidated materials plus a minimum of 20 feet into the desired surface and the construction of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed and the complete of the spud date or the well shall be completed and the complete of the spud date or the well shall be completed and the completed within 30 days of the spud date or the well shall be completed and the complete of the complete of the spud date or the well shall be completed and the complete of the comple	APR 1 0 2007 AP

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 133-26898-00 00	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	2125 feet from VN / S Line of Section
Lease: Spieker, Hugo	2000 feet from 🗸 E / W Line of Section
Well Number: 21-4 Field: Cherokee Basin CBM	Sec. 21 Twp. 28 S. R. 18 ✓ East Wes
Number of Acres attributable to well: QTR / QTR / QTR of acreage:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344	
Operator Address: 9520 North May	y Avenue, Suit	te 300 Ok	lahoma City, Oklahoma 73120
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880	
Lease Name & Well No.: Spieker, Hugo #21-4		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 21 Twp. 28 R. 18
Settling Pit	If Existing, date cor	nstructed:	2125 Feet from 🗸 North / South Line of Section
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		2000 Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water	Area? Yes	-No	Chloride concentration:mg/l
			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? ☐ Yes ☑ No	Artificial Liner? ☐ Yes ✓ N	lo	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	30 Length (fee	_{et)} 10	Width (feet) N/A: Steel Pits
Fit differsions (all but working pito).	rom ground level to dee		40
If the pit is lined give a brief description of the			dures for periodic maintenance and determining
material, thickness and installation procedure	е.	liner integrity, in	ncluding any special monitoring.
		Air Drilling	Operation Lasting Approx 3 Days
		_	PEO
		J	KANSAS CORPORATION CO
			KANSAS CORPORATION CO
Distance to nearest water well within one-mil	le of pit		RECEIVED KANSAS CORPORATION COI APR 1 0 2007
Distance to nearest water well within one-mil		Depth to shallo Source of infor	KANSAS CORPORATION COI West fresh waterfeet.
,	feet	Depth to shallo Source of infor measu Drilling, Work	West fresh waterfeet. mation: CONSERVATION DIVISION redwell owner electric logWICHIEN WEST over and Haul-Off Pits ONLY:
NA feet Depth of water well_	feet	Depth to shallo Source of informeasu Drilling, Work	West fresh waterfeet. mation: CONSERVATION DIVISION redwell owner electric logWICHIER WS over and Haul-Off Pits ONLY: It utilized in drilling/workover: Air Drilled
NA feet Depth of water well Emergency, Settling and Burn Pits ONLY	feet	Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor	West fresh waterfeet. mation: CONSERVATION DIVISION redwell ownerelectric logWICHIFFO KS over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One
NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet:	Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor	West fresh waterfeet. mation: CONSERVATION DIVISION redwell owner electric logWICHIER WS over and Haul-Off Pits ONLY: It utilized in drilling/workover: Air Drilled
NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet:	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment	West fresh waterfeet. mation: CONSERVATION DIVISION redwell ownerelectric logWICHIFFO KS over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One
NA feet Depth of water well	feet:	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must I	west fresh waterfeet. mation: CONSERVATION DIVISION over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One procedure: Air Dry, Back Fill and Cover
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state	feet:	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be correct to the bes	west fresh waterfeet. mation:
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	feet:	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be correct to the bes	west fresh waterfeet. mation: CONSERVATION DIVISION over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One procedure: Air Dry, Back Fill and Cover
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state April . 9, 2007	feet:	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be correct to the bes	west fresh waterfeet. mation:
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No I hereby certify that the above state April . 9, 2007 Date	ements are true and co	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be correct to the besenger of th	west fresh waterfeet. mation: