For KCC Use: 4-15-07
Effective Date: 4-15-07
District #______

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date April 16, 2007	Spot ✓ £ast	
	E NW NE Sw Sec. 34 Twp. 28 S. R. 18 West	
OPERATOR: License#	2240 feet from N / V S Line of Section	
Name: Quest Cherokee LLC	feet fromE / V Line of Section	
9520 North May Avenue, Suite 300	ls SECTIONRegularirregular?	
Address: Okiahoma City, Oklahoma 73120 City/State/Zip: Okiahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person; Richard Marlin	County: Neosho	
Phone: (405) 463-6880	Lease Name. Thornton, Dale Well #: 34-2	
	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC	is this a Prorated / Spaced Field? Yes ✓ No	
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Dilled Form Well Oleans Tone Foreignment	Nearest Lease or unit boundary: 400	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 938 feet MSL	
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No	
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:	
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100	
Selsmic; # of Holes Other Other Coalbed Methane	Depth to bottom of usable water: 200	
Other Oddibed Wethane	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1300	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken? Yes ✓ No	
	If Yes, proposed zone:	
ΔFF	IDAVIT lugging of this well will comply with K.S.A. 55 et. seg. RECEIVED KANSAS CORPORATION COM	
The undersigned hereby affirms that the drilling, completion and eventual pl	Jugging of this well will comply with K.S.A. 55 et. seg.	
It is acreed that the following minimum requirements will be met:	KANSAS CORPORATION	
Notify the appropriate district office <i>prior</i> to spudding of well;	ORATION COM	MSSION
2. A copy of the appropriate district office <i>prior</i> to spadding of well,	ch drilling rig: APR 1.0 2002	
3. The minimum amount of surface pipe as specified below shall be se	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set 007	
through all unconsolidated materials plus a minimum of 20 feet into the	the ty circulating cement to the lop; in all cases surface pipe shall be set to the underlying formation. CONSERVATION DISTRIBUTION OF THE PROPERTY OF THE PR	
4. If the well is dry hole, an agreement between the operator and the d	district office on plug length and placement is necessary prior of plantages on	
5. The appropriate district office will be notified before well is either plug	gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.	
	#133,891-C, which applies to the KCC District 3 area, alternate II cementing	
	be plugged. In all cases, NOTIFY district office prior to any cementing.	
I hereby certify that the statements made herein are true and to the best of	f my knowledge and belief.	
Date: April 9, 2007 Signature of Operator or Agent:		
For KCC Use ONLY	Remember to:	
For KCC Use ONLY 32-26894-00-00	Remember to:	
API # 15 - 133 - 26894 -00 -00	Remember to:	ı
API # 15 - 133 - 24894 - 00 - 00 Conductor pipe required NONE feet	Remember to:	ı
API # 15 - 133 - 24894 - 00 - 00 Conductor pipe required NONE feet Minimum surface pipe required 20 feet per Alt. X (2)	Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form AQO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	t
API # 15 - 133 - 24894 - 00 - 00 Conductor pipe required NONE feet Minimum surface pipe required 20 feet per Alt. X (2)	Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form AQO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	t
API # 15 - 133 - 24894 - 00 - 00 Conductor pipe required NONE feet Minimum surface pipe required 20 feet per Alt. X 62 Approved by: WHW 4-10-07	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;	i
API # 15 - 133 - 24894 - 00 - 00 Conductor pipe required NONE feet Minimum surface pipe required 20 feet per Alt. X 62 Approved by: WHY 4-10-07 This authorization expires: 10-10-07	Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	ı
API # 15 - 133 - 24894 - 00 - 00 Conductor pipe required NONE feet Minimum surface pipe required 20 feet per Alt. X 62 Approved by: WHW 4-10-07	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	ı
API # 15 - 133 - 24894 - 00 - 00 Conductor pipe required NONE feet Minimum surface pipe required 20 feet per Alt. X 62 Approved by: WHY 4-10-07 This authorization expires: 10-10-07	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ı

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-26894-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	2240feet fromN / 🗸 S Line of Section
Lease: Thornton, Dale	1890 feet from E / V W Line of Section
Well Number: 34-2 Field: Cherokee Basin CBM	Sec. 34 Twp. 28 S. R. 18 Ves
Number of Acres attributable to well: QTR / QTR / QTR of acreage: SE NW - NE - SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	-	•	•	•				•
		•	•	•				
		•		•	,			•
		•	•					
		•						•
								•
		•	•	•				•
						· · · · .		
	ì			•				
								•
		•			1.			
.:_					1			
1390		-		-				
•				-				
				.				
						,		
		1						
			- 1					•
				•				•
				•				•
	' ' '						,	
					,			
				•				
			-		· · · · · · · · · · · · · · · · · · ·			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee L.	LC		License Number: 33344	
Operator Address: 9520 North May	y Avenue, Sui	te 300 Ok	lahoma City, Oklahoma 73	3120
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Thornton, Dale #34-2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE _ SW	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 34 _{Twp.} 28 _{R.} 18 ✓	East West
Settling Pit	If Existing, date con	nstructed:	2240 Feet from North / 🗸	South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from ☐ East / ✓ Neosho	West Line of Section
Is the pit located in a Sensitive Ground Water			Chloride concentration:	mg/l
Is the bottom below ground level? Yes V No	Artificiał Liner? ☐ Yes ✓ N	lo .	How is the pit lined if a plastic liner is not	used?
The difficultion (all but working pito).	Length (fee	•	·	N/A: Steel Pits
Distance to nearest water well within one-mile			Operation Lasting Approx 3 Da ເປ	ANSAS CORPORATION COMMI
NA feet Depth of water well	•	Deptil to shallo	west fresh waterfeet.	70 7 7 7 7 7 7 7 7 7 7 7
	feet	Source of infor		CONSERVATION DE
	feet	Source of infor	nation: red well owner electric log	CONSERVATION DIVISION
Emergency, Settling and Burn Pits ONLY:		Source of information measurement Drilling, Works	mation:	CONSERVATION DE
Emergency, Settling and Burn Pits ONLY: Producing Formation:		Source of information measurements Drilling, Worker Type of material Number of work	mation: redweil ownerelectric log over and Haul-Off Pits ONLY: I utilized in drilling/workover: Air Drilled king pits to be utilized: One	CONSERVATION DIVISION WICHETARKS
Emergency, Settling and Burn Pits ONLY: Producing Formation:		Source of information measurements Drilling, Worker Type of material Number of work	mation: red weil owner electric log over and Haul-Off Pits ONLY: I utilized in drilling/workover: Air Drilled	CONSERVATION DE
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all		Source of information measurement prilling, Worker Type of material Number of work Abandonment principles	mation: redweil ownerelectric log over and Haul-Off Pits ONLY: I utilized in drilling/workover: Air Drilled king pits to be utilized: One	CONSERVATION DIVISION WICHBIARKS
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	spilled fluids to	Drilling, Worked Type of material Number of work Abandonment p	mation: redwell ownerelectric log over and Haul-Off Pits ONLY: I utilized in drilling/workover: Air Drilled sing pits to be utilized: One orocedure: Air Dry, Back Fill and Cover e closed within 365 days of spud date.	CONSERVATION DIVISION WICHBIARKS
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Source of information measu Drilling, Worker Type of materia Number of work Abandonment p Drill pits must be correct to the best	mation: redwell ownerelectric log over and Haul-Off Pits ONLY: I utilized in drilling/workover: Air Drilled sing pits to be utilized: One orocedure: Air Dry, Back Fill and Cover e closed within 365 days of spud date.	CONSERVATION DIVISION WICHBIARKS
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above state April :9, 2007	spilled fluids to ements are true and co	Source of information measu Drilling, Worker Type of materia Number of work Abandonment p Drill pits must be correct to the best	well owner electric log over and Haul-Off Pits ONLY: I utilized in drilling/workover: Air Drilled using pits to be utilized: One orocedure: Air Dry, Back Fill and Cover e closed within 365 days of spud date. of my knowledge and belief.	CONSERVATION DIVIS ON WIGHERAFKS