For KCC Use. 4-17-07

Effective Date. 3

District # No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date April 10, 2007	Spot  V	st
month day year	NE _ <u>SW</u> Sec. 21 Twp. 29 S. R. 17 We	est
22244	✓ 1850feet fromN / ✓ S Line of Section	
OPERATOR: License# 4.5	1700feet fromE / V W Line of Section	
Ouest Cherokee LLC	Is SECTION   ✓ Regular Irregular?	
Address: 9520 North May Avenue, Suite 300	(Note: Locate well on the Section Plat on reverse side)	
Address: Oklahoma City, Oklahoma 73120  City/State/Zip:	- Wilson	
Contact Person: Richard Marlin	County: Willer, David E. Well #: 21-3	
Phone: (405) 463-6880	Field Name: Cherokee Basin CBM	_
CONTRACTOR: License# Will be licensed by the KCC	1 -   -	No /
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?  Target Formation(s): Cherokee Coals  Yes ✓	
Name: Till datios on movies	Target Formation(s):	<del></del>
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 790°  County Surface Floration: 890 feet M	ISI
Oil Enh Rec  Infield  Mud Rotary	Ground Surface Elevation.	
	Water west within one desired	
V das	· •••	NO
	Depth to bottom of fresh water: 100 c	
Seismic; # of Holes Other  Other Coalbed Methane	Depth to bottom of usable water: 200	<del>_</del>
✓ Utner	Surface Pipe by Alternate: 1 2 2 25 -	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1300 - Charakea Coale	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coale	<del>-</del>
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗍)	1
KCC DKT #:	Will Cores be taken? Yes ✓	No
	If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual p	RECEIVE	
, is agreed man are some	augging of the ton the semply	D Commissi
Notify the appropriate district office <i>prior</i> to spudding of well;	APR 1 2 200	07
Notify the appropriate district office <i>prior</i> to spudding of well;	APR 1 2 200	07
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i>.</li> </ol>	ch drilling rig;  et by circulating cement to the top; in all cases surfaceOpens that be set	)7 Slav
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the surface pipe.</li> </ol>	ch drilling rig;  et by circulating cement to the top; in all cases surface comes that be set the underlying formation.  district office on plug length and placement is necessary prior companies.	)7 Slav
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the state of t</li></ol>	ch drilling rig;  et by circulating cement to the top; in all cases surface of the set the underlying formation.  With the underlying formation.  district office on plug length and placement is necessary prior to pugging the production casing is cemented in;	)7 Slav
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the control of the surface of the surfac</li></ol>	ch drilling rig;  et by circulating cement to the top; in all cases surface constant be set the underlying formation.  district office on plug length and placement is necessary prior companies in the form below any usable water to surface within 120 days of spud date.  #133.891-C. which applies to the KCC District 3 area, alternate II cement	07 Sion Si
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the control of the surface of the plus of the surface of the lift an ALTERNATE II COMPLETION, production pipe shall be cement.</li> </ol>	ch drilling rig;  et by circulating cement to the top; in all cases surface constant be set the underlying formation.  district office on plug length and placement is necessary prior companies in the form below any usable water to surface within 120 days of spud date.  #133.891-C. which applies to the KCC District 3 area, alternate II cement	07 Sion Si
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the control of the surface of the specified district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>	ch drilling rig:  et by circulating cement to the top; in all cases surface companies be set the underlying formation.  district office on plug length and placement is necessary prior companies ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.	07 Sion Si
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the control of the surface of the surfac</li></ol>	ch drilling rig; et by circulating cement to the top; in all cases surface of the set the underlying formation.  district office on plug length and placement is necessary prior of publicing ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.	07 Sion Si
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the specific to	ch drilling rig:  et by circulating cement to the top; in all cases surface companies be set the underlying formation.  district office on plug length and placement is necessary prior companies ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.	07 Sion Si
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set to the set of the well is dry hole, an agreement between the operator and the constant of the set of	ch drilling rig; et by circulating cement to the top; in all cases surface of the set the underlying formation.  district office on plug length and placement is necessary prior to put finding ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate It cement be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief  Title: VP	07 Sion Si
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface of the specific strict office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate appropriate district office will be notified before well is either plus of the appropriate appropriate appropriate district office will be notified before well is either plus of the appropriate approp	ch drilling rig; et by circulating cement to the top; in all cases surface of the set the underlying formation. district office on plug length and placement is necessary prior to pure good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief  Title: VP	07 Sion Si
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set o	ch drilling rig; et by circulating cement to the top; in all cases surface of the set the underlying formation. district office on plug length and placement is necessary prior to publishing ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;	07 Sion Si
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of the	ch drilling rig; et by circulating cement to the top; in all cases surface of spall be set the underlying formation. district office on plug length and placement is necessary prior to publishing ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	07 Sion Si
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the constant of the set of the s	ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation.  district office on plug length and placement is necessary prior completely prior to production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	07 Sion Si
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set to the set of the set o	ch drilling rig:  et by circulating cement to the top; in all cases surface the underlying formation.  district office on plug length and placement is necessary prior district office on plug length and placement is necessary prior district prior to prior to prior to put the underlying good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;	07 Sion Si
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the set o	ch drilling rig;  et by circulating cement to the top; in all cases surface of the set the underlying formation.  district office on plug length and placement is necessary prior disputating ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	07 Sion Si
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the control of the surface district office will be notified before well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well-shall hereby certify that the statements made herein are true and to the best of Date:  April 11, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27 150 - 00 - 00  Conductor pipe required 10 NE feet  Minimum surface pipe required 20 feet per Alt. X(2)  Approved by:  HONLY  Approved by:  LONG  10 - 12 - 07	ch drilling rig;  et by circulating cement to the top; in all cases surface of the set the underlying formation.  district office on plug length and placement is necessary prior district prior to put find ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.  If this permit has expired (See: authorized expiration date) please	07 Sion Si
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of the	ch drilling rig:  If the underlying formation.  Idistrict office on plug length and placement is necessary prior disputating good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief  Title:  **P**  **Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	07 Sion Si
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of the	ch drilling rig:  If by circulating cement to the top; in all cases surface the underlying formation.  Idistrict office on plug length and placement is necessary prior to pugaing ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Wetl Not Drilled - Permit Expired	07 Sion Si
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of the	ch drilling rig:  If the underlying formation.  Idistrict office on plug length and placement is necessary prior disputating good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief  Title:  **P**  **Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	07 Sion Si

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


APINO. 15-205-27150-00-00	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	1850 feet from N / S Line of Section
Lease: Miller, David E.	1700 feet from E / W Line of Section
Well Number: 21-3	Sec. 21 Twp. 29 S. R. 17 ✓ East Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 📝 Regular or 📗 Irregular
QTR / QTR / QTR of acreage: NE SW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





#### NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	/ Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120	
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880		
Lease Name & Well No.: Miller, David E. #21-3		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE SW	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 21 Twp. 29 R. 17 Fast \( \bigc\)	<i>N</i> est
Settling Pit	If Existing, date constructed:		1850 Feet from North / 🗸 South Line of	of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	1700 Feet from ☐ East / ✓ West Line Wilson	
Is the pit located in a Sensitive Ground Water	Area? Yes	] No	Chloride concentration:(For Emergency Pits and Settling Pits only)	mg/l
Is the bottom below ground level?  Yes No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?	
,	Length (for		40	Pits
material, thickness and installation procedur	э.		Operation Lasting approximates Corporation Casting Approximates Corporation Casting Approximates Corporation (APR 1 2)	2007
Distance to nearest water well within one-mit		Q00,00 0,	west fresh waterfeet. CONSERVATION mation: WICHITA iredwell ownerelectric log	KS I
NA feet Depth of water well_			over and Haul-Off Pits ONLY:	
		1	Type of material utilized in drilling/workover: Air Drilled	
Number of producing wells on lease: Numbe		Number of wor	Number of working pits to be utilized: One	
Barrels of fluid produced daily: Abandonment procedure: Air Dry, Back Fill and Cover				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits m		Drill pits must	ust be closed within 365 days of spud date.	
1 hereby certify that the above stat	ements are true and	correct to the bes	t of my knowledge and belief.	0514
April 11, 2007  Date		) cha	ignature of Applicant or Agent	`
	ксс	OFFICE USE O	NLY	02 - 00 