For KCC Use: 4-21-07

Effective Date: 3

SGA? | Yes | X | No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date April 20, 2007	Spot East
month day year	NE SW SW Sec. 7 Twp. 24 S. R. 14 West
OPERATOR: License# 33640	1246 feet from N / S Line of Section
Name: Haas Petroleum, LLC	763 feet from E / W Line of Section
Address 800 West 47th St. Suite 409	Is SECTION RegularIrregular?
Address: 800 West 47th St. Suite 409 City/State/Zip: Kansas City, MO 64112	·
Contact Person: Mark Haas	(Note: Locate well on the Section Plat on reverse side) County: Woodson
Phone: (816) 531-5922	Lease Name: Dye Well # 21
	Lease Name: Dye Well #: 21 Well #: 21
CONTRACTOR: License# 33557 /	Is this a Prorated / Spaced Field?
Name: Skyy Drilling, LLC	Target Formation(s): Mississippian
Wall Dalle J. F. Wall Co. T. F. C.	Nearest Lease or unit boundary: 763'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1135 feet MSL
V Oil Enh Rec V Infield - V Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+
Seismic; # of Holes Other	Depth to bottom of usable water: 200+
Other	Surface Pipe by Alternate: 1 2 /
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required: N/A '
Well Name:	Projected Total Depth: 1700'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well 🗸 Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	117.
	Will Cores be taken? P⊆O⊏ Yes ✓ No
	If Yes, proposed zone: KANSAS CORPORATION
	If Yes, proposed zone: KANSAS CORPORATION COMMISSION
AFF	If Yes, proposed zone: KANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drifling, completion and eventual pl	If Yes, proposed zone: KANSAS CORPORATION COMMISSION IDAVIT lugging of this well will comply with K.S.A. 55 et. seAPR 1 3 2007
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: KANSAS CORPORATION COMMISSION IDAVIT lugging of this well will comply with K.S.A. 55 et. sed PR 1 3 2007 CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: KANSAS CORPORATION COMMISSION IDAVIT lugging of this well will comply with K.S.A. 55 et. seq PR 1 3 2007 CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual pi It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: KANSAS CORPORATION COMMISSION IDAVIT lugging of this well will comply with K.S.A. 55 et. seq PR 1 3 2007 CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual pi It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. sed PR 1 3 2007 CONSERVATION DIVISION WICHTA, KS et by circulating cement to the top; in all cases surface pipe shall be set
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be approved notice of intent to drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be drill the well is dry hole, an agreement between the operator and the drill shall be seen to be drill the well is dry hole, an agreement between the operator and the drill shall be seen to be drill the well is dry hole, an agreement between the operator and the drill shall be seen to be drill the seen to be seen to be drill the seen	If Yes, proposed zone: KANSAS CORPORATION COMMISSION IDAVIT lugging of this well will comply with K.S.A. 55 et. sed PR 1 3 2007 CONSERVATION DIVISION WICHTA, KS et by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drifling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the design of the surface pipe as specified before and the design of the surface pipe as specified before well is either plugible. 4. If the well is dry hole, an agreement between the operator and the design of the surface pipe as specified before well is either plugible.	If Yes, proposed zone: KANSAS CORPORATION COMMISSION IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.PR 1 3 2007 CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the defence of the appropriate district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement.	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.PR 1 3 2007 CONSERVATION DIVISION WICHTA, KS et by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
AFF The undersigned hereby affirms that the drifling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the defence of the second of the sec	If Yes, proposed zone: KANSAS CORPORATION COMMISSION IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.PR 1 3 2007 CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug that appropriate district office will be notified before well is either plug that all the district office will be notified before well is either plug that all the district office will be notified before well is either plug that all the district office will be notified before well is either plug that all the district office will be notified before well is either plug that all the district office will be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: KANSAS CORPORATION COMMISSION LUDAVIT Lugging of this well will comply with K.S.A. 55 et. sed PR 1 3 2007 CONSERVATION DIVISION WICHITA, KS Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; gred or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the se	If Yes, proposed zone: KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set no underlying formation. Resident office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the se	If Yes, proposed zone: KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set no underlying formation. Resident office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the se	If Yes, proposed zone: KANSAS CORPORATION COMMISSION RECEIVED WANSAS CORPORATION COMMISSION Linguing of this well will comply with K.S.A. 55 et. sed PR 1 3 2007 CONSERVATION DIVISION WICHITA, KS Linguing formation. Listrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill are	If Yes, proposed zone: KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set no underlying formation. Restrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set o	If Yes, proposed zone: KANSAS CORPORATION COMMISSION RECEIVED WANSAS CORPORATION COMMISSION Linguing of this well will comply with K.S.A. 55 et. sed PR 1 3 2007 CONSERVATION DIVISION WICHITA, KS Linguing formation. Listrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the drill and the second and the drill and the second and the drill and the second and the drill and the drill and the drill are second and the drill and the drill are second and the drill and the drill are second an	If Yes, proposed zone: KANSAS CORPORATION COMMISSION RECEIVED WANSAS CORPORATION COMMISSION Lugging of this well will comply with K.S.A. 55 et. sed PR 1 3 2007 CONSERVATION DIVISION WICHITA, KS Let by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. Listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual pill is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	If Yes, proposed zone: KANSAS CORPORATION COMMISSION RECEIVED WANSAS CORPORATION COMMISSION Lugging of this well will comply with K.S.A. 55 et. sed PR 1 3 2007 CONSERVATION DIVISION WICHITA, KS Let by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. Illistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual pill is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	If Yes, proposed zone: KANSAS CORPORATION COMMISSION Lugging of this well will comply with K.S.A. 55 et. sed PR 1 3 2007 CONSERVATION DIVISION WICHITA, KS Let by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. Listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. 3. The minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug to the first an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: 4/12/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27-134-00-00 Conductor pipe required NOME feet Minimum surface pipe required to the pipe required feet per Alt. X62 Approved by: WHM 4-16-0+	If Yes, proposed zone: KANSAS CORPORATION COMMISSION Unugging of this well will comply with K.S.A. 55 et. sed PR 1 3 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. Instrict office on plug length and placement is necessary prior to plugging; upged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed, Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual pill is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	If Yes, proposed zone: KANSAS CORPORATION COMMISSION Lugging of this well will comply with K.S.A. 55 et. sed PR 1 3 2007 CONSERVATION DIVISION WICHITA, KS Let by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. Listrict office on plug length and placement is necessary prior to plugging; used or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of t	If Yes, proposed zone: KANSAS CORPORATION COMMISSION Loging of this well will comply with K.S.A. 55 et. sedPR 1 3 2007 CONSERVATION DIVISION WICHITA, KS Lot by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual pill is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the office will be notified before well is either plug of the superior of the set of the specific plug of the spud date or the well shall of the price of the spud date or the well shall of the price of the spud date or the well shall of the price of the spud date or the well shall of the statements made herein are true and to the best of the spud date of the well shall of the statements made herein are true and to the best of the spud date or the well shall of the statements made herein are true and to the best of the spud date of the well shall of the statements made herein are true and to the best of the spud date of the well shall of the statements made herein are true and to the best of the spud date of the well shall of the spud date of the spud date of the well shall of the spud date of the well shall of the spud date of the spud date of the well shall of the spud date of the s	If Yes, proposed zone: KANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS To by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual pill is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an interval all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the drill and ALTERNATE II COMPLETION, production pipe shall be cement of the completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the conductor pipe required. For KCC Use ONLY API # 15 - 207 - 27-134-00-00 Conductor pipe required. Minimum surface pipe required. H.O. feet per Alt. Approved by: WHMM H-16-07 This authorization explres: 10-16-07	If Yes, proposed zone: KANSAS CORPORATION COMMISSION Loging of this well will comply with K.S.A. 55 et. sedPR 1 3 2007 CONSERVATION DIVISION WICHITA, KS Lot by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 20	7 - 2:	7135	1-000	0		Lo	cation of Well	f: County: Woodson	
Operator: Haas Pet	roleum, Ll	.C					246	feet from N / V S Line of Section	
Lease: Dye						76	33	feet from E / W Line of Section	
Well Number: 21 Field: Winterschied				Sec7Twp24 S. R14					
Number of Acres attributable to well:		1s							
QTR / QTR / QTR of acreage: NE - SW - SW			If :						
						Section corner used: NE NW SE SW			
						PLAT			
	(Show loca						prorated or spaced wells.)	
			(Show	footage	to the nea	rest lease	e or unit boun	ndary line.)	
	•								
		•							
	· · · · · · · · · · · · · · · · · · ·	· · · ·	,					RECEIVED KANSAS CORPORATION COMMISSION	
								APR 1 3 2007	
:			-			, ,	•	CONSERVATION DIVISION WICHITA, KS	
			.				,	4.10	
								EXAMPLE	
•									
		•						· · · · · · · · · · · ·	
								1980	
						•	•	10	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		omit in Ouplicat				
Operator Name: Haas Petroleum	, LLC		License Number: 33640			
Operator Address: 800 West 47th Street, Suite 409, Kansas City, MO 64112						
Contact Person: Mark Haas	<u> </u>	Phone Number: (816) 531 - 5922				
Lease Name & Well No.: Dye #21		Pit Location (QQQQ):				
Type of Pit:	Pit is:		NW NE SW SW			
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 7 Twp. 24S R. 14 Fast West			
Settling Pit	If Existing, date co	onstructed:	1246 Feet from North / V South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		763 Feet from East / 🗸 West Line of Section			
(If WP Supply API No. or Year Drilled)	120	(bbls)	Woodson			
is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes No	Yes 🗸 I	No	Native Mud			
Pit dimensions (all but working pits): 45 Length (feet) 8 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 3 (feet)						
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION APR 1 3 2007				
			CONSERVATION DIVISION			
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh water feet. Wiell if, KG			
パイ feet Depth of water well	. feet	meası	ured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY: Dr			over and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Drilling Mud				
Number of producing wells on lease:		Number of working pits to be utilized: 2				
Barrels of fluid produced daily:		Abandonment	procedure: Air dry and backfill			
Does the slope from the tank battery allow all flow into the pit?	spilled fluids to	Drill pits must	be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
4/12/2007 Date ### Signature of Applicant or Agent						

KCC OFFICE USE ONLY

Date Received 4/13/07

Permit Number:

D 21D 4

4/13/07

Lease Inspection

Yes No