For KCC Use:

Effective Date:

District #

SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date April 21, 2007		ast
month day year	CE/2 - SW - SE Sec. 28 Twp. 16 S. R. 27 W	est
OPERATOR: License# 33934	660 feet from N / ✓ S Line of Section	
Name: White Rock Oil, LLC	teet from VE / W Line of Section	
Address: 10603 S. Waverly Street	Is SECTION <u>✓</u> RegularIrregular?	
Address: Olathe, KS 66061-9040	(Note: Locate well on the Section Plat on reverse side)	
Contact Person; Don Parr	County: Lane	
Phone: (913) 583-1726 (913) 709-6693	Lease Name: Parr Well #: 2	
CONTRACTOR: License# Will be licensed by KCC	Field Name: Pendennis	
Name: Will advise on ACO-1 Form	Is this a Prorated / Spaced Field?	No
Name:	Target Formation(s): Mississippian	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660'	
✓ Oil — Enh Rec ✓ Infield — ✓ Mud Rotary —	Ground Surface Elevation: 2708 feet M	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓	
OWO Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic;# of Holes Other	Depth to bottom of fresh water: 100+-	
Other	Depth to bottom of usable water:	
	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 225'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 5,000' Examplion at Total Depth: Mississippian	
Original Completion Date:Original Total Depth:	Tomation at total beptil.	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other	
If Yes, true vertical depth:	U Well ✓ Farm Pond Other Other	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken? Yes ✓	No
	If Yes, proposed zone:	NO
AFF	IDAVIT KANSAS CORPORATION COMM	ission
The undersigned hereby affirms that the drilling, completion and eventual p	IDAVIT CANSAS CORPORATION COMM lugging of this well will comply with K.S.A. 55 et. seq. APR 1 6 2007	ission
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:	IDAVIT CANSAS CORPORATION COMM lugging of this well will comply with K.S.A. 55 et. seq. APR 1 6 2007	ission
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	lugging of this well will comply with K.S.A. 55 et. seq. APR 1 6 2007	188101
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ch drilling rig: CONSERVATION DIVISION	101281
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface property formation.	
 The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the drilling in the surface of the surfac	ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe limit to the set the underlying formation. Conservation Division of the limit to the set the underlying formation. Conservation Division of the limit to the lim	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface of the underlying formation. Conservation division in all cases surface of the life of the life of the underlying formation. Conservation division division in all cases surface of the life of th	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the drift of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement.	ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface of the set the underlying formation. Conservation district office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date.	ı;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the formal that the surface will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface of the underlying formation. Conservation district office on plug length and placement is necessary prior to plugging gred or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement	ı;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill appropriate district office will be notified before well is either plug and the drill and LTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in	ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface proper to plugging ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.	ı;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	CONSERVATION DIVISION of drilling rig; ch drill	ı;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill appropriate district office will be notified before well is either plug and the drill and LTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in	CONSERVATION DIVISION of drilling rig; ch drill	ı;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface of the specified before well is either pluging the surface of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the surface of the	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface prior to plugging ged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent	ı;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface of the specified before well is either pluging the surface of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the surface of the	CONSERVATION DIVISION of drilling rig; ch drill	ı;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plug first an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of Date: April 16, 2007 Signature of Operator or Agent: For KCC Use ONLY	CONSERVATION DIVISION of drilling rig; ch drill	ı;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the feet into the state well is district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the post of the p	CONSERVATION DIVISION of drilling rig; ch drill	ı;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the figure of the well is dry hole, an agreement between the operator and the figure of the specified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plate: April 16, 2007	conservation division of this well will comply with K.S.A. 55 et. seq. APR 1 6 2007 Conservation division of by circulating cement to the top; in all cases surface professional formation. Illustrict office on plug length and placement is necessary prior to plugging god or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	ı;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the	ch drilling rig; ch drilling rig; ch drilling rig; ch by circulating cement to the top; in all cases surface processes the underlying formation. listrict office on plug length and placement is necessary prior to plugging good or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. f my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;	ı;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state which is dry hole, an agreement between the operator and the foliation of the specified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of Date: April 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 22017 - 000 Conductor pipe required Nove feet Minimum surface pipe required feet Approved by: Put 4-/6-07	CONSERVATION DIVISION of drilling rig; ch by circulating cement to the top; in all cases surface production. Conservation Division of the underlying formation. Conservation Division of the top in all cases surface production casing is cemented in; ch drom below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	ı;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the	CONSERVATION DIVISION of drilling rig; ch drill	;; ing
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the destance of the well is dry hole, an agreement between the operator and the destance of the well is district office will be notified before well is either pluging the surface district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: April 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 22017 - 000 Conductor pipe required 100 feet per Alt. (2) Approved by: 44 - 16 07	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface processory prior to plugging ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ı;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the statement in the statement between the operator and the statement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date: April 16, 2007 For KCC Use ONLY API # 15 - 101 - 22017 - 000 Conductor pipe required	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface processory prior to plugging and placement is necessary prior to plugging aged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	;; ing
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the details. The well is dry hole, an agreement between the operator and the decomposition of the surface will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: April 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 22017 - 0000 Conductor pipe required 1000 feet per Alt. 1200 Approved by: 244 4-16 07 This authorization expires: 100-16 - 07	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface processory prior to plugging ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	;; ing

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 101-22017-0000	Location of Well: County: Lane
Operator: White Rock Oil, LLC	
Lease: Parr	660 feet from N / ✓ S Line of Section 1650 feet from ✓ E / W Line of Section
Well Number: 2	Sec. 28 Twp. 16 S. R. 27 East V West
Field: Pendennis	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: CE/2 - SW - SE	If Section is irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			•	•	
				•	•
 					· · · ·
•		-	•	•	•
	•		•	•	•
 ·					· • • •
			•		
-	•	.	•		•
•	•	•	•	•	•
 				· · . · · ·	
		. !		•	
•		. !			•
•	•	•	•	•	•
 •		•	•	•	
		. ,	•	•	•
•		•	•	•	•
		, <u></u>			
		,	:	:	· · · · ·
				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
					· · · · · · · · · · · · · · · · · · ·
				:	· · · · · · · · · · · · · · · · · · ·
				· · · · · · · · · · · · · · · · · · ·	
				· · · · · · · · · · · · · · · · · · ·	
				· · · · · · · · · · · · · · · · · · ·	
				· · · · · · · · · · · · · · · · · · ·	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		<u>-</u>			
Operator Name: White Rock Oil, LLC			License Number: 33934		
Operator Address: 10603 S. Wave	rly Street, Ola	athe, KS 60	6061-9040		
Contact Person: Don Parr		Phone Number: (913) 583 - 1726			
Lease Name & Well No.: Parr #2		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		Sec. 28 Twp. 16 R. 27 ☐ East ✓ West		
Settling Pit	If Existing, date constructed:		Feet from North / _/ South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1650 Feet from ✓	East / West Line of Section	
(If WP Supply API No. or Year Drilled)	150	(bbls)	Lane	County	
Is the pit located in a Sensitive Ground Water		No	Chloride concentration:	mg/l	
is the pit located in a defisitive cround water	Alca: [les [] 110		Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓	No	native clay		
Pit dimensions (all but working pits):	Length (fe	eet)10	Width (feet)	N/A: Steel Pits	
Depth fr	rom ground level to de	epest point: 6	(feet)		
material, thickness and installation procedure	.	iiner integrity, i	ncluding any special monitoring	APR 1 6 2007 CONSERVATION DIVISION WICHITA, KS	
Distance to nearest water well within one-mile of pit		Depth to shallo Source of infor	west fresh water59_ mation:	feet.	
2387 feet Depth of water well 70 feet		measu	ired well owner	electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: drilling mud			
Number of producing wells on lease:		Number of working pits to be utilized: 3			
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and c	correct to the bes	t of my knowledge and belief.		
April 16, 2007 Date	\mathcal{Q}_{o}	nna	Thanda ignature of Applicant or Agent		
	KCC (OFFICE USE O	NLY		
Date Received: 4/16/c7 Permit Num		D	it Date: 4/16/07 Leas	e Inspection: Yes 🖟 No	