For KCC Use: 'Effective Date: District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

xpected Spud Date April 15 2007	Spot
month day year	NE SW Sec. 3 Twp. 28 S. R. 8 West
ERATOR: License# 32639	990 feet from N / V S Line of Section
me: Coral Production Corp.	990 Feet from E / W Line of Section
Idress: 1600 Stout St., Suite 1500	Is SECTION RegularIrregular?
ddress: Tood Clour CL, Cuite 1966	
ty/State/Zip: Denver, CO 80202	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Jim Weber	County: Kingman
none: (303) 623-3573	Lease Name: Douglas Well #: 3-1
00704	Field Name: Kletke
ONTRACTOR: License# 33724	Is this a Prorated / Spaced Field?
ame: Warren Drilling, LLC	Target Formation(s): Mississipian
	Nearest Lease or unit boundary: 990
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1570 est feet MSL
Oit Enh Rec Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water:
	Depth to bottom of usable water: 180'
Other	Surface Pipe by Alternate: 🗸 1 🗍 2
OMMON ald well information as follows:	Length of Surface Pipe Planned to be set:
OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 4100
Weil Name:	Formation at Total Depth: Mississipian
Original Completion Date:Original Total Depth:	Formation at Total Deptit.
irectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	
CC DKT #:	. Will Cores be taken?
	If Yes, proposed zone:
	If Yes, proposed zone:RECEIVED
- · · ·	FIDAVIT KANSAS CORPORATION COMMIS
- · · · · · · · · · · · · · · · · · · ·	FIDAVIT KANSAS CORPORATION COMMIS
he undersigned hereby affirms that the drilling, completion and eventual	FIDAVIT KANSAS CORPORATION COMMIS
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:	FIDAVIT KANSAS CORPORATION COMMIS
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	FIDAVIT KANSAS CORPORATION COMMIS plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION wich drilling rig;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i>	Plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WIGHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WIGHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus and the state of the surface of th	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION Each drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Edistrict office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WIGHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It is district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order	PIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION each drilling rig: set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WIGHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. I district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing till be plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WIGHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It is district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. It is all cases, NOTIFY district office prior to any cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the Dest	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WICHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. I district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing till be plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the Dest	Plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WIGHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Fig. 133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the Dect 2/19/07 Signature of Operator or Agent:	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WIGHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Find the set of the main specific prior to any cementing. Title: President Remember to:
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the Dest plate: 2/19/07 Signature of Operator or Agent:	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WIGHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It is district office on plug length and placement is necessary prior to plugging; ungged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. It is a surface within 120 days of spud date. It is a plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged and belief. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the Dest pate: Signature of Operator or Agent: For KCC Use ONLY	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WIGHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O95 - 22098-0000	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WIGHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Fill be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the Dest ate: 3/19/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 22098-0000 Conductor pipe required feet	PIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and telief. Title: President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O95 - 22098-0000	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WIGHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Fill be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the Dect pate: 3/19/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 295-22098-0000 feet Minimum surface pipe required feet per Alt. 1	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WIGHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. File plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best mate: 3/19/07	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WIGHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Fill be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate: 3/19/07	plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WICHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. File plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate: 3/19/07	PIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WICHTA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. Fill be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best state: 3/19/07	PIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2007 CONSERVATION DIVISION WICEITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Fill be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 095-22098-0000	Location of Well: County: Kingman		
Operator: Coral Production Corp.	990feet from N / 🗾 S _Line of Section		
Lease: Douglas	990 feet from E / 🗾 W Line of Section		
Well Number: 3-1	Sec. 3 Twp. 28 S. R. 8 East V Wes		
Field: Kletke			
Number of Acres attributable to well: 160	Is Section: Regular or Irregular		
QTR / QTR / QTR of acreage: SW SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

				_
	•	•	'	•
	,			
		-		•
	•	• • • • • • • • • • • • • • • • • • •		
			· ·	
	_			
			1	
				•
			1 .	
			.	
		··-	≺	
	•			
			•	
			1	
			1	
			1	
				•
		1 2-1		
	, L	ouglas 3-1		
440				
	— 🔾	•		
		•		•
	sa Jawa			
	٠ ما			-
	. 🔀			
	. (71			
	~			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be a compared to the commission of the c CG-8 for gas wells). MAR 2 1 2007

RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: CORAL PRODUCTIN CORP.		License Number: 32639		
Operator Address: 1600 STOUT	ST., SUITE	E 1500; □	ENVER, CO 80202	
Contact Person: JIM WEBER		Phone Number: (303) 623 - 3573		
	Lease Name & Well No.: DOUGLAS #3-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>SW</u> _ SW	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 3 Twp. 28 R. 8 East West	
Settling Pit	If Existing, date co	onstructed:	990 Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		990 Feet from East / V West Line of Section	
(If WP Supply API No. or Year Drilled)	Fit capacity.	(bbls)	KINGMAN County	
Is the pit located in a Sensitive Ground Water	s the pit located in a Sensitive Ground Water Area? VYes No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? V Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? NATIVE MUD	
Pit dimensions (all but working pits):	30 Length (fe	eet) <u>80</u>	Width (feet) N/A: Steel Pits	
Depth f	rom ground level to de	eepest point: 6	(feet)	
0 .61-6-		owest fresh water 125 36 feet.		
3&5feet	feet	measi	ured well owner electric log KDWR	
Emergency, comming and a series		•	over and Haut-Off Pits ONLY:	
Number of producing wells on lease: Number of wo		orking pits to be utilized: 3 t procedure: ALLOW TO DRY & BACKFILL		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above stat	ements are true and	correct to the bes	KANSAS CORPORATION COMMISS	
APRIL 19, 2007		1	MAR 2 1 2007 Signature of Applicant or Agent	
Date			CONSERVATION DIVISION	
KCC OFFICE USE ONLY WIGHTH, KS Line W/ Bent R FAS +72HR				
Date Received: $3/21/07$ Permit Nur	mber:	Perm		
/ L =				



Kathleen Sebelius, Governor Brian J. Moline, Chair Michael C. Moffet, Commissioner Robert E. Krehbiel, Commissioner

April 17, 2007

Mr. Jim Weber Coral Production Corp. 1600 Stout St., Ste 1500 Denver, CO 80202

Re: Drilling Pit Application

Douglas Lease Well No. 3-1 SW/4 Sec. 03-28S-08W Kingman County, Kansas

Dear Mr. Weber:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and **all pits must be lined with bentonite**. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File