RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	4-2200
Effective Date:	10001
District #	3
0040 [74	l \C >1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APR 1 3 2007

Form C-1 December 2002

NOTICE OF INTENT TO DRILL CONSERVATION DIVISION

Form must be Typed Form must be Signed

Expected Spud Date May 15, 2007	Spot Spot		
month day year	SW NW SW Sec 5 Twp. 29 S. R. 15 West		
OPERATOR: License# 33739	1660 feet from N / V S Line of Section		
Name: SEK Energy, LLC	360 feet from E / _V W Line of Section		
Address: P.O. Box 55	Is SECTION ✓ RegularIrregular?		
City/State/Zip: Benedict, KS 66714	(Note: Locate well on the Section Plat on reverse side)		
Contact Person: George Slaughter	County: Wilson		
Phone: (620) 698-2150	Lease Name: Willhite, Gary Well #: 1-5		
Will be licensed by KCC	Lease Name: Willhite, Gary Well #: 1-5 Field Name: Cherokee Basin CBM		
CONTRACTOR: License# Will be licensed by KCC Name: Will Advise on ACO-1	Is this a Prorated / Spaced Field?		
Name: Will Advise on ACC-1	Target Formation(s): Mississippi		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 360		
Oil Enh Rec / Infield Mud Rotary	Ground Surface Elevation: 945 feet MSL		
Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile: Yes ✓ No		
OWO Disposal Wildcat Cable	Public water supply well within one mile:		
Seismic;# of Holes Other	Depth to bottom of fresh water: 100		
Other	Depth to bottom of usable water: 208-/50		
	Surface Pipe by Alternate: 1 2		
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25		
Operator:	Length of Conductor Pipe required: None		
Well Name:	Projected Total Depth: 1300' Mississippi		
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippi		
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other Air		
If Yes, true vertical depth:			
Bottom Hole Location:	DWR Permit #:		
KCC DKT #:	Will Cores be taken? Yes ✓ No		
	If Yes, proposed zone:		
	1100, proposod 20107		
	DAVIT		
The undersigned hereby affirms that the drilling, completion and eventual plus			
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:			
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interest of the approved notice of intent to drill <i>shall be</i> posted on each and the interest of the interest of the posted on each through all unconsolidated materials plus a minimum of 20 feet into the interest of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging the interest of the intere	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging;		
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of intent to drill <i>shall be</i> posted on each and the district office will be a search through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging the search of	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is is in all cases surface pipe shall be set the underlying formation. It is in all cases surface pipe shall be set the underlying formation. It is in all cases surface pipe shall be set the underlying formation. It is in all cases in all cases surface pipe shall be set the underlying formation casing is cemented in; It is in all cases in all cases in all cases in the surface within 120 days of spud date. It is all cases in all cases, NOTIFY district office prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing.		
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the appropriate district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging the search of	the drilling rig; the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Is strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.		
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the appropriate district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging the search of	th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.		
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the appropriate district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging the search of	the drilling rig; the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Is strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.		
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the difference of the surface district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the intensity of the spud date or the well shall be priced to the sequence of the spud date of the sequence of	th drilling rig; the drilling rig; the priculating cement to the top; in all cases surface pipe shall be set the underlying formation. It is underlying is cemented in; It is underlying is underlying is underlying is underlying. It is underlying is underlying is underlying is underlying. It is underlying is u		
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 4-9-07 Signature of Operator or Agent: Description of the prior of	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In it is istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.		
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4-9-07 Signature of Operator or Agent: Description of the provided by: 4-9-07 This authorization expires: 10-17-07 This authorization expires: 10-17-07	th drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Its is underlying for production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is underlying to plugged. In all cases, NOTIFY district office prior to any cementing. It is underlying in the plugged and belief. Title: Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please		
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4-9-07 Signature of Operator or Agent: 15 Conductor pipe required 16 feet Minimum surface pipe required 17 feet per Alt. 17 Conductor pipe required 17 feet per Alt. 17 fe	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4-9-07 Signature of Operator or Agent: Description of the provided by: 4-9-07 This authorization expires: 10-17-07 This authorization expires: 10-17-07	th drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Its is underlying for production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is underlying to plugged. In all cases, NOTIFY district office prior to any cementing. It is underlying in the plugged and belief. Title: Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please		

APR 1 3 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WICHITA, KS


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 205-27156-0000	Location of Well: County: Wilson
Operator: SEK Energy, LLC	1660 feet from N / S Line of Section
Lease: Willhite, Gary	360 feet from E / V W Line of Section
Well Number: 1-5	Sec. 5 Twp. 29 S. R. 15 ✓ East West
Field: Cherokee Basin CBM	
Number of Acres attributable to well: 40	ls Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: SW - NW - SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APR 1 3 2007

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

		<u> </u>		
Operator Name: SEK Energy, LLC			License Number: 33739	
Operator Address: P.O. Box 55 I		(S 66714		
Contact Person: George Slaughter			Phone Number: (620) 698 - 2150	
Lease Name & Well No.: Willhite, Gary 1-5			Pit Location (QQQQ):	
Type of Pit:	Pit is:		SW NW SW	
Emergency Pit Burn Pit	✓ Proposed		Sec. 5 Twp. 29 R. 15 ✓ East West	
Settling Pit	If Existing, date constructed:		1660 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit canacity		360 Feet from ☐ East / ✓ West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		Wilson	
Is the pit located in a Sensitive Ground Water Area? Yes V No			Chloride concentration:mg/i	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):		eet) 12	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point: 6	(feet)	
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:		
n/afeet Depth of water well	n/a feet	measu	ired well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Air		
Number of producing wells on lease:		Number of working pits to be utilized: 1		
Barrels of fluid produced daily:		Abandonment	procedure: Allow pit to air dry, then backfill with original dirt.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
4-9-2007 Date	J	eorge s	ignature of Applicant or gent	
KCC OFFICE USE ONLY				
Date Received: 4//3/97 Permit Num	her:	Permi	it Date: 4//7/07 Lease Inspection: Yes X No	