For KCC Use: Effective Date: _ District #_ SGA? XYes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date 4-24-07	Spot ✓ East
month day year	NW NE NW Sec. 22 Twp. 33 S. R. 16 West
OPERATOR: License# 33635	330 / feet from V N / S Line of Section
Name: EnergyQuest Management, LLC	feet from E / ✓ W Line of Section
Address: 15425 North Freeway, Suite 230	Is SECTION ✓ RegularIrregular?
Address: Houston, Texas 77090	
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jeff Stevenson	County: Montgomery
Phone: 281/875-6200	Lease Name: Felts Well #: 22-3
CONTRACTOR: License# 5675	Field Name: Jefferson-Sycamore
Name: McPherson Drilling	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Was Horoott Driving	Target Formation(s): Mulky/Riverton
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
	Ground Surface Elevation: 780 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage Pool Ext. ✓ Air Rotary—	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 2507 /50
Seismic;# of Holes Other	Depth to bottom of usable water: 399+' 1513
Other	Surface Pipe by Alternate: 1 \(\sqrt{2} \)
W 000000 11 11 11 11 11 11 11 11 11 11 11	Length of Surface Pipe Planned to be set: 20+ Est.
If OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 1100'
Well Name:	Projected lotal Depth: Mississippi Lime
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippi Lime
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well Farm Pond Other City
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
KCC DKT #:	If Yes, proposed zone:
	If Yes, proposed zone:RECEIVED
AFFI	If Yes, proposed zone: RECEIVED NAVIT KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone: RECEIVED NAME OF THE PROPOSED IN THE
AFFI The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED NAVIT KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT KANSAS CORPORATION COMMISSION APR 1 8 2007
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	DAVIT RECEIVED KANSAS CORPORATION COMMISSION LIGHT STATE OF THE STA
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION APR 1 8 2007 CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pile Chila, us set
AFFI The undersigned hereby affirms that the drilling, completion and eventual pla It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2007 The drilling rig; to by circulating cement to the top; in all cases surface piles comply use set e underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pla It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di	DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2007 CONSERVATION DIVISION the drilling rig; to price the top; in all cases surface pilocettain as set e underlying formation. strict office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pla It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugg	DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2007 CONSERVATION DIVISION thy circulating cement to the top; in all cases surface piles Central, life set e underlying formation. strict office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge for an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVED NAME OF THE PROPOSED FOR THE PROPOSED OF THE PROPOSE
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in the surface of t	RECEIVED NAME OF THE PROPOSED COMMISSION APR 1 8 2007 The drilling rig; CONSERVATION DIVISION To by circulating cement to the top; in all cases surface pile Chian, its set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in the surface of t	RECEIVED NAME OF THE PROPOSED COMMISSION APR 1 8 2007 CONSERVATION DIVISION To by circulating cement to the top; in all cases surface pileschiem, as set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the plant of the best of the spud case.	DAVIT KANSAS CORPORATION COMMISSION Ligging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pile Contain, the set e underlying formation. In strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The proposed commission of the contained in the
AFFI The undersigned hereby affirms that the drilling, completion and eventual pla It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	RECEIVED NAME OF THE PROPOSED COMMISSION APR 1 8 2007 CONSERVATION DIVISION To by circulating cement to the top; in all cases surface pileschiem, as set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the appropriate district of the appropriate district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	DAVIT KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pile Cather is set e underlying formation. In strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the appropriate district office with a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the plant of the best of the complete statements made herein are true and to the best of the complete statements made herein are true and to the best of the complete statements made herein are true and to the best of the complete statements. Signature of Operator or Agent:	DAVIT KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pileChien, his set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the appropriate district office with a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the plant of the best of the complete statements made herein are true and to the best of the complete statements made herein are true and to the best of the complete statements made herein are true and to the best of the complete statements. Signature of Operator or Agent:	DAVIT KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pile Chital, Ms set e underlying formation. In strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4-17-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 31333 - 0000	DAVIT KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2007 CONSERVATION DIVISION the by circulating cement to the top; in all cases surface piles the enderlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: A-17-07	DAVIT KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pile Cantal Reset e underlying formation. In strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the difference of the strict office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be also be completed. It hereby certify that the statements made herein are true and to the best of the plate of the plat	DAVIT KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2007 CONSERVATION DIVISION the drilling rig; CONSERVATION DIVISION the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be also be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of Date: 4-17-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 3/333 OND Conductor pipe required feet Minimum surface pipe required feet per Alt. (2)	DAVIT KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface piles Chian, he set e underlying formation. In strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the difference of the strict office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4-17-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 3/333-0000 Conductor pipe required	DAVIT KANSAS CORPORATION COMMISSION APR 1 8 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pileChital, its set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: For KCC Use ONLY	DAVIT KANSAS CORPORATION COMMISSION In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pile Children is set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the difference of the strict office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4-17-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 3/333-0000 Conductor pipe required	RECEIVED KANSAS CORPORATION COMMISSION In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pilection was set e underlying formation. In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pilection was set e underlying formation. In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pilection was set e underlying formation. In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pilection to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a completed. I hereby certify that the statements made herein are true and to the best of Date: 4-17-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 25 - 3/333 - 000 Conductor pipe required	RECEIVED KANSAS CORPORATION COMMISSION In drilling rig; CONSERVATION DIVISION CONSERVATION DIVISION APR 1 8 2007 CONSERVATION DIVISION APR 1 8 2007 CONSERVATION DIVISION In drilling rig; CONSERVATION DIVISION APR 1 8 2007 CONSERVATION DIVISION APR 1 8 2007 CONSERVATION DIVISION File acrease surface piped right to plugging; In drilling rig; CONSERVATION DIVISION APR 1 8 2007 CONSERVATION DIVISIO
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the appropriate district office will be a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugues. The appropriate district office will be notified before well is either plugues. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a complete or the well shall be a complet	RECEIVED KANSAS CORPORATION COMMISSION In drilling rig; CONSERVATION DIVISION In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pileschile, as set If the underlying formation. It is considered in the construction of the constructio

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31333-0000	Location of Well: County: Montgomery
Operator: EnergyQuest Management, LLC	330 feet from V N / S Line of Section
Lease: Felts	1620 feet from E / ✓ W Line of Section
Well Number: 22-3	Sec. 22 Twp. 33 S. R. 16 ✓ East Wes
Field: Jefferson-Sycamore	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NW - NE - NW	Is Section: Regular or Irregular If Section Is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	→ · · · · · · · · · · · · · · · · · · ·	330´
٠ گ	· · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •
1620'	· · ·	
·	· · ·	
:		
	· · ·	

EXAMPLE SEWARD CO. RECEIVED KANSAS CORPORATION COMMISSION

NOTE: In all cases locate the spot of the proposed drilling locaton.

APR 1 8 2007

In plotting the proposed location of the well, you must show:

- CONSERVATION DIVISION 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surper in the 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: EnergyQuest Manage	gement, LLC	License Number: 33635	
Operator Address: 15425 N. Freewa		ston, Texas 77090	
Contact Person: Jeff Stevenson		Phone Number: (281) 875 - 6200	
Lease Name & Well No.: Felts #22-3		Pit Location (QQQQ):	
Type of Pit: Pit	is:	<u>NW . NE . NW</u>	
Emergency Pit Burn Pit	Proposed Existing	Sec. 22 1 Twp. 33S R. 16	
Settling Pit	xisting, date constructed:	330 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	capacity:	1620 Feet from East / V West Line of Section	
(If WP Supply API No. or Year Drilled)	• •	Montgomon	
Is the pit located in a Sensitive Ground Water Area?	Yes A No	Chloride concentration: mg/l	
to the better halour and to 10	75.1.1.1	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Arti Yes No	ificial Liner? ☑ Yes ✓ No	How is the pit lined if a plastic liner is not used? Native Clays	
Pit dimensions (all but working pits):30	Length (feet) 9	Width (feet)N/A: Steel Pits	
Depth from gro	ound level to deepest point:	6 (feet)	
material, thickness and installation procedure.	liner integrity,	including any special monitoring.	
Distance to nearest water well within one-mile of pit	Depth to shallo	owest fresh water	
22// 2		rmation: (3) ured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:			
Producing Formation: Type of material utilized in drilling/workover: Fresh Water		al utilized in drilling/workover: Fresh Water	
		rking pits to be utilized: 1	
Barrels of fluid produced daily:	Abandonment procedure: Air Dried & Backfilled		
Does the slope from the tank battery allow all spilled flow into the pit? Yes No		be closed within 365 days of spud date. KANSAS CORPORATION COMMISS	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. APR 1 8 2007			
4-17-07 Date	Off I	CONSERVATION DIVISION WICHITA, KS	
KCC OFFICE USE ONLY			
Date Received: 4/18/07 Permit Number:	Perm	it Date: 4/18/07 Lease Inspection: Yes X No	