

For KCC Use:	4=23-07
Effective Date: _	42501
District #4	
SGA2 TYPE	X _{No}

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1008688

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:04/18/2007	Spot Description: 35' N & 35' E
month day year	SW _ SW _ SW _ SW _ Sec. 27 _ Twp. 5 _ S. R. 26 EXW
30606	(0/0/0/0) 200 feet from N / X S Line of Section
OPERATOR: License#	200 feet from E / W Line of Section
Address 1: 250 N. Water, Ste 300	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Wichite State: KS Zip: 67202 +	County: Decatur
Contact Person: Shauna Gunzelman	Lease Name: Kinser Unit Well #: 1-27
Phone: 316-267-3241	Field Name: Wildcat
00000	F
CONTRACTOR: License#	Is this a Prorated / Spaced Field? Target Formation(s): LKC, Arbuckle
Name:	Nearest Lease or unit boundary line (in footage): 330
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2566 feet MSL
XOil Enh Rec Infield Mud Rotary	ᄝᄱ
Gas Storage Pool Ext. Air Rotary	VARIED WER WIREHT ONE COUNTY THING.
Disposal XWildcat Cable	
Seismic ; # of Holes Other	Depth to bottom of fresh water: 175
Other:	Depth to bottom of usable water:
If OWWO: old welt information as follows:	Surface Pipe by Alternate:
lensed 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Length of Surface Pipe Planned to be set: 300 Length of Conductor Pipe (if any): 0
Operator:	
Well Name:	Projected Total Depth: 3900
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other: haul
Directional, Deviated or Horizontal wellbore? Yes No	I MAN I Form Pond I X Fither 1999
12 No. a harmonical departs	
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:RECEIVED	DWR Permit #:(Note: Apply for Permit with DWR)
Bottom Hole Location: RECEIVED KCC DKT #: KANBAS CORPORATION COMMISSION APR 18 2007 A loca Leases w/ DODLING Clauses a Hacked AF	DWR Permit #:(Note: Apply for Permit with DWR) Will Cores be taken?Yes X No If Yes, proposed zone:
RECEIVED KCC DKT #: KANSAS CORPORATION COMMISSION APR 18 2007 The undersigned hereby CONSERVATION COMMISSION AFT The undersigned hereby CONSERVATION COMMISSION APR It is agreed that the following minimum Techniques will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
RECEIVED KCC DKT #: KANSAS CORPORATION COMMISSION APR 18 2007 The undersigned hereby CONSERVATION DWISION pletion and eventual plet is agreed that the following minimum according of well; A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the fitteness and the discovered properties of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented to pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be the plug and the discovered properties of the spud date or the well shall be the plug the plug that the statements made herein are true and to the best of the spud date or the well shall be the plug that the statements made herein are true and to the best of the spud date or the well shall be the plug that the statements made herein are true and to the best of the spud date or the well shall be the plug that the statements made herein are true and to the best of the spud date or the well shall be the plug that the statements made herein are true and to the best of the spud date or the well shall be the plug that the statements made herein are true and to the best of the plug that the statements where the plug that the statements are true and to the best of the plug that the statements are true and to the best of the plug that the statements are true and to the plug that the statements are true and to the plug that the statements are true and to the plug that the statements are true and to the plug that the statements are true and to the plug that the statements are true and to the plug that the statements are true and to the plug that the statements are true and to the plug that the statements are true and to the plug that the statements are true and the statements are true and the plug that the statement are true and the statement are true and the statement a	Will Cores be taken? Will Cores be taken? Will Cores be taken? If Yes, proposed zone: FFIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The proposed zone: We will Cores be taken? Yes No
RECEIVED KCC DKT #: KANSAS CORPORATION COMMISSION APR 18 2007 The undersigned hereby CONSERVATION COMMISSION AFT The undersigned hereby CONSERVATION COMMISSION APR It is agreed that the following minimum Techniques will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? Will Cores be taken? Will Cores be taken? If Yes, proposed zone: FFIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: WMA DMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM
RECEIVED KCC DKT #: KANSAS CORPORATION COMMISSION APR 18 2007 The undersigned hereby SONSERVATION DAYS COMMISSION and eventual plit is agreed that the following minimum recomments will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the minimum of 20 feet into the minimum of 20 fe	Will Cores be taken? Will Cores be taken? Will Cores be taken? If Yes, proposed zone: FFIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Titie: What Amylinum Titie: Remember to:
RECEIVED KCC DKT #: KANSAS CORPORATION COMMISSION APR 18 2007 The undersigned hereby CONSERVATION DAYS COMMISSION DIVISION DIVISION DIVISION DIVISION DAYS COPY OF The undersigned hereby CONSERVATION DAYS COMMISSION DIVISION DIVISIONI DI LI CALI DI RISPINI DI RIVISIONI DI RIVISIONI DI RIV	Will Cores be taken? Will Cores be taken? Will Cores be taken? If Yes, proposed zone: FFIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
RECEIVED KCC DKT #: KANSAS CORPORATION COMMISSION APR 18 2007 The undersigned hereby SONSERVATION DAYS COMMISSION and eventual plit is agreed that the following minimum recomments will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the minimum of 20 feet into the minimum of 20 fe	Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? If Yes, proposed zone: FFIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Set drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: ### Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
RECEIVED KCC DKT #: KANSAS CORPORATION COMMISSION APR 18 2007 The undersigned hereby CONSERVATION DAYS COMMISSION DIVISION DIVISIONI DI RECEI DIVISIONI DI RIVISIONI DI RIVISTI DI RIVISTI DI RIVI	Will Cores be taken? Will Cores be taken? If Yes, proposed zone: SFIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Standard of this well
RECEIVED KCC DKT #: KANSAS CORPORATION COMMISSION APR 18 2007 The undersigned hereby COMMISSION Clauses attached AF The undersigned hereby COMMISSION Clauses attached AF The undersigned hereby COMMISSION Clauses attached AF The undersigned hereby COMMISSION COMMISSION Clauses AF The undersigned hereby COMMISSION COMMISSION Clauses AF The undersigned hereby COMMISSION COMMISSION CLAUSE AF 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the undersigned below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be not	Will Cores be taken? Wes No If Yes, proposed zone: FIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: ###################################
RECEIVED KCC DKT #: KANSAS CORPORATION COMMISSION APR 18 2007 The undersigned hereby COMMISSION Clauses attacked AF The undersigned hereby COMMISSION COMMISSION DIVISION DIVISIONI DI LICINI	Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? If Yes, proposed zone: Who drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: ### Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
RECEIVED KCC DKT #: KANSAS CORPORATION COMMISSION APR 18 2007 The undersigned hereby COMMISSION Clauses attached AF The undersigned hereby COMMISSION Clauses attached AF The undersigned hereby COMMISSION Clauses attached AF The undersigned hereby COMMISSION COMMISSION Clauses AF The undersigned hereby COMMISSION COMMISSION Clauses AF The undersigned hereby COMMISSION COMMISSION CLAUSE AF 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the undersigned below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be not	Will Cores be taken? Wes No If Yes, proposed zone: Who drilling rig; Who drillin
RECEIVED KCC DKT #: KANSAS CORPORATION COMMISSION APR 8 2007 The undersigned hereby SONSERVATION DAYS COMPLETION and eventual plus is agreed that the following ministrative offerments will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials p	Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? If Yes, proposed zone: Who drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and production casing is cemented in; and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: ### Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
RECEIVED KCC DKT #: KANSAS CORPORATION COMMISSION APR 18 2007 The undersigned hereby Conservation Commission and eventual plus is agreed that the following minimum recomments will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be increased in the statements made herein are true and to the best of Date: 1	Will Cores be taken? Will Cores be taken? Yes No

Cide Tu



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 039-20999-0000	.
Operator: Murfin Drilling Co., Inc.	Location of Well: County: Decatur
Lease: Kinser Unit	feet from N / X S Line of Section
Well Number: 1-27	200 feet from E / W Line of Section
Field: Wildcat	Sec. 27 Twp. 5 S. R. 26 EXW
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:SW SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	:	<u> </u>				!	:

							: : :
				,,,,,	 :	: : :	: : : :
			2	/ 7 ——			: : :

							: : :
.,							: : :
î. 🗝						• •	:



200 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1008688

Form CDP-1 April 2004 Form must be Typed

APR 1 8 2007

APPLICATION FOR SURFACE PIT

CONSERVATION DIVISION	Su	bmit in Duplicat	9					
WICHITA, KS Operator Name: Murfin Drilling Co., Inc.			License Number: 30606					
Operator Address: 250 N. Water, Ste 300			Wichita	KS	67202			
Contact Person: Shauna Gunzelma	n		Phone Number: 316-267-3241					
Lease Name & Well No.: Kinser Unit	1-2	.7	Pit Location (QQQQ):					
Type of Pit:	Pit is:		SW SW SW SW					
Emergency Pit Bum Pit	X Proposed	Existing	Sec. 27 Twp. 5 R. 26	East X	West			
Settling Pit Drilling Pit	If Existing, date or	onstructed:	Feet from North / X	South Line	of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / X	West Line	of Section			
(II FOF Supply At The or real Dillion)	600	(bbls)	Decatur		County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:		mg/l			
			(For Emergency Pits and Settlin					
ts the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not Bentonite and solids from drilling opera		seal pits			
Pit dimensions (all but working pits):	00 Length (fe	net) 100	Width (feet)	N/A: Steel	Pits			
-	om ground level to de		(feet)	No Pit				
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.								
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh water 59 feet.					
542 feet Depth of water well	114 feet	measu	red well owner electric lo	g X	KDWR			
Emergency, Settling and Burn Pits ONLY:		1	over and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover:						
			umber of working pits to be utilized: 4 andonment procedure: Allow pits to evaporate until dry, then					
			backfill when conditions a	allow				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No No Drill pits must			be closed within 365 days of spud date.					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.								
4/18/07 Bhaunh Dinglman, agent for Appenates Signature of Applicant or Agent								
	NLY RFAC	RFA	s					
Date Received: 41 18 07 Permit Num	ber:	Perm	it Date: 4/15/07 Lease Inspection	ı: Yes	ΧNο			