For KCC Use: 4-33-07

Effective Date: 3

SGA? Yes \(\sum \) No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

W

Expensed Soud Data 4-24-UI	Spot ✓ East
Expected Spud Date 4-24-07 month day year	NW - NW - NW Sec. 5 Twp. 33 S. R. 17 West
22625	350 feet from ✓ N / S Line of Section
OPERATOR: License# 33635	350 feet from E / / W Line of Section
Name: EnergyQuest Management, LLC Address: 15425 North Freeway, Suite 230	Is SECTIONRegular Irregular?
Address: 19425 North Freeway, Suite 250 City/State/Zip: Houston, Texas 77090	
City/State/Zip: Industry 1999	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jeff Stevenson Phone: 281/875-6200	County: Montgomery Lease Name: Knisley Well #: 5-9
Phone: 2017013-0200	Field Name: Coffeyville-Cherryvale
CONTRACTOR: License# 5675	
Name: McPherson Drilling	Is this a Prorated / Spaced Field? Yes ✓ No Target Formation(s): Mulky/Riverton
	Nearest Lease or unit boundary: 350'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 785feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage Pool Ext. ✓ Air Rotary —	Public water supply well within one mile: Yes Vo
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 250+ 150
Seismic; # of Holes Other	Depth to bottom of usable water: 300-1/150
Other	Surface Pipe by Alternate: 1 √ 2
If ONINGO, and well information on follows:	Length of Surface Pipe Planned to be set: 20+ Est.
If OWWO: old well information as follows: Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1050'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippi Lime
<u> </u>	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other City
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?Yes ✓ No
	If Yes, proposed zone: RECEIVED
AEE	KANSAS CORPORATION COMMISSIO
	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plants	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	CANSAS CORPORATION COMMISSION DAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2007
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	CONSERVATION DIVISION KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	CONSERVATION DIVISION which drilling rig; KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	CONSERVATION DIVISION which drilling rig; which to the top; in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description.	CONSERVATION DIVISION which drilling rig; with top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the standard standard is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug	CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before shall be cemented.	CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set we underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the surface of t	CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the surface of t	CONSERVATION DIVISION who drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set we underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the best of the spud case.	CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office with a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the different sides of the specified below with the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the	CONSERVATION DIVISION who drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set we underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the description of the surface of the spurportiate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the best of the spud standard of the best of the spud standard of the spud standard of the best of the spud standard of the statements made herein are true and to the best of the spud standard of the statements made herein are true and to the best of the spud standard of the spud s	CONSERVATION DIVISION WICHITA, KS to by circulating cement to the top; in all cases surface pipe shall be set to eunderlying formation. Sistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the appropriate district of the spin as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the spin and to the spin and to the best of the spin and to the spin and to the best of the spin and to the spin and to the best of the spin and the statements made herein are true and to the best of the spin and t	CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the appropriate district of the spin as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the spin and to the spin and to the best of the spin and to the spin and to the best of the spin and to the spin and to the best of the spin and the statements made herein are true and to the best of the spin and t	CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set we underlying formation. Sistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; set from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an adversarial splus an expectation of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of the spropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for grusuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plus of the spud date of the well shall the statements made herein are true and to the best of the plus of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well is either plug for the spud date of the well is either plug for the spud date of the well is either plug for the spud date of the well is either plug for the spud date of the well is either plug for the spud date of the well is either plug for the spud date of the spud date of the well is either plug for the spud date of the well is either plug for the spud date of the sp	CONSERVATION DIVISION WICHITA, KS to by circulating cement to the top; in all cases surface pipe shall be set we underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	CONSERVATION DIVISION WICHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the set of the well is drill be notified before well is either plug of the appropriate date of the well shall be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date: 4-17-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3/334 - 000 For KCC Use ONLY API # 15 - 125 - 3/334 - 000 Conductor pipe required feet per Alt. 12	CONSERVATION DIVISION The drilling rig; The underlying cernent to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. The appropriate district office will be notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plants of the surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plants of the surface plants of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plants of the pla	CONSERVATION DIVISION The drilling rig; The by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the set of the well is drill be notified before well is either plug of the appropriate date of the well shall be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date: 4-17-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3/334 - 000 For KCC Use ONLY API # 15 - 125 - 3/334 - 000 Conductor pipe required feet per Alt. 12	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 1 8 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set o	CONSERVATION DIVISION Wichita, KS If by circulating cement to the top; in all cases surface pipe shall be set we underlying formation. In this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set to set the well is dry hole, an agreement between the operator and the defence of the set of the set of the spund date or the well shall the statements made herein are true and to the best of the set of the	CONSERVATION DIVISION Wichita, KS to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the notified before well is either plug of the notified before well is either plug of the pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of Date: 4-17-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3/334-000 Conductor pipe required	CONSERVATION DIVISION Wichita, KS If by circulating cement to the top; in all cases surface pipe shall be set we underlying formation. In this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - <u>DS-31 334-0000</u>	Location of Well: County: Montgomery
Operator: EnergyQuest Management, LLC	350feet from ✓ N / S Line of Section
Lease: Knisley	350 feet from E / 🗸 W Line of Section
Well Number: 5-9	Sec. <u>5</u> Twp. <u>33</u> S. R. <u>17</u> ✓ East Wes
Field: Coffeyville-Cherryvale	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NW - NW - NW	Is Section: Regular or Irregular If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1	350		: : :	•
3.50	·			· ·
	·	. , ,		
•	· · · · · · · · · · · · · · · · · · ·	:	: :	· ·
				,
				·
	· · · · · · · · · · · · · · · · · · ·		· · ·	·



NOTE: In all cases locate the spot of the proposed drilling locaton.

APR 1 8 2007

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding Beattern, DIVISION 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: EnergyQuest Management, LLC		License Number: 33635		
Operator Address: 15425 N. Freeway Ste. 230 Houston, Texas 77090				
Contact Person: Jeff Stevenson		Phone Number: (281) 875 -6200		
Lease Name & Well No.: Knisley #5-9		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 5 Twp. 33S R. 17	
Settling Pit	If Existing, date constructed:		Feet from 📝 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		350 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	000	(bbls)	Montgomery County	
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? ✓ Yes No	Artificial Liner? ☐ Yes ☐ I	No	How is the pit lined if a plastic liner is not used?	
		·-···	Native Clays	
, it cannot be taken to think g proof.		•	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de		6 (feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.	
			6	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water 10 feet.		
		measu	rredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	
Producing Formation: Type of materi		erial utilized in drilling/workover: Fresh Water		
· ·		rking pits to be utilized: 1		
Barrels of fluid produced daily: Abandonment procedur		procedure: Air Dried & Backfilled		
Does the slope from the tank battery allow all spilled fluids to Clow into the pit? Yes No Drill pits must be closed within 365 days of spud date. KANSAS CORPORATION		be closed within 365 days of spud date. KANSAS CORPORATION COMMISSION.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. APR 1 8 2007				
4-17-07 Date CONSERVATION DIVISION Signature of Applicant or Agent AFR 1 0 2007 CONSERVATION DIVISION WICHITA, KS				
KCC OFFICE USE ONLY				
Date Received: 4/18/07 Permit Num	ber:	Perm	it Date: 4/18/07 Lease Inspection: Yes A No	