For KCC Use:	4-24-07	
Effective Date:	7,0401	
District #		
	₩	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed

iviusi de approved by KCC live	(5) days prior to commencing well All blanks must be Filled
Expected Spud Date April 27, 2007	Cont
Expected Spud Date	Spot VEast NE SW NW See 36 Tun 33 C. P. 15E
•	Sec Iwp S. R west
OPERATOR: License# 33074	- ICELIIOII IN / IV /3 LIIIE OI GECIIOII
lame: Dart Cherokee Basin Operating Co. LLC	leet from V E / W Line of Section
Address: 211 W. Myrtle	Is SECTION Regular Irregular?
Address: 211 W. Myrtle City/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Montgomery
Phone: 620-331-7870	Lease Name: H & O Ewing Trusts Well # B1-36 Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 5675	
lame: McPherson Drilling	Is this a Prorated / Spaced Field? Yes ✓ No
	Target Information(s): Mississippian 660 feet
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660 feet
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 880 feet MSL
Gas Storage Pool Ext. Air Rotary —	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes No No. 150' +-
Seismic;# of Holes Other	Depth to bottom of fresh water: 150' +- Depth to bottom of usable water: 175'
Other	Surface Pipe by Alternate: 1 2
ONE MATORICA CONTRACTOR OF THE	Length of Surface Pipe Planned to be set: 40'
OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:Well Name:	Projected Total Depth: 1500 feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	Will Cores be taken? Yes ▼No
	If Yes proposed zone:
AFF	RECEIVED KANSAS CORPORATION COMM
AFF' he undersigned hereby affirms that the drilling, completion and eventual p	The state of the s
no andoragnou nordey aminio mar me drining, completion and eventual p	rugging or and wen win comply with N.S.A. 33 et. seq.
	APR 1 0 2007
is agreed that the following minimum requirements will be met:	APR 1 9 2007
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	
 is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 	ch drilling rig; CONSERVATION DIVISION
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 	ch drilling rig; et by circulating cement to the top; in all cases surface pipe Whiti the ites the underlying formation.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drift of the well is dry hole, an agreement between the operator and the drift of the series	ch drilling rig; conservation division et by circulating cement to the top; in all cases surface pipe white the teat the underlying formation. district office on plug length and placement is necessary prior to plugging:
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the total the well is dry hole, an agreement between the operator and the construction of the surface o	ch drilling rig; conservation division et by circulating cement to the top; in all cases surface pipe white the the the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	ch drilling rig; ct by circulating cement to the top; in all cases surface pipe white the the the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	ch drilling rig; conservation division et by circulating cement to the top; in all cases surface pipe whit he top the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the set o	ch drilling rig; ct by circulating cement to the top; in all cases surface pipe white the the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	conservation division conservation division conservation division at by circulating cement to the top; in all cases surface pipe white the the underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	ch drilling rig; ct by circulating cement to the top; in all cases surface pipe white the the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	conservation division conservation division conservation division at by circulating cement to the top; in all cases surface pipe white the the underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the composition of the set of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropr	ch drilling rig; et by circulating cement to the top; in all cases surface pipe white the the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	CONSERVATION DIVISION at by circulating cement to the top; in all cases surface pipe white the the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to:
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plug to the set of the set of the set of the well is either plug to the set of the well is either plug to the set of th	conservation division ch drilling rig; conservation division the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set of the well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and to the best of the set	ch drilling rig; et by circulating cement to the top; in all cases surface pipe **Kith** **Light** the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is district office will be notified before well is either plug to grave the surface casing order must be completed within 30 days of the spud date or the well shall be cereby certify that the statements made herein are true and to the best of the spud to the spud to the set of the spud to the set of the spud to the spud	ch drilling rig; et by circulating cement to the top; in all cases surface pipe white the the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the well is dry hole, an agreement between the operator and the constant of the well is district office will be notified before well is either plug of the spuddate of the well is either plug of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall thereby certify that the statements made herein are true and to the best of the spuddate of the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 31340 - 0000 feet	conservation division of the top; in all cases surface pipe white the top the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is district office will be notified before well is either plug to grave the surface casing order must be completed within 30 days of the spud date or the well shall be cereby certify that the statements made herein are true and to the best of the spud to the spud to the set of the spud to the set of the spud to the spud	conservation division at by circulating cement to the top; in all cases surface pipe white the the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plug to find an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the set of	conservation division of the top; in all cases surface pipe white the top the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the determinant of th	conservation division of the top; in all cases surface pipe with the test the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear and the intention of the approved notice of intent to drill <i>shall be</i> posted on ear and the intention of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the determinant of the intention of the specific of the well is either plug to the specific of the spe	conservation division of the top; in all cases surface pipe white the top the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125 - 3/340-0000	Location of Well: County: Montgomery
Operator: Dart Cherokee Basin Operating Co. LLC	
Lease: H & O Ewing Trusts	3360 FSL feet from ☐ N / ✓ S Line of Section 4610 FEL feet from ✓ E / ☐ W Line of Section
Well Number: B1-36	Sec. 36 Twp. 33 S. R. 15E VEast Wes
Field: Cherokee Basin Coal Gas Area	V Cust VICS
Number of Acres attributable to well: 40 OTR / OTR / OTR of acresge: NE SW NW	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: NE . SW _ NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



R15E



NOTE: In all cases locate the spot of the proposed drilling locaton.

Montgomery Co.

APR 1 9 2007

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		ouomin in Dupiica	
Operator Name: Dart Cherokee Basin	n Operating Co.	LLC	License Number: 33074
Operator Address: 211 W. Myrtle		Ind	ependence KS 67301
Contact Person: Tony Williams			Phone Number: (620) 331 - 7870
Lease Name & Well No.: H & O Ewing Trusts B1-36			Pit Location (QQQQ):
Type of Pit: ☐ Emergency Pit ☐ Burn Pit ☐ Settling Pit ☐ Workover Pit ☐ Haul-Off Pit	Pit is: Proposed If Existing, date		NESWNW Sec36Twp33R_15EV East West 3360 FSLFeet from North / V South Line of Section
(If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water	Pit capacity: 926	(bbis) ✓ No	4610 FEL Feet from ✓ East / West Line of Section Montgomery County
Is the bottom below ground level? Yes No Pit dimensions (all but working pits):	Artificial Liner?	No Seet) 30	Chloride concentration:mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Natural Clays Width (feet) N/A: Steel Pits (feet)
If the pit is lined give a brief description of the material, thickness and installation procedure	e liner e.	Describe proce liner integrity, in	dures for periodic maintenance and determining acluding any special monitoring.
material, thickness and installation procedure	e of pit	Depth to shallov Source of inform	vest fresh waterfeet.
material, thickness and installation procedure	e of pitfeet	Depth to shallow Source of inform measur Drilling, Worko Type of material Number of work	vest fresh water 87 feet
Distance to nearest water well within one-mile LOG feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	e of pit	Depth to shallov Source of inform — measur Drilling, Worko Type of material Number of work Abandonment p	vest fresh water feet. nation: ed well owner electric log KDWR ver and Haul-Off Pits ONLY: utilized in drilling/workover: Air ing pits to be utilized: One rocedure: _Air dry, fill
Distance to nearest water well within one-mile LOG feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all signs and installation procedures.	e of pit 175feet spilled fluids to	Depth to shallow Source of inform measur Drilling, Worko Type of material Number of work Abandonment p Drill pits must be correct to the best of the state of	vest fresh water feet. nation: ed well owner electric log KDWR ver and Haul-Off Pits ONLY: utilized in drilling/workover: _Air ing pits to be utilized: One rocedure: _Air dry, fill e closed within 365 days of spud date. RECEIVED
Distance to nearest water well within one-mile LOG feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all slow into the pit? Yes No I hereby certify that the above staten April 17, 2007	e of pit 175 feet spilled fluids to ments are true and c	Depth to shallow Source of inform measur Drilling, Worko Type of material Number of work Abandonment p Drill pits must be correct to the best of the state of	vest fresh water