

For KCC Use:	4-25-07
Effective Date:	78301
District #4	
SGA? Yes	. XNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1008944

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

5	
Expected Spud Date: 04/30/2007 month day year	Spot Description:
·	N2 - NW - SW - SW Sec. 7 Twp. 16 S. R. 13 \square E \boxtimes W
OPERATOR: License# 5135	1,150 teet from [N / X S Line of Section
Name: Farmer, John O., Inc.	330 feet from ☐ E / ☒ W Line of Section
Address 1: 370 W Wichita Ave	Is SECTION: Regular Irregular?
Address 2: PO Box 352	(Note: Locate well on the Section Plat on reverse side)
City: Russell State: KS Zip: 67665 + 2635	County: Barton
Contact Person: John Farmer IV	Lease Name: Hoffman A Well #: 16
Phone: 785-483-3144	Field Name: TRAPP
	Field Name:
CONTRACTOR: License#31548	Is this a Prorated / Spaced Field? Yes No
Name: Discovery Drilling	Target Formation(s): LKC, Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
	Ground Surface Elevation: 1921 feet MSL
	Water well within one-quarter mile:
	Public water supply well within one mile:
	Depth to bottom of fresh water: 380
Seismic; # of Holes Other	Depth to bottom of usable water: 380
Other:	Surface Pipe by Alternate: XII III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 400
_	Length of Conductor Pipe (if any): 0
Operator:	Projected Total Depth:
Well Name:	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
	(Note: Apply for Permit with DWR)
KCC DKT #:AFFIC	(Note: Apply for Permit with DWR) Will Cores be taken?
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of if an ALTERNATE II COMPLETION, production pipe shall be cemented for or pursuant to Appendix "B" - Eastern Kansas surface casing order #133	Will Cores be taken? If Yes, proposed zone: PAVIT PRECEIVED If yes, proposed zone: PARE 2 0 2007 Received Rec
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be plus thereby certify that the statements made herein are true and to the best of mythere.	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COM APR 2 0 2007 rilling rig; circulating cement to the top; in all cases surface pipe **ONNSERVATION DIVISION INTERMEDIATION DIVISION INTERMEDIATION CONTROL OF THE COMPANY OF THE CO
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be pile thereby certify that the statements made herein are true and to the best of my	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED If yes and yes are to the top; in all cases surface pipe social servation DIVISION and erlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 18,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be placed. It hereby certify that the statements made herein are true and to the best of mythereby certify that the statements made herein are true and to the best of mythereby certify that the statements made herein are true and to the best of mythereby certify that the statements made herein are true and to the best of mythereby certify that the statements made herein are true and to the best of mythereby certify that the statements made herein are true and to the best of mythereby certify that the statements made herein are true and to the best of mythereby certify that the statements made herein are true and to the best of mythereby certify that the statements made herein are true and to the best of mythereby certify that the statements made herein are true and to the best of mythereby certified the meters and the statements made herein are true and to the best of mythereby certified the meters are true and to the best of mythereby certified the meters are true and to the best of mythereby certified the meters are true and to the best of mythereby certified the meters are true and to the best of mythereby certified the meters are true and to the best of mythereby certified the meters are true and to the best of mythereby certified the meters are true and to the best	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COM APR 2 0 2007 rilling rig; circulating cement to the top; in all cases surface pipe **DENATION DIVISION COMPORTMENT TO THE PROPERTY OF THE PROPE
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plustereby certify that the statements made herein are true and to the best of myletate: VISO V	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COM APR 2 0 2007 rilling rig; circulating cement to the top; in all cases surface pipe **DENATION DIVISI** inderlying formation. WICHITA, KS to office on plug length and placement is necessary *prior* to plugging; If or production casing is cemented in; rom below any usable water to surface within *120 DAYS** of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. *In all cases, NOTIFY district office* prior to any cementing. Knowledge and belief. Title: **Celisis** Title: **Celisis** Remember to:
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented fror pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plusher by certify that the statements made herein are true and to the best of my Date: YIRO7 Signature of Operator or Agent: **Martinian Appendix** Signature of Operator or Agent: **District Cuse ONLY**	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COM APR 2 0 2007 rilling rig; circulating cement to the top; in all cases surface pipe **DENATION DIVISION COMPORTMENT TO THE PROPERTY OF THE PROPE
AFFIE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plus of the spud date or the spud of the spud date o	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COM APR 2 0 2007 rilling rig; circulating cement to the top; in all cases surface pipe **OANSER*ATION DIVISION INTERMINATION DIVISION INT
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented fror pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl I hereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 25047-0000	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COM APR 2 0 2007 rilling rig; circulating cement to the top; in all cases surface pipe **OSNSERMATION DIVISION INTERPORT TO PROPERTY
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented fror pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plusted. I hereby certify that the statements made herein are true and to the best of my for the complete of the statements of the operator of Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 25047-0000 Conductor pipe required 0 feet	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED ping of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COM APR 2 0 2007 rilling rig; circulating cement to the top; in all cases surface pipe **DENISTRATION DIVISION INTERPORT TO Plugging; If or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plusging report (CPLA) after plugging is completed (within 60 days):
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of an ALTERNATE II COMPLETION, production pipe shall be cemented fror pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pled thereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COM APR 2 0 2007 rilling rig; circulating cement to the top; in all cases surface pipe **ONNSERMATION DIVISION INTERPORT TO Plugging; If or production casing is cemented in; rom below any usable water to surface within *120 DAYS* of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented fror pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl hereby certify that the statements made herein are true and to the best of my Date: YIRIO7	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COM APR 2 0 2007 rilling rig; circulating cement to the top; in all cases surface pipe **DENATION DIVISION INTERPRETATION DIVISION I
AFFIE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plied hereby certify that the statements made herein are true and to the best of my Date: For KCC Use ONLY API # 15 - OO9 - 25 O47 - OOOO Conductor pipe required	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COM APR 2 0 2007 rilling rig; circulating cement to the top; in all cases surface pipe **ONNSERMATION DIVISION INTERPORT TO Plugging; If or production casing is cemented in; rom below any usable water to surface within *120 DAYS* of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl I hereby certify that the statements made herein are true and to the best of my Date: For KCC Use ONLY API # 15 - OO9 - 25047-0000 Conductor pipe required 0 feet Minimum surface pipe required 400 feet per ALT. I III Approved by: 400 feet per ALT. III	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED In yes No RECEIVED APR 2 0 2007 If Illing rig; circulating cement to the top; in all cases surface pipe SONSERMATION DIVISION Inderlying formation. WICHITA, KS If or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 18,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFFIE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plied hereby certify that the statements made herein are true and to the best of my Date: For KCC Use ONLY API # 15 - OO9 - 25 O47 - OOOO Conductor pipe required	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COM APR 2 0 2007 rilling rig; circulating cement to the top; in all cases surface pipe socklase ATION DIVISION MICHITA, KS to office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 009-25047-0000	
Operator: Farmer, John O., Inc.	Location of Well: County: Barton
Lease: Hoffman A	1,150 feet from N / N S Line of Section
Well Number: 16	330 feet from E / X W Line of Section
Field: TRAPP	Sec. 7 Twp. <u>16</u> S. R. <u>13</u> E 🔀 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: N2 - NW - SW - SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			:			
		:			: :	
				•	·	•
					:	
				•		• • •
						:
						:
	·				:	•
		:				
:	:	:		:	:	:
	:	:		:	:	:
:	:	:		;	:	:
:	•	:		:	:	:
:	•	:		:		:
		:				:
:	:	}		•	;	<u>.</u>
:	:	;			;	•
:	;	:,		:	:	
				,		
:	:	: .	:		:	
:	:	:		;	:	
:	:	:	1		:	
:	:	:	1	:	:	
			*******	,		
:	•	:	:	:	:	
:	-	•		:	:	
•	:				:	
•	:	-				
_G :	:	-			:	
	:	:			:	
	:	:		:	:	
	:	:		: :	:	
1 .	•	•				
		•				
;	;	:	:			
	:	; 1			:	
;	:	:			: :	
1 :	:	:				
	•	- •	7		7	



E: In all cases locate the spot of the proposed drilling locaton

RECEIVED KANSAS CORPORATION COMMISSION

1150 ft.
In plotting the proposed location of the well, *you must show*:

APR 2 0 2007

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
 4 sections, etc.

 CONSERVATION DIVISION
 WICHITA, KS
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



Kansas Corporation Commission Oil & Gas Conservation Division

1008944

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Farmer, John O., Inc.		License Number: 5135					
Operator Address: 370 W Wichita Ave PO		Box 352	Russell	KS	67665		
Contact Person: John Farmer IV		Phone Number:	785-483-314	44	·		
Lease Name & Well No.: Hoffman A	16		Pit Location (QQQQ):				
Type of Pit:	Pit is:			N2 . <u>NW . SW . SW</u>			
Emergency Pit Burn Pit	Proposed Existing		Sec. 7 Twp. 16 R. 13 East West				
Settling Pit	If Existing, date constructed:		1,150 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / X West Line of Section				
(If WP Supply API No. or Year Drilled)	3,000	(bbls)	Barton			County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l				
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?				
Yes No	Yes X	No	native clay & o	drilling mud			
Pit dimensions (all but working pits): 6	5 Length (fe	eet) 65	Width (feet)		N/A: Steel	Pits	
	om ground level to de		(feet)		No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure		1	edures for periodic including any specia	maintenance and deter I monitoring.	mining	:	
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh water 0	feet.			
0feet Depth of water well0feet		Source of information: measured					
		Drilling, Work	over and Haul-Off	Pits ONLY:	•		
Producing Formation:		Type of materia	al utilized in drilling/	workover: drilling mu	ıd		
Number of producing wells on lease:		Number of working pits to be utilized: 3					
Barrels of fluid produced daily:		Abandonment		to dry by evaporat	tion & bad	:kfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		When dry ———————————————————————————————————					
I hereby certify that the above state	ments are true and	correct to the bes	t of my knowledge a	and belief.			
4/18/07 Date		M.# D	ignature of Applicar	nt or Agent			
KCC OFFICE USE ONLY RFAC RFAS					s		
Date Received: 4/20/07 Permit Numl	per:	Perm	it Date: 4/20/0	2 Lease Inspection	n: Yes	No	