

For KCC Use: 4-25-07
Effective Date: District # SGA? Yes No

## KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

1008920

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

=	
Expected Spud Date: 04/23/2007 month day year	Spot Description:
,	E2 - SW - SW - NW Sec. 15 Twp. 34 S. R. 34 DE W
OPERATOR: License# 5278	z,310 teet from XIN / S Line of Section
Name: EOG Resources, Inc.	380 feet from ☐ E / ☒ W Line of Section
Address 1: 3817 NW Expressway, Suite 500	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Oklahoma City State: OK Zip: 73112 + 1483 Contact Person: MINDY BLACK	County: Seward
Phone: 405-246-3100	Lease Name: WETTSTEIN Well #: 15 #1
	Field Name: ARCHER
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name: _Abercrombie Rtd, Inc	Target Formation(s): MORROW
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 380
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 2938 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 600
Other:	Depth to bottom of usable water: 700 Surface Pine by Alternate: XII III
If OWWO: old well information as follows:	Surface Pipe by Alternate: XI I III  Length of Surface Pipe Planned to be set: 1700
	Length of Conductor Pipe (if any): 40
Operator:	Projected Total Depth: 6600
Well Name:Original Total Depth:	Formation at Total Depth: ST. LOUIS
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Weil Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note</b> : Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? ☐Yes ☒No
PRORATED & SPACED: HUGOTON	If Yes, proposed zone:
	RECEIVED
	IDAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	
It is agreed that the following minimum requirements will be met:	APR 2 0 2007
Notify the appropriate district office <i>prior</i> to spudding of well;	LOB and a
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set b</li> </ol>	drilling rig; CONSERVATION DIVISION
5. The minimum amount of surface pipe as specified below shan be set b	
through all unconsolidated materials plus a minimum of 20 feet into the	by circulating cement to the top; in all cases surface pipe shall be set if it. KS underlying formation.
4. If the well is dry hole, an agreement between the operator and the distri	inderlying formation.  ict office on plug length and placement is necessary <i>prior to plugging</i> ;
<ul> <li>4. If the well is dry hole, an agreement between the operator and the district.</li> <li>5. The appropriate district office will be notified before well is either plugge</li> </ul>	underlying formation.  ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in:
<ul> <li>through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ul>	inderlying formation.  ict office on plug length and placement is necessary <i>prior to plugging</i> ;  ed or production casing is cemented in;  If from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	inderlying formation.  ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statement of the spud date.</li> </ol>	inderlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 5. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and to the best of my	includerlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief.
4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 5. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and to the best of my	includerlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief.
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statement of the spud date.</li> </ol>	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief.
4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 5. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and to the best of my	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief.  Title Percetion Assured.
4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and to the best of my Date:  1	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If the percentage of the prior to any cementing. If the percentage of the prior to any cementing is plugged. Title percentage of the
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and to the best of my  Date: 4-18-07 Signature of Operator or Agent:  For KCC Use ONLY  API #15-175-22086-0000	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief.  Title Percention Associated Title Percention Associated Title Pill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and to the best of my Date: 4-18-07 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 175 - 22086 - OOOO feet	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief.  Title  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolicated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and to the best of my Date: 4-18-07. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 175 - 22086 - OCCO  Conductor pipe required 0 feet  Minimum surface pipe required 720 feet per ALT.	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief.  Title Prior Associated Title Prior Associated Associ
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my  Date: 4 - 18 - 07 Signature of Operator or Agent:  For KCC Use ONLY  API #15 - 175 - 22086 - OOO  Conductor pipe required   Minimum surface pipe required   720 feet per ALT. I III  Approved by: 44 - 20 - 07	rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief.  Title  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a light that the statements made herein are true and to the best of my Date: 4-18-07 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 175 - 22086 - OOOO  Conductor pipe required Office teet  Minimum surface pipe required 720 feet per ALT. I I I Approved by: 14-20-07  This authorization expires: 10-20-07	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief.  Title Prior Associated Title Prior Associated Associ
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my  Date: 4 - 18 - 07 Signature of Operator or Agent:  For KCC Use ONLY  API #15 - 175 - 22086 - OOO  Conductor pipe required   Minimum surface pipe required   720 feet per ALT. I III  Approved by: 44 - 20 - 07	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief.  Title  Percation  Title  Percation  Title  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a light that the statements made herein are true and to the best of my Date: 4-18-07 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 175 - 22086 - OOOO  Conductor pipe required Office teet  Minimum surface pipe required 720 feet per ALT. I I I Approved by: 14-20-07  This authorization expires: 10-20-07	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief.  Title Production To any cementing.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.



### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 175-22086-0000			
Operator: EOG Resources, Inc.	Location of Well: County: Seward		
Lease: WETTSTEIN	2,310 feet from N / S Line of Section		
Well Number:15 #1	2,310 feet from N / S Line of Section  380 feet from E / W Line of Section		
Field: ARCHER	Sec. 15 Twp. 34 S. R. 34 E X W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- $2. \ \, \text{The distance of the proposed drilling location from the south / north and east / west outside section lines}.$
- 3. The distance to the nearest lease or unit boundary line (in footage).

RECEIVED KANSAS CORPORATION COMMISSION

 If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (Co-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1008920

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: EOG Resources, Inc.		License Number: 5278	
Operator Address: 3817 NW Expressway, Suite 500		Oklahoma City OK 73112	
Contact Person: MINDY BLACK		Phone Number: 405-246-3100	
Lease Name & Well No.: WETTSTEIN 15 #1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		_ <u>E2SWSWNW_</u>
Emergency Pit Burn Pit	Proposed Existing		Sec. 15 Twp. 34 R. 34 East West
Settling Pit Drilling Pit	If Existing, date constructed:		2,310 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / X West Line of Section
(if WP Supply API No. or Year Drilled)	12,500	(bbls)	Seward County
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
Yes No	Yes No		SOIL COMPACTION
Pit dimensions (all but working pits): 125 Length (feet) 125 Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	epest point: 5	(feet) No Pit
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.			edures for periodic maintenance and determining ncluding any special monitoring.
material, and another procedure	••	inier intogrity, ii	issuing any special memoring.
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water 130 feet.	
Source of infor		mation:	
teet Depth of water wellteetteetteet		over and Haul-Off Pits ONLY:	
		al utilized in drilling/workover: GEL	
		king pits to be utilized: 0	
Barrels of fluid produced daily:	· · · · · · · · · · · · · · · · · · ·		procedure: EVAPORATION/DEWATER AND
Does the slope from the tank battery allow all spilled fluids to		BACKFILLING OF RESERVE PIT.	
flow into the pit? Yes No		Drill pits must l	be closed within 365 days of spud date. RECEIVED V
I hereby certify that the above statements are true and correct to the best of my knowledge and belief			
APR 2 0 2007			
<u>4-18-07</u>		11 Unde	Michita, KS  CONSERVATION DIVISION  Michita, KS
Date			ignature of Applicant of Agent
KCC OFFICE USE ONLY RFAC RFAS			
Date Received: 4/20/07 Permit Number: Permit Date: 4/20/07 Lease Inspection: Yes No			