

| For KCC Use: // 20 0-7 | |
|-------------------------|---|
| Effective Date: 4-39-07 | |
| District #3 | _ |
| SGA? Yes No | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009025

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| must be approved by KCC tive | e (5) days prior to commencing well |
|---|--|
| Expected Spud Date:05/01/2007 | Spot Description: SE |
| month day year | E2 . E2 _SW _ SE _Sec. 26 _Twp. 31 _S R. 17 _XE _W |
| ODEDATOR: 15 5150 | |
| OPERATOR: License# OPERATOR: License# Name: Colt Energy Inc | 660 feet from N / X S Line of Section 1,400 feet from X E / W Line of Section |
| Address 1: P.O. Box 388 | Is SECTION: Regular Irregular? |
| Address 2: | <u> </u> |
| City: lola State: KS Zip: 66749 + | (Note: Locate well on the Section Plat on reverse side) County: Labette |
| Contact Person: DENNIS KERSHNER | Lease Name: McGee Well #: 15-26 |
| Phone: 620-365-3111 | Field Name: COFFEYVILLE-CHERRYVALE |
| CONTRACTOR: License# 33072 | Is this a Prorated / Spaced Field? |
| Name: Well Refined Drilling Company, Inc. | Target Formation(s): PENNSYLVANIAN COALS |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): 1240 |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation: 860 feet MSL |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: 125 |
| Other: | Depth to bottom of usable water: |
| If OWWO: old well information as follows: | Surface Pipe by Alternate: |
| | Length of Surface Pipe Planned to be set: 20 |
| Operator: | Length of Conductor Pipe (if any): |
| Well Name: | Projected Total Depth: 1100 Formation at Total Depth: MISSISSIPPI |
| Original Completion Date: Original Total Depth: | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other: DISPOSAL WATER TANK |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | |
| | (Note: Apply for Permit with DWR) |
| KCC DKT #: | (Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ☒ No |
| | |
| KCC DKT #: | Will Cores be taken? If Yes, proposed zone: RECEIVED |
| KCC DKT #: | Will Cores be taken? Yes No If Yes, proposed zone: RECEIVED |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plus | Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED KANSAS CORPORATION COMMISSION Reging of this well will comply with K.S.A. 55 et. seq. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: | Will Cores be taken? If Yes, proposed zone: RECEIVED |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; | Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED KANSAS CORPORATION COMMISSION APR 2 4 2007 |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; | Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED KANSAS CORPORATION COMMISSION APR 2 4 2007 |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the | Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; oy circulating cement to the top; in all cases surface pipe with IA, KS. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions. | Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED RANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; by circulating cement to the top; in all cases surface pipe and the surf |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. | Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED RANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; oy circulating cement to the top; in all cases surface pipe shall be surface or production. into office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. | Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED RANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; oy circulating cement to the top; in all cases surface pipe shall be served to the surface on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. | Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED RANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; oy circulating cement to the top; in all cases surface pipe shall be surface or production. into office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED RANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; Or circulating cement to the top; in all cases surface pipe with IA, KS underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; CONSERVATION DIVISION underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the best of minimum and the statements made herein are true and to the statements made herein are true and to the statements made herein are true and t | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; Over circulating cement to the top; in all cases surface pipe with IA, KS and underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Title: Titl |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of more places. Date: 1 - 20 - 0 7 Signature of Operator Agent: 1 - 20 - 0 7 Signature of Operator Agent: 1 - 20 - 0 7 Signature of Operator Agent: 1 - 20 - 0 7 Signature of Operator Agent: 1 - 20 - 0 7 Signature of Operator Agent: 1 - 20 - 0 7 Signature of Operator Agent: 1 - 20 - 0 7 Signature Operator Agent: 1 - 20 - 0 7 Signature Operator Agent: 1 - 20 - 0 7 Signature Operator Agent: 1 - 20 - 0 7 Signature Operator Agent: 1 - 20 - 0 7 Signature Operator Agent: 1 - 20 - 0 7 Signature Operator Operator Agent: 1 - 20 - 0 7 Signature Operator Operato | Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED RANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; oy circulating cement to the top; in all cases surface pipe shall be surfaced or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If the Commission of t |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the statements of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of must be completed. Signature of Operator or Agent: For KCC Use ONLY | Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED RANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; by circulating cement to the top; in all cases surface pipe shall be surface or production. In underlying formation. In the original complete and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If the Complete and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the destrict office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of more places. For KCC Use ONLY API #15 - Q99 - 241/96 - DODO | Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; Or circulating cement to the top; in all cases surface pipe with the complete state of the production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Are knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of sould date: |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the destrict office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of module. For KCC Use ONLY API #15 - O99 - 241 96 - DODO Conductor pipe required 0 feet | Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED RANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; oy circulating cement to the top; in all cases surface pipe shall be shall be solved and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of module of the completed within 30 days of the spud date or the well shall be completed. For KCC Use ONLY API #15 - O99 - 24/196 - DODO Conductor pipe required 0 feet Minimum surface pipe required 10 feet | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; Overculating cement to the top; in all cases surface pipe with IA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district. The well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be be thereby certify that the statements made herein are true and to the best of module: | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; Overculating cement to the top; in all cases surface pipe with the first office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the destrict office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of module. For KCC Use ONLY API #15 - O99 - 241 96 - DODO Conductor pipe required 0 feet | Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; po circulating cement to the top; in all cases surface pipewichina Rist runderlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of module of the spud statements. For KCC Use ONLY API # 15 - O99 - 24/196 - DODD Conductor pipe required 0 feet Minimum surface pipe required 10 feet Minimum surface pipe required 20 feet per ALT. II III | Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; Oy circulating cement to the top; in all cases surface pip wichila, ks or underlying formation. Fict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Yes Nowledge and belief. Title: Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of module of the spud state of | Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION APR 2 4 2007 drilling rig; po circulating cement to the top; in all cases surface pipewichina Rist runderlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 099-24196-0000 | |
|--|--|
| Operator: Colt Energy Inc | Location of Well: County: Labette |
| Lease: McGee | 660 feet from N / X S Line of Section |
| Well Number: 15-26 | 1,400 feet from X E / W Line of Section |
| Field: COFFEYVILLE-CHERRYVALE | Sec. <u>26</u> Twp. <u>31</u> S. R. <u>17</u> E W |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| QTR/QTR/QTR/QTR of acreage: E2 - SW - SE | is Section. Milegular of Milegular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| : | : | 1 | | : : | : : : : | : | RECEIVED KANSAS CORPORATION COMMISSIO |
|-------|----------|---|-----------|---|------------------|--------|---------------------------------------|
| | | | ****** | •••••• | | | APR 2 4 26.7 |
| | : | : | •••• | | | : | CONSERVATION DIVISION WICHITA, KS |
| | | · | ********* | • | · | · | |
| | <u>:</u> | 2 | 6 | | | : : | EXAMPLE |
| • | | | •••• | | · ,,,,,,,,,,,, | | 10 10 1980 |
| | | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | 3390' |
| | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | @ |) | | 1400 ft. SEWARD CO. |

NOTE: In all cases locate the spot of the proposed drilling locaton.

660 ft

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009025

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Colt Energy Inc | | License Number: 5150 | | | |
|---|--------------------------------|---|--|--|--|
| Operator Address: P.O. Box 388 | | lola KS 66749 | | | |
| Contact Person: DENNIS KERSI | HNER | Phone Number: 620-365-3111 | | | |
| Lease Name & Well No.: McGee | 15 | 5-26 | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | <u>E2</u> <u>E2</u> <u>SW</u> <u>SE</u> | | |
| Emergency Pit Burn Pit | Proposed | Existing | Sec. 26 Twp. 31 R. 17 East West | | |
| Settling Pit | If Existing, date constructed: | | 660 Feet from North / South Line of Section | | |
| Workover Pit Haul-Off Pit | | | 1,400 Feet from East / West Line of Section | | |
| (If WP Supply API No. or Year Drilled) | Pit capacity: 80 (bbls) | | Labette | | |
| Is the pit located in a Sensitive Ground Water | Area? Yes | No | Chloride concentration: mg/l | | |
| La the hotters heless executed level2 | | - | (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? Yes No | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? NATIVE CLAY SOIL | | |
| Pit dimensions (all but working pits): 3 | 0 Length (fe | eet)15 | Width (feet) N/A: Steel Pits | | |
| , , , | om ground level to de | _ | (feet) No Pit | | |
| If the pit is lined give a brief description of the | liner | Describe proce | edures for periodic make the first black of the control of the con | | |
| material, thickness and installation procedure | i. | liner integrity, in | ncluding ankangsis borpitrianon commission | | |
| | | | APR 2 4 2007 | | |
| | | | CONSERVATION DIVISION WICHITA, KS | | |
| Distance to nearest water well within one-mile | of pit | Depth to shallo Source of infor | west fresh waterfeet. | | |
| N/A feet Depth of water well | feet | measu | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | over and Haul-Off Pits ONLY: | | |
| Producing Formation: | | Type of material utilized in drilling/workover: NATIVE SOIL | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: 1 | | | |
| Barrels of fluid produced daily: | | Abandonment | procedure: PUMP OUT - PUSH IN | | |
| Does the slope from the tank battery allow all flow into the pit? Yes No | spilled fluids to | Drill pits must be closed within 365 days of spud date. | | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | | | |
| $CD \cdot A = CA \cdot A$ | | | | | |
| 4-20-07 Date Shuley | | | ignature of Applicant or Agent | | |
| | | | NLY RFAC RFAS | | |
| KCC OFFICE USE OF | | | KFAC KFAS | | |
| Date Received: 4/24/07 Permit Number:Perm | | | it Date: $\frac{4/24/c.7}{}$ Lease Inspection: \square Yes \square No | | |