

For KCC Use:

Effective Date:

District # 3

SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009023

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

| must be approved by NOC live | (5) days prior to commencing well |
|--|--|
| Expected Spud Date:05/01/2007 | Spot Description: SE |
| month day year | N2 - SW - SE Sec. 15 Twp. 32 S. R. 17 XE W |
| 5150 | (Q/Q/Q/Q) 990 feet from N/X S Line of Section |
| OPERATOR: License# | 1,980 feet from E / W Line of Section |
| Address 1: P.O. Box 388 | Is SECTION: Regular Irregular? |
| Address 2: | - |
| City: lola | (Note: Locate well on the Section Plat on reverse side) County: Montgomery |
| Contact Person: DENNIS KERSHNER | Lease Name: SCHABEL Well #: 15-15 |
| Phone: 620-365-3111 | Field Name: COFFEYVILLE-CHERRYVALE |
| CONTRACTOR: License#_33072 | Is this a Prorated / Spaced Field? |
| Name: Well Refined Drilling Company, Inc. | Target Formation(s): PENNSYLVANIAN COALS |
| | Nearest Lease or unit boundary line (in footage): 660 |
| Well Drilled For: Well Class: Type Equipment: | Ground Surface Elevation: 878 feet MSL |
| Oil Enh Rec Infield Mud Rotary | Water well within one-quarter mile: |
| Gas Storage Pool Ext. Air Rotary | Public water supply well within one mile: |
| Disposal Wildcat Cable | Depth to bottom of fresh water: 100 |
| Seismic :# of Holes Other | Depth to bottom of usable water: |
| Other: | Surface Pipe by Alternate: 1 XIII |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 20 |
| _ | Length of Conductor Pipe (if any): |
| Operator: | Projected Total Depth: 1100 |
| Well Name:Original Total Depth: | Formation at Total Depth: MISSISSIPPI |
| Original Completion Date, Original Total Depart | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other: DISPOSAL WATER TANK |
| If Yes, true vertical depth: | DWR Permit #: |
| | |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) Will Cores be taken? Yes No |
| | Will Cores be taken? If Yes, proposed zone: |
| | Will Cores be taken? If Yes, proposed zone: |
| KCC DKT #: | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION |
| KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plug | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION |
| KCC DKT #: | Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION Ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION Ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHITA KS y circulating cement to the top; in all cases surface pipe shall be set |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Grigg of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHTA KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in: |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION TOAVIT Iging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHTA KS Ye circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Grilling of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHTA KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of the state | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHITA KS underlying formation. ct office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Grilling of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHTA KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the theorem of the modern of the distriction of the specified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Grilling of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHTA KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of the state | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHITA KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to pluggling; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Publication Climb |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state and amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the statements made herein are true and to the best of my Date: 1. Notify the appropriate district office pipe as specified before well; 2. A copy of the appropriate district office pipe as specified below <i>shall be</i> set by the specif | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Grigging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHITA KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Kenowledge and belief. Title: Title |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state and amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the statements made herein are true and to the best of my Date: | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION willing rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Purduction Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: Signature of State Agent: For KCC Use ONLY API # 15 - 135 - 31347 0000 | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Grigging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHITA KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Kenowledge and belief. Title: Title |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and to the best of my Date: Signature of Signature of Agent: For KCC Use ONLY API # 15 - 105 - 31347 OOOO | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION willing rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Purduction Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of my Date: For KCC Use ONLY API # 15 - 105 - 31347 - OOOO feet Minimum surface pipe required 0 feet Minimum surface pipe required 20 feet per ALT. II XIII | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to pluggling; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. A knowledge and belief. Title: Title: Publication Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set in the well is dry hole, an agreement between the operator and the distriction of the set in t | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHITA KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to pluggling; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In knowledge and belief. Title: Publication Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set in the well is dry hole, an agreement between the operator and the distriction of the set in t | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHITA KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Purduction Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of my Date: For KCC Use ONLY API # 15 - 105 - 31347 - OOOO feet Minimum surface pipe required 0 feet Minimum surface pipe required 20 feet per ALT. II XIII | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHITA KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: Signature of feet Minimum surface pipe required 0 feet per ALT. II Is authorization expires: 10 24-07 (This authorization void if drilling not started within 6 months of approval date.) | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHITAL KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief, When the plugging is completed (within 60 days); Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting sait water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date: Title: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting sait water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distripant 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of my Date: For KCC Use ONLY API # 15 - 25 - 31347 - OOOO Conductor pipe required 0 feet Minimum surface pipe required 20 feet per ALT. I I I I I I I I I I I I I I I I I I I | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. APR 2 4 2007 CONSERVATION DIVISION WICHITA KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 125-31347-0000 | | |
|--|--|--|
| Operator: Colt Energy Inc | Location of Well: County: Montgomery | |
| Lease: SCHABEL Well Number: 15-15 | 990 feet from N / X S Line of Section 1,980 feet from X E / W Line of Section | |
| Field: COFFEYVILLE-CHERRYVALE | Sec. <u>15</u> Twp. <u>32</u> S. R. <u>17</u> Z E W | |
| Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: - N2 - SW - SE | Is Section: Regular or Irregular | |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW | |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



990 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009023

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Colt Energy Inc | | License Number: 5150 | | | |
|---|---|---|---|--------------------------------------|--|
| Operator Address: P.O. Box 388 | | lola | KS 66749 | | |
| Contact Person: DENNIS KERSHNER | | Phone Number: 620-365-3111 | | | |
| Lease Name & Well No.: SCHABEL | 15 | -15 | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: Proposed Existing If Existing, date constructed: | | N2 _ SW _ SE | | |
| ☐ Emergency Pit ☐ Burn Pit ☐ Settling Pit ☐ Drilling Pit | | | | | |
| Workover Pit Haul-Off Pit | | | 1,980 Feet from East / West Line of Section | | |
| (If WP Supply API No. or Year Drilled) | Pit capacity: 80 (bbls) | | Montgomery | County | |
| Is the pit located in a Sensitive Ground Water | Is the pit located in a Sensitive Ground Water Area? Yes No | | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? Yes No | Artificial Liner? | No | How is the pit lined if a plastic I | iner is not used? | |
| Pit dimensions (all but working pits): 30 Length (feet) 15 Width (feet) N/A: Steel Pits | | | | | |
| Depth fr | om ground level to de | eepest point: 5 | (feet) | RECENHED S CORPORATION COMMISSION | |
| | | | edures for periodic maintenance and an anitoring. | and determining APR 2 4 2007 | |
| | | | C | CONSERVATION DIVISION WICHITA, KS | |
| Distance to nearest water well within one-mile of pit Depth to shallo | | owest fresh water 20 | feet. | | |
| Source of info | | rmation: ured well owner electric log KDWR | | | |
| Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: | | | | | |
| Producing Formation: Type of material | | al utilized in drilling/workover: NATIVE SOIL | | | |
| · | | erking pits to be utilized: 1 | | | |
| Barrels of fluid produced daily: Abandonment procedure: PUMPED OUT - PUSHED IN | | | | - PUSHED IN | |
| Does the slope from the tank battery allow all flow into the pit? Yes No | bes the slope from the tank battery allow all spilled fluids to winto the pit? Yes No Drill pits must | | be closed within 365 days of spud date. | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | | | |
| 4.20-2007 Shilly Statler Date Signature of Application Agent | | | | | |
| KCC OFFICE USE ONLY RFAC RFAS | | | | | |
| Date Received: 4 24 67 Permit Number: Permit Date: 4 24 67 Lease Inspection: Yes K No | | | | | |