For KCC	Use:	47	-07	
Effective	Date:	<u> </u>	-01	
District #		<u> </u>		 
	<b>—</b>	10		

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
Altourne must be Filled

## NOTICE OF INTENT TO DRILL

Expected Soud Date (1977)	Spot	✓ Eas
Expected Spud Date April 6, 2007 month day year	NE NE NE Sec. 34 Twp. 28 S. F	. <u>18</u> We
33344	350feet from	Line of Section
OPERATOR: License# 33344  Name: Quest Cherokee LLC	350feet from V E / W	Line of Section
9520 North May Avenue, Suite 300	is SECTIONRegularIrregular?	
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on revers	se side)
Contact Person: Richard Marlin	County, Neosho	
Phone: (405) 463-6880	Lease Name. Triplett, C.W.	Vell #: 34-3
	Field Name: Cherokee Basin CBM	· · · · · · · · · · · · · · · · · · ·
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?	Yes 🗸 N
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 400	
	Ground Surface Elevation: 924	feet M5
	Water well within one-quarter mile:	Yes V
✓ Gas Storage Pool Ext. ✓ Air Rotary  OWNO Disposal Wildcat Cable	Public water supply well within one mile:	Yes V
Salemin: # of Holes Other	Depth to bottom of fresh water:	
✓ Other Coalbed Methane	Depth to bottom of usable water:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25  Length of Conductor Pipe required:	
Operator:	Projected Total Depth: 1300	
Well Name:	Formation at Total Depth: Cherokee Coals	
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? RECEIVED Ves V No KANSAS CORPORATION COMMISSION	Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location: APR 2 4 2007	(Note: Apply for Permit with DWR )	
KCC DKT #:	Will Cores be taken?	Yes 🗸 N
S: 400' FAL, 400' FEL CONSERVATION DIVISION	If Yes, proposed zone:	RECEIVED
250' FAL 350 FEL WICHTAKE AND	FIDAVIT XANSAS CO	RECEIVED RPORATION COMM
The undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq. AD	0 0
		ドー ノ つのへっ
It is agreed that the following minimum requirements will be met:		'' <i>4 ZUU/</i>
(t is agreed that the topograph transmittent reddings to the second		*
Notify the appropriate district office <i>prior</i> to spudding of well;	conser	RVATION DIVISION
Notify the appropriate district office <i>prior</i> to spudding of well;     A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.     The minimum amount of surface pipe as specified below <i>shall be</i> s	CONSER ach drilling rig; set by circulating cement to the top; in all cases surface pipe	RVATION DIVISION
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be strough all unconsolidated materials plus a minimum of 20 feet into</li> </ol>	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation.	RVATION DIVISION CHILIN, ME set
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus.	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pr	RVATION DIVISION CHITA, ME set ior to plugging;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on e.</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cemer</li> </ol>	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pr ugged or production casing is cemented in; nted from below any usable water to surface within 120 days	RVATION DIVISION CHITA ME set ior to plugging; s of spud date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pr ugged or production casing is cemented in; nted from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, after	RVATION DIVISION ISHIP A Set vior to plugging; s of spud date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pr ugged or production casing is cemented in; nited from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, after I be plugged. In all cases, NOTIFY district office prior to a	RVATION DIVISION ISHIP A Set vior to plugging; s of spud date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> sufficiently through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the statements.	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary prugged or production casing is cemented in; inted from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, after the plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief.	RVATION DIVISION ISHIP A Set vior to plugging; s of spud date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> sufficiently through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the statements.	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pr ugged or production casing is cemented in; nited from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, after I be plugged. In all cases, NOTIFY district office prior to a	RVATION DIVISION ISHIP A Set vior to plugging; s of spud date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> sufficiently through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the statements.	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pr ugged or production casing is cemented in; nted from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, afte I be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief.  Title: VP	RVATION DIVISION ISHIP A Set vior to plugging; s of spud date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the complete of the statements of Operator or Agent:    Date: March 30, 2007	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary prugged or production casing is cemented in; inted from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, after the plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief.	RVATION DIVISION ISHIP A Set vior to plugging; s of spud date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the complete of the statements of Operator or Agent:    Date: March 30, 2007	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pr agged or production casing is cemented in; inted from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, after I be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief.    Title: VP	RVATION DIVISION CHITA, ME set sior to plugging; s of spud date. In cernanting any cementing.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the specific production of the destruction of the statements of the specific production of the specific production.  For KCC Use ONLY  API # 15 - 133 - 20885 - 0000	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pr tigged or production casing is cemented in; inted from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, after I be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief.    Title: VP	RVATION DIVISION CHITA, ME set sior to plugging; s of spud date. In cernenting any cementing.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: March 30, 2007  Signature of Operator or Agent: The best of the spud state of the statements made herein are true and to the best of the spud state of the spud state of the best of the spud state of t	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pr tigged or production casing is cemented in; inted from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, after I be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud district office at according to field proration. Notify appropriate district office 48 hours prior to workov	RVATION DIVISION CHITA, ME set sior to plugging; s of spud date. In cernenting any cementing.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the production of the spud date of the well shall be the production of the spud date of the well shall be the production of the best of the spud date of the spud date of the well shall be the production of the best of the spud date of the spud date of the well shall be producted to the statements made herein are true and to the best of the spud date of the spud date of the well shall be producted to the spud date of the well shall be producted to the statements made herein are true and to the best of the spud date of the spud date of the spud date of the spud date of the well shall be producted to the spud date of the well shall be producted to the spud date of the well shall be producted to the spud date of the well shall be producted to the well shall	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pr tigged or production casing is cemented in; inted from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, after I be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud di File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to workov Submit plugging report (CP-4) after plugging is complete	RVATION DIVISION CHITA, ME set ior to plugging; s of spud date. In cementing any cementing.  ate; orders; er or re-entry; ed;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the plate:  March 30, 2007  Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 133 - 24885-0000  Conductor pipe required 100 feet Minimum surface pipe required 100 feet per Alt.  Approved by:  MINIMUM 30 - 100 feet per Alt.  App	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pr ugged or production casing is cemented in; nted from below any usable water to surface within 120 days if #133,891-C, which applies to the KCC District 3 area, afte I be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud di File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to workov Submit plugging report (CP-4) after plugging is complete Obtain written approval before disposing or injecting sal	RVATION DIVISION CHITA, ME set vior to plugging; s of spud date, crnate II cementing, any cementing.  ate; orders; er or re-entry; ed; t water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the best of the spud shall be completed.  Date: March 30, 2007  Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 133 - 20885-0000  Conductor pipe required  Minimum surface pipe required  Approved by: WH 4-3-07 / MAY 4-34-07  This authorization expires: 10-2-07	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pr tigged or production casing is cemented in; inted from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, after I be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud di File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to workov Submit plugging report (CP-4) after plugging is complete	RVATION DIVISION CHITA, ME set vior to plugging; s of spud date, crnate II cementing, any cementing.  ate; orders; er or re-entry; ed; t water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best Date: March 30, 2007 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 133 - 24885-0000 Conductor pipe required 100 feet per Alt. Approved by: WH 4-2-07 / WH 4-24-07 feet per Alt.	ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pr tigged or production casing is cemented in; inted from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, after I be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud di File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to workov Submit plugging report (CP-4) after plugging is complete Obtain written approval before disposing or injecting sail  If this permit has expired (See: authorized expiration date	RVATION DIVISION CHITA, ME set vior to plugging; s of spud date, crnate II cementing, any cementing.  ate; orders; er or re-entry; ed; t water.

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW CORRECTED

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or space field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-26885-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	feet from N / S Line of Section
Lease: Triplett, C.W.	405 350 seet from F E / W Line of Section
Well Number: 34-3	Sec. 34 Twp. 28 S. R. 18
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NE - NE - NE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT** (Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		400 330	
		350	
		· · · · · · · · · · · · · · · · · · ·	
			·
:	: : : : : : : : : : : : : : : : : : :	· · · · · · · · · · · · · · · · · · ·	EXAMPLE
			4000
			1980
			3390'
			SEWARD CO. KANSAS CORPORATION COMMISSION

NOTE: In all cases locate the spot of the proposed drilling locaton.

APR 2 4 2007

#### In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sedicalTA, KS 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

	APPLICATIO	IN FUR SU	RFACE FII	Pa.	
	Sut	bmit in Duplicat	e .	- CUR	De la
Operator Name: Quest Cherokee Ll	LC		License Number: 33344	4	RECTE
Operator Address: 9520 North May	y Avenue, Sui	te 300 Ok	dahoma City, Okla	homa 73120	
Contact Person: Richard Marlin			Phone Number: ( 405	<sup>)</sup> 463 <sup>-</sup> 6880	
Lease Name & Well No.: Triplett, C. V		Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>NE</u> - <u>NE</u>	- NE	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 34 Twp. 28 R	18 East [	West
Settling Pit	If Existing, date co	nstructed:	480 350 Feet from [v	North / South Li	ine of Section
Workover Pit Haul-Off Pit			400 350 Feet from [		
(If WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbis)	Neosho		County
s the pit located in a Sensitive Ground Water	I		Chloride concentration:		mg/l
	<del> </del>			Pits and Settling Pits onl	(y)
s the bottom below ground level?  Yes ✓ No	Artificial Liner?  ☐ Yes	10	How is the pit lined if a plas	tic liner is not used?	
Depth from ground level to decide the pit is lined give a brief description of the liner material, thickness and install of phyceps.  KANSAS CORPORATION COMMISSION  APR 2 4 2007  CONSERVATION DIVISION		Describe proce liner integrity, in Air Drilling	dures for periodic maintenan notuding any special monitorin Operation Lasting A	<sub>ig</sub> . oprox <i>r</i> angays <sup>RE</sup> Opro APR	~ 2 20nz
Distance to nearest water well Willia de-mile	a of pit	Depth to shallow	west fresh water	feet. CONSERVA	TION DIVISION IITA, KS
N/A feet Depth of water well _	feet		redwell owner		_KDWR
mergency, Settling and Burn Pits ONLY:		Drilling, Works	over and Haul-Off Pits ONL	Y:	
roducing Formation:		Type of material utilized in drilling/workover: Air Drilled			
lumber of producing wells on lease:		Number of working pits to be utilized: One			
Barrels of fluid produced daily:		Abandonment (	procedure: Air Dry, Back Fill	and Cover	<del></del> ,
Does the slope from the tank battery allow all ow into the pit? Yes No	spilled fluids to	Drill pits must b	e closed within 365 days of s	pud date.	
I hereby certify that the above state  March 30, 2007  Date			of my knowledge and belief.	Level Dete	- (a) (b) (b)
Date Received: 4/2/07 Permit Numi		FFICE USE ON	1LY 4/24/27	se Inspection: Ye	