

For KCC Use:

Effective Date:

District # 3

SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009024

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description: SE
•	NE - NE - SW - SE Sec. 30 Twp. 31 S. R. 18 XE W
OPERATOR: License# 5150	1,300 feet from N / X S Line of Section
Name: Colt Energy Inc	leet from ME / W Line of Section
Address 1: P.O. Box 388	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: DENNIS KERSHNER	County: Labette Lease Name: WAGGONER Well #: 10-30
Phone: 620-365-3111	Lease Name: WAGGONER Well #: 10-30 Field Name: CHEROKEE BASIN COAL AREA
CONTRACTOR: License#33072	Is this a Prorated / Spaced Field?
Name: Well Refined Drilling Company, Inc.	Target Formation(s): PENNSYLVANIAN COALS
	Nearest Lease or unit boundary line (in footage): 1170
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 916 feet MSL
☐Oil ☐ Enh Rec ☐ Infield ☐ Mud Rotary ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐	Water well within one-quarter mile:
Gas Storage X Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I XIII
-	Length of Surface Pipe Planned to be set: 20
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1100 Formation at Total Depth: MISSISSIPPI
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: DISPOSAL WATER TANK
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	Ph
	Ph
The undersigned hereby affirms that the drilling, completion and eventual plug	DAVIT CANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:	RECEIVED GANSAS CORPORATION COMMISSION GER 24 2007
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:	RECEIVED GANSAS CORPORATION COMMISSION GER 24 2007
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:	RECEIVED GANSAS CORPORATION COMMISSION GER 24 2007
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	RECEIVED IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Identify the sequence of the sequenc
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions of the distriction	riparity of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMISSION CONSERVATION COMMISSION COMMISSION CONSERVATION COMMISSION COMMISSION CONSERVATION COMMISSION COMISSION COMMIS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	representation. The production casing is cemented in; RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; y circulating cement to the top; in all cases surface pipe in the set, underlying formation. ct office on plug length and placement is necessary prior to plugging; or or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipa shalf be set, underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the statements are true and to the statements are true a	drilling rig; y circulating cement to the top; in all cases surface pipe statistics of spud date. it office on plug length and placement is necessary prior to plugging; or or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. i3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe statistics of spud date. it office on plug length and placement is necessary prior to plugging; or or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. i3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the best of minimum of the statements made herein are true and to the statements are true and to the statements are true a	rilling rig; oriculating cement to the top; in all cases surface pipe strait be set, underlying formation. ct office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is the surface within 120 DAYS of Spud date. Title: Production Clark
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface propagations with the series of
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m. Date: 4 - 20 - 2007 Signature of Paraderer Agent:	drilling rig; y circulating cement to the top; in all cases surface pipe start beside, underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. When the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m. Date: 4 - 20 - 2007 Signature of Carateriar Agent: For KCC Use ONLY API #15 - 099 - 24197 - 0000	ging of this well will comply with K.S.A. 55 et. seq. ONSERVATION COMMISSION drilling rig; y circulating cement to the top; in all cases surface pipe strait be set, underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Whenember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the appropriate district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of must be completed. For KCC Use ONLY API # 15 - 299-24/197-000 Conductor pipe required 0 feet	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMISSION drilling rig; y circulating cement to the top; in all cases surface pipe strait western underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Title: Production Clark Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the best of m. Date: 4 - 20 - 2007 Signature of Conductor pipe required 0 feet. Minimum surface pipe required 10 feet.	drilling rig; y circulating cement to the top; in all cases surface pipa shalf be set, underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. When the production form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days).
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of module of the complete of the spud date or the well shall be conductor pipe required of the spud date or the well shall be conductor pipe required of the spud date or the well shall be conductor pipe required of the spud date or the well shall be conductor pipe required of the spud date or the well shall be conductor pipe required of the spud date or the well shall be conductor pipe required of the spud date or the well shall be conductor pipe required of the spud date or the well shall be conductor pipe required of the spud date or the well shall be conductor pipe required of the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be shall be set to the spud date or the well shall be set to the shall be shall be set to the shall be shall be set to the shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall lives by underlying formation. ct office on plug length and placement is necessary prior to plugging; dro production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. When the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of module: 1. For KCC Use ONLY API #15	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMISSION drilling rig; y circulating cement to the top; in all cases surface pipe strait western underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. When the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the appropriate district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of module. For KCC Use ONLY API # 15 - 2099 - 24/197 - Oxoo Conductor pipe required 0 feet Minimum surface pipe required 10 feet per ALT. II III Approved by: Put 4-24-07	drilling rig; y circulating cement to the top; in all cases surface within 120 DAYS of spud date. Is all cases, NOTIFY district office prior to any cementing. If this permit has expired (See: authorized expiration or date) please check the box below and return to the address below. RECEIVED RECEI
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of module: 1. Por KCC Use ONLY API #15 - 299 - 24/197 - 000 Conductor pipe required 0 feet Minimum surface pipe required 20 feet per ALT. I I III Approved by: 1. Put 15-44-07 This authorization expires: 10-24-07	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMISSION drilling rig; y circulating cement to the top; in all cases surface pipe and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Production Clerk Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24197-0000	
Operator: Colt Energy Inc	Location of Well: County: Labette
Lease: WAGGONER	1,300 feet from N / N S Line of Section
Well Number: 10-30	1,470 feet from X E / W Line of Section
Field: CHEROKEE BASIN COAL AREA	Sec. 30 Twp. 31 S. R. 18 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



1300 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009024

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Colt Energy Inc		License Number: 5150	
Operator Address: P.O. Box 388		lola KS 66749	
Contact Person: DENNIS KERSHNER		Phone Number: 620-365-3111	
Lease Name & Well No.: WAGGONER 10-30		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE NE SW SE
Emergency Pit Burn Pit	Proposed Existing		Sec. 30 Twp. 31 R. 18 East West
Settling Pit Drilling Pit	If Existing, date constructed:		1,300 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1,470 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	80	(bbls)	Labette
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration: mg/l
	1		(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? NATIVE CLAY SOIL
Pit dimensions (all but working pits):30			
	····		, ,
If the pit is lined give a brief description of the liner Describe proced material, thickness and installation procedure.		edures for periodic manuerance and determining including any special monitoring COMMISSION	
			APR 2 4 2007
		CONSERVATION DIVISION WICHITA, KS	
Distance to nearest water well within one-mile	e of pit		west fresh waterfeet.
NA feet Depth of water well feet measu			
		Drilling, Work	over and Haul-Off Pits ONLY:
I		Type of materia	al utilized in drilling/workover: NATIVE SOIL
Number of producing wells on lease: Number of wor		king pits to be utilized: 1	
Barrels of fluid produced daily: Abandonment		procedure: PUMP OUT - PUSH IN	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		pe closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
4-20-07 Shirley Statler Date Signature of Apple State Signature of A			
KCC OFFICE USE ONLY RFAC RFAS			
Date Received: 4/24/07 Permit Num	nber:	Perm	it Date: 4/24/07 Lease Inspection: Yes XNo